

Supporting Information

Rejuvenation of Perovskite Solar Cells

Yi-You Huang, Ganesh Gollavelli, Yi-Hsiang Chao, Chain-Shu Hsu*

Department of Applied Chemistry, National Chiao Tung University, 1001,
Ta Hsueh Road, Hsinchu, 30010, Taiwan (ROC).

*E-mail: cshsu@mail.nctu.edu.tw



Figure S1. The rejuvenation method.

Table S1: The performance of the device ITO/ZnO - planar/Perovskite/Spiro-OMeTAD/Al, Ag, Au.

Device	V_{oc} (V)	J_{sc} (mA/cm ²)	FF (%)	PCE (%)
Al	0.08	1.30	24.4	0.03
Ag	0.99	15.7	59.8	9.28
Au	0.98	18.8	63.0	11.6

Table S2: The performance of the device ITO/ZnO - planar and ZnO, TiO₂ NPs /Perovskite/Spiro-OMeTAD/Au.

Device	V_{oc} (V)	J_{sc} (mA/cm ²)	FF (%)	PCE (%)
ZnO NPs	0.87	15.5	44.0	6.05
TiO ₂ NPs	0.96	11.9	55.2	6.30
ZnO-Planar	0.98	18.8	63.0	11.6