

Supporting Information for

**Fast Kinetics Studies of the Lewis Acid-Base Complexation of Transient Stannyles with  
 $\sigma$ - and  $\pi$ -Donors in Solution**

Ian R. Duffy and William J. Leigh

**Figure S1.** (a) Transient UV-vis spectra from laser flash photolysis (lfp) of **1** in hexanes containing 0.025 M Et<sub>2</sub>O at 25 °C, recorded 0.32-0.42 µs (○) and 17.3-17.5 µs (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [Et<sub>2</sub>O]; the solid line is the least squares fit of the data to eq. 6. S6

**Figure S2.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 0.025 M Et<sub>2</sub>O, recorded 0.96-1.60 µs (○) and 22.6-23.4 µs (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [Et<sub>2</sub>O]; the solid line is the least squares fit of the data to eq. 6. S6

**Figure S3.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 0.025 M THF, recorded 0.51-0.70 µs (○) and 34.7-35.0 µs (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plots of  $(\Delta A_0)_0 / (\Delta A_{\text{res}})_Q$  (●) and  $k_{\text{decay}}$  (□) vs. [THF]; the solid lines are the least squares fits of the data to eq. 7 and 5, respectively. S7

**Figure S4.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 1.2 mM THF, recorded 0.64-1.28 µs (○) and 34.7-35.4 µs (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plots of  $k_{\text{decay}}$  vs. [THF]; the solid line is the least squares fit of the data to eq. 5. S7

**Figure S5.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 0.025 M EtOAc, recorded 0.51-0.70 µs (○) and 34.7-35.0 µs (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [EtOAc]; the solid line is the least squares fit of the data to eq. 6. S8

**Figure S6.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 0.025 M acetone, recorded 0.26-0.45 µs (○) and 33.7-34.0 µs (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [acetone]; the solid line is the least squares fit of the data to eq. 6. S8

**Figure S7.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 0.025 M acetone, recorded 0.48-0.80 µs (○) and 85-86 µs (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plots of  $k_{\text{decay}}$  (○) and  $(\Delta A_0)_0 / (\Delta A_{\text{res}})_Q$  (□) vs. [acetone]; the solid lines are the least squares fits of the data to eq. 5 and 7, respectively. S9

**Figure S8.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 1.0 mM Et<sub>2</sub>S, recorded 0.16-0.48 µs (○) and 11.2-11.8 µs (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. The absorption at ~460 nm is due to the distannene, formed during the laser pulse as a result of the intensity being too high. S9

(b) Plot of  $k_{\text{decay}}$  vs. [Et<sub>2</sub>S]; the solid line is the least squares fit of the data to eq. 5.

**Figure S9.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 1.0 mM Et<sub>2</sub>S, recorded 0.32-0.64  $\mu$ s (○) and 85.9-86.7  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [Et<sub>2</sub>S]; the solid line is the least squares fit of the data to eq. 5. S10

**Figure S10.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 1.0 mM THT, recorded 0.26-0.38  $\mu$ s (○) and 35.7-35.9  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [THT]; the solid line is the least squares fit of the data to eq. 5. S10

**Figure S11.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 0.6 mM THT, recorded 2.2-3.2  $\mu$ s (○) and 172-173  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [THT]; the solid line is the least squares fit of the data to eq. 5. S11

**Figure S12.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 1.0 mM *n*-BuNH<sub>2</sub>, recorded 0.16-0.32  $\mu$ s (○), 1.60-2.08  $\mu$ s (□) and 26.7-27.5  $\mu$ s (Δ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [*n*-BuNH<sub>2</sub>]; the solid line is the least squares fit of the data to eq. 5. S11

**Figure S13.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 0.5 mM *n*-BuNH<sub>2</sub>, recorded 3.2-4.5  $\mu$ s (○) and 81-83  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at 340 and 400 nm. (b) Plot of  $k_{\text{decay}}$  vs. [*n*-BuNH<sub>2</sub>]; the solid line is the least squares fit of the data to eq. 5. S12

**Figure S14.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 5.0 mM Et<sub>2</sub>NH, recorded 1.9-3.2  $\mu$ s (○), 21.8-23.0  $\mu$ s (□), and 88-91  $\mu$ s (Δ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [Et<sub>2</sub>NH]; the solid line is the least squares fit of the data to eq. 5. S12

**Figure S15.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 1.0 mM Et<sub>3</sub>N, recorded 4.0-4.2  $\mu$ s (○), 10.3-10.5  $\mu$ s (□), and 34.4-34.6  $\mu$ s (Δ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [Et<sub>3</sub>N]; the solid line is the least squares fit of the data to eq. 5. S13


**Figure S16.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 1.0 mM Et<sub>3</sub>N, recorded 4.5-5.8  $\mu$ s (○) and 344-347  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [Et<sub>3</sub>N]; the solid line is the least squares fit of the data to eq. 5. S13

**Figure S17.** Plots of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [1-hexene] for complexation of (a) SnMe<sub>2</sub> and (b) SnPh<sub>2</sub> with 1-hexene in hexanes at 25 °C. The solid lines are the least squares fits of the data to eq. 6. S14


<b>Figure S18.</b> (a) Transient UV-vis spectra from lfp of <b>1</b> in hexanes containing 0.5 M cyclohexene, recorded 0.32-0.64 $\mu$ s (○), 5.9-6.4 $\mu$ s (□), and 89-90 $\mu$ s ( $\Delta$ ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of $(\Delta A_0)_0 / (\Delta A_0)_Q$ vs. [cyclohexene]; the solid line is the least squares fit of the data to eq. 6.	S14
<b>Figure S19.</b> (a) Transient UV-vis spectra from lfp of <b>2</b> in hexanes containing 0.5 M cyclohexene, recorded 0.32-0.64 $\mu$ s (○), 5.9-6.4 $\mu$ s (□), and 89-90 $\mu$ s ( $\Delta$ ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of $(\Delta A_0)_0 / (\Delta A_0)_Q$ vs. [cyclohexene]; the solid line is the least squares fit of the data to eq. 6.	S15
<b>Figure S20.</b> (a) Transient UV-vis spectra from lfp of <b>1</b> in hexanes containing 0.25 M 1-hexyne, recorded 0.16-0.48 $\mu$ s (○), 4.3-4.8 $\mu$ s (□), and 89-90 $\mu$ s ( $\Delta$ ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of $(\Delta A_0)_0 / (\Delta A_0)_Q$ vs. [1-hexyne]; the solid line is the least squares fit of the data to eq. 6.	S15
<b>Figure S21.</b> (a) Transient UV-vis spectra from lfp of <b>2</b> in hexanes containing 0.25 M 1-hexyne, recorded 0.64-0.96 $\mu$ s (○), 5.9-6.2 $\mu$ s (□), and 89-90 $\mu$ s ( $\Delta$ ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of $(\Delta A_0)_0 / (\Delta A_0)_Q$ vs. [1-hexyne]; the solid line is the least squares fit of the data to eq. 6.	S16
<b>Figure S22.</b> (a) Transient UV-vis spectra from lfp of (GeMe <sub>2</sub> photoprecursor) 1,1-dimethyl-3-phenylgermacyclopent-3-ene <sup>4</sup> in hexanes containing 5.0 mM EtOAc, recorded 0.80-1.44 $\mu$ s (●), 5.92-6.88 $\mu$ s (○), and 85.9-86.7 $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at 300 nm and 360 nm. (b) Plot of $(\Delta A_0)_0 / (\Delta A_0)_Q$ vs. [EtOAc]; the solid line is the least squares fit of the data to eq. 6.	S16
<b>Figure S23.</b> (a) Transient UV-vis spectra from lfp of (GeMe <sub>2</sub> photoprecursor) 1,1-dimethyl-3-phenylgermacyclopent-3-ene <sup>4</sup> in hexanes containing 11.4 mM acetone, recorded 0.16-0.64 $\mu$ s (●), 4.3-5.3 $\mu$ s (○), and 53.9-54.7 $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at 300 and 360 nm. (b) Plot of $(\Delta A_0)_0 / (\Delta A_0)_Q$ vs. [acetone]; the solid line is the least squares fit of the data to eq. 6.	S17
<b>Figure S24.</b> (a) Transient UV-vis spectra from lfp of (GePh <sub>2</sub> photoprecursor) 3,4-dimethyl-1,1-diphenylgermacyclopent-3-ene <sup>5</sup> in hexanes containing 10.0 mM acetone, recorded 0.13-0.45 $\mu$ s (●), 5.6-6.0 $\mu$ s (○), and 28.0-28.3 $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at 350 and 440 nm. (b) Plot of $(\Delta A_0)_0 / (\Delta A_0)_Q$ vs. [acetone]; the solid line is the least squares fit of the data to eq. 6.	S17
<b>Computational Studies</b>	S18
<b>Table S1.</b> Calculated Electronic Energies, Enthalpies (298.15 K), and Free Energies (298.15 K) of the (1+2)-Cycloadducts of SnMe <sub>2</sub> and SnPh <sub>2</sub> with Propene, Propyne, and Isoprene, Calculated at the $\omega$ B97XD/def2-TZVP Level of Theory (energies in kcal mol <sup>-1</sup> ). <sup>a</sup>	S18
<b>Optimized Structures and Energies (<math>\omega</math>B97XD/def2-TZVP)</b>	S19
Dimethylstannylene (SnMe <sub>2</sub> )	S19

Diphenylstannylene ( $\text{SnPh}_2$ )	S19
Methanol (MeOH; <b>5</b> )	S20
Dimethyl ether (Me <sub>2</sub> O; <b>6'</b> )	S20
Diethyl ether (Et <sub>2</sub> O; <b>6</b> )	S21
Tetrahydrofuran (THF; <b>7</b> )	S21
Ethyl acetate (EtOAc; <b>8</b> )	S22
Acetone (Me <sub>2</sub> CO; <b>9</b> )	S22
Dimethylsulfide (Me <sub>2</sub> S; <b>10'</b> )	S23
Diethylsulfide (Et <sub>2</sub> S; <b>10</b> )	S23
Tetrahydrothiophene (THT; <b>11</b> )	S24
Methylamine (MeNH <sub>2</sub> ; <b>12'</b> )	S24
Dimethylamine (Me <sub>2</sub> NH; <b>13'</b> )	S25
Trimethylamine (NMe <sub>3</sub> ; <b>14'</b> )	S25
Propene ( <b>15'</b> )	S26
Cyclohexene ( <b>16</b> )	S26
Propyne ( <b>17'</b> )	S27
Isoprene ( <b>18</b> )	S27
SnMe <sub>2</sub> -MeOH Complex ( <b>5a</b> )	S27
SnMe <sub>2</sub> -Me <sub>2</sub> O Complex ( <b>6a'</b> )	S28
SnMe <sub>2</sub> -Et <sub>2</sub> O Complex ( <b>6a</b> )	S29
SnMe <sub>2</sub> -THF Complex ( <b>7a</b> )	S30
SnMe <sub>2</sub> -EtOAc Complex ( <b>8a</b> )	S31
SnMe <sub>2</sub> -Me <sub>2</sub> CO Complex ( <b>9a</b> )	S32
SnMe <sub>2</sub> -Me <sub>2</sub> S Complex ( <b>10a'</b> )	S33
SnMe <sub>2</sub> -Et <sub>2</sub> S Complex ( <b>10a</b> )	S34
SnMe <sub>2</sub> -THT Complex ( <b>11a</b> )	S35
SnMe <sub>2</sub> -MeNH <sub>2</sub> Complex ( <b>12a'</b> )	S36
SnMe <sub>2</sub> -Me <sub>2</sub> NH Complex ( <b>13a'</b> )	S37
SnMe <sub>2</sub> -NMe <sub>3</sub> Complex ( <b>14a'</b> )	S38
SnMe <sub>2</sub> -propene Complex ( <b>15a'</b> )	S39
1,1,2-Trimethylstannirane ( <b>19a</b> )	S40
SnMe <sub>2</sub> -cyclohexene Complex ( <b>16a</b> )	S41


	S5
SnMe <sub>2</sub> -propyne Complex ( <b>17a'</b> )	S42
1,1,2-Trimethylstannirene ( <b>20a</b> )	S42
SnMe <sub>2</sub> -isoprene C <sub>1</sub> -C <sub>2</sub> Complex ( <b>18a</b> )	S43
1,1-Dimethyl-2-(methylethenyl)stannirene ( <b>21a</b> )	S44
SnPh <sub>2</sub> -MeOH Complex ( <b>5b</b> )	S45
SnPh <sub>2</sub> -Et <sub>2</sub> O Complex ( <b>6b</b> )	S46
SnPh <sub>2</sub> -THF Complex ( <b>7b</b> )	S47
SnPh <sub>2</sub> -EtOAc Complex ( <b>8b</b> )	S48
SnPh <sub>2</sub> -Me <sub>2</sub> CO Complex ( <b>9b</b> )	S49
SnPh <sub>2</sub> -Et <sub>2</sub> S Complex ( <b>10b</b> )	S50
SnPh <sub>2</sub> -THT Complex ( <b>11b</b> )	S51
SnPh <sub>2</sub> -MeNH <sub>2</sub> Complex ( <b>12b'</b> )	S52
SnPh <sub>2</sub> -Me <sub>2</sub> NH Complex ( <b>13b'</b> )	S53
SnPh <sub>2</sub> -NMe <sub>3</sub> Complex ( <b>14b'</b> )	S54
SnPh <sub>2</sub> -propene Complex ( <b>15b'</b> )	S55
2-Methyl-1,1-diphenylstannirane ( <b>19b</b> )	S56
SnPh <sub>2</sub> -cyclohexene Complex ( <b>16b</b> )	S57
SnPh <sub>2</sub> -propyne Complex ( <b>17b'</b> )	S58
2-Methyl-1,1-diphenylstannirene ( <b>20b</b> )	S59
SnPh <sub>2</sub> -isoprene C <sub>1</sub> -C <sub>2</sub> Complex ( <b>18b</b> )	S60
2-Methylethenyl-1,1-diphenylstannirane ( <b>21b</b> )	S61
Me <sub>2</sub> O-Sn <sub>2</sub> Me <sub>4</sub> Complex ( <b>22a</b> )	S62
Me <sub>2</sub> S-Sn <sub>2</sub> Me <sub>4</sub> Complex ( <b>22b</b> )	S63
Me <sub>2</sub> NH-Sn <sub>2</sub> Me <sub>4</sub> Complex ( <b>22c</b> )	S64
<b>References</b>	S65




**Figure S1.** (a) Transient UV-vis spectra from laser flash photolysis (lfp) of **1** in hexanes containing 0.025 M Et<sub>2</sub>O at 25 °C, recorded 0.32-0.42 μs (○) and 17.3-17.5 μs (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs.  $[Et_2O]$ ; the solid line is the least squares fit of the data to eq. 6.




**Figure S2.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 0.025 M Et<sub>2</sub>O, recorded 0.96-1.60 μs (○) and 22.6-23.4 μs (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs.  $[Et_2O]$ ; the solid line is the least squares fit of the data to eq. 6.




**Figure S3.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 0.025 M THF, recorded 0.51-0.70  $\mu$ s (○) and 34.7-35.0  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plots of  $(\Delta A_0)_0 / (\Delta A_{\text{res}})_Q$  (●) and  $k_{\text{decay}}$  (□) vs. [THF]; the solid lines are the least squares fits of the data to eq. 7 and 5, respectively.




**Figure S4.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 1.2 mM THF, recorded 0.64-1.28  $\mu$ s (○) and 34.7-35.4  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plots of  $k_{\text{decay}}$  vs. [THF]; the solid line is the least squares fit of the data to eq. 5.




**Figure S5.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 0.025 M EtOAc, recorded 0.51-0.70  $\mu$ s (○) and 34.7-35.0  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [EtOAc]; the solid line is the least squares fit of the data to eq. 6.




**Figure S6.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 0.025 M acetone, recorded 0.26-0.45  $\mu$ s (○) and 33.7-34.0  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [acetone]; the solid line is the least squares fit of the data to eq. 6.




**Figure S7.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 0.025 M acetone, recorded 0.48–0.80  $\mu$ s (○) and 85–86  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plots of  $k_{\text{decay}}$  (○) and  $(\Delta A_0)_0 / (\Delta A_{\text{res}})_Q$  (□) vs. [acetone]; the solid lines are the least squares fits of the data to eq. 5 and 7, respectively.




**Figure S8.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 1.0 mM Et<sub>2</sub>S, recorded 0.16–0.48  $\mu$ s (○) and 11.2–11.8  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. The absorption at ~460 nm is due to the distannene, formed during the laser pulse as a result of the intensity being too high. (b) Plot of  $k_{\text{decay}}$  vs. [Et<sub>2</sub>S]; the solid line is the least squares fit of the data to eq. 5.




**Figure S9.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 1.0 mM Et<sub>2</sub>S, recorded 0.32-0.64  $\mu$ s (○) and 85.9-86.7  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [Et<sub>2</sub>S]; the solid line is the least squares fit of the data to eq. 5.




**Figure S10.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 1.0 mM THT, recorded 0.26-0.38  $\mu$ s (○) and 35.7-35.9  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [THT]; the solid line is the least squares fit of the data to eq. 5.




**Figure S11.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 0.6 mM THT, recorded 2.2-3.2  $\mu$ s (○) and 172-173  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [THT]; the solid line is the least squares fit of the data to eq. 5.




**Figure S12.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 1.0 mM n-BuNH<sub>2</sub>, recorded 0.16-0.32  $\mu$ s (○), 1.60-2.08  $\mu$ s (□) and 26.7-27.5  $\mu$ s (Δ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [*n*-BuNH<sub>2</sub>]; the solid line is the least squares fit of the data to eq. 5.




**Figure S13.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 0.5 mM n-BuNH<sub>2</sub>, recorded 3.2–4.5  $\mu$ s (○) and 81–83  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at 340 and 400 nm. (b) Plot of  $k_{\text{decay}}$  vs.  $[n\text{-BuNH}_2]$ ; the solid line is the least squares fit of the data to eq. 5.




**Figure S14.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 5.0 mM Et<sub>2</sub>NH, recorded 1.9–3.2  $\mu$ s (○), 21.8–23.0  $\mu$ s (□), and 88–91  $\mu$ s (Δ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs.  $[\text{Et}_2\text{NH}]$ ; the solid line is the least squares fit of the data to eq. 5.




**Figure S15.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 1.0 mM Et<sub>3</sub>N, recorded 4.0-4.2  $\mu$ s ( $\circ$ ), 10.3-10.5  $\mu$ s ( $\square$ ), and 34.4-34.6  $\mu$ s ( $\Delta$ ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [Et<sub>3</sub>N]; the solid line is the least squares fit of the data to eq. 5.




**Figure S16.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 1.0 mM Et<sub>3</sub>N, recorded 4.5-5.8  $\mu$ s ( $\circ$ ) and 344-347  $\mu$ s ( $\square$ ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $k_{\text{decay}}$  vs. [Et<sub>3</sub>N]; the solid line is the least squares fit of the data to eq. 5.




**Figure S17.** Plots of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [1-hexene] for the complexation of (a)  $\text{SnMe}_2$  and (b)  $\text{SnPh}_2$  with 1-hexene in hexanes at 25 °C. The solid lines are the least squares fits of the data to eq. 6.




**Figure S18.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 0.5 M cyclohexene, recorded 0.32-0.64 μs (○), 5.9-6.4 μs (□), and 89-90 μs (Δ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [cyclohexene]; the solid line is the least squares fit of the data to eq. 6.




**Figure S19.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 0.5 M cyclohexene, recorded 0.32–0.64  $\mu$ s (○), 5.9–6.4  $\mu$ s (□), and 89–90  $\mu$ s (Δ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [cyclohexene]; the solid line is the least squares fit of the data to eq. 6.




**Figure S20.** (a) Transient UV-vis spectra from lfp of **1** in hexanes containing 0.25 M 1-hexyne, recorded 0.16–0.48  $\mu$ s (○), 4.3–4.8  $\mu$ s (□), and 89–90  $\mu$ s (Δ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [1-hexyne]; the solid line is the least squares fit of the data to eq. 6.




**Figure S21.** (a) Transient UV-vis spectra from lfp of **2** in hexanes containing 0.25 M 1-hexyne, recorded 0.64-0.96  $\mu$ s (○), 5.9-6.2  $\mu$ s (□), and 89-90  $\mu$ s (Δ) after the laser pulse; the inset shows representative absorbance-time profiles at selected wavelengths. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [1-hexyne]; the solid line is the least squares fit of the data to eq. 6.



**Figure S22.** (a) Transient UV-vis spectra from lfp of (GeMe<sub>2</sub> photoprecursor) 1,1-dimethyl-3-phenylgermacyclopent-3-ene<sup>4</sup> in hexanes containing 5.0 mM EtOAc, recorded 0.80-1.44  $\mu$ s (●), 5.92-6.88  $\mu$ s (○), and 85.9-86.7  $\mu$ s (□) after the laser pulse; the inset shows representative absorbance-time profiles at 300 nm and 360 nm. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [EtOAc]; the solid line is the least squares fit of the data to eq. 6.



**Figure S23.** (a) Transient UV-vis spectra from lfp of (GeMe<sub>2</sub> photoprecursor) 1,1-dimethyl-3-phenylgermacyclopent-3-ene<sup>4</sup> in hexanes containing 11.4 mM acetone, recorded recorded 0.16-0.64 μs (●), 4.3-5.3 μs (○), and 53.9-54.7 μs (□) after the laser pulse; the inset shows representative absorbance-time profiles at 300 and 360 nm. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [acetone]; the solid line is the least squares fit of the data to eq. 6.



**Figure S24.** (a) Transient UV-vis spectra from lfp of (GePh<sub>2</sub> photoprecursor) 3,4-dimethyl-1,1-diphenylgermacyclopent-3-ene<sup>5</sup> in hexanes containing 10.0 mM acetone, recorded recorded 0.13-0.45 μs (●), 5.6-6.0 μs (○), and 28.0-28.3 μs (□) after the laser pulse; the inset shows representative absorbance-time profiles at 350 and 440 nm. (b) Plot of  $(\Delta A_0)_0 / (\Delta A_0)_Q$  vs. [acetone]; the solid line is the least squares fit of the data to eq. 6.

## Computational Studies

Geometry optimizations, frequency calculations, and Natural Bond Orbital calculations were performed using Gaussian 09, Revision E.01.<sup>6</sup> Density functional theory (DFT) with the ωB97XD functional<sup>7</sup> was used in conjunction with the def2-TZVP basis set<sup>8</sup> for all calculations. Unless noted otherwise, final geometry optimizations were carried out with tight convergence criteria and “ultrafine” numerical integration grid. Energy minima were identified by the absence of negative eigenvalues of the Hessian matrix from a frequencies calculation on the optimized geometry. Vibrational frequencies were not scaled. Basis set superposition errors (BSSEs) were assessed using the counterpoise correction method, and found to be less than 1 kcal mol<sup>-1</sup> in all cases.<sup>9</sup> Electronic spectral and Natural Transition Orbital calculations were carried out using the time-dependent (TD) extension of the ωB97XD functional and the same basis set as was employed for the geometry optimizations.

**Table S1.** Calculated Electronic Energies, Enthalpies (298.15 K), and Free Energies (298.15 K) of the (1+2)-Cycloadducts of SnMe<sub>2</sub> and SnPh<sub>2</sub> with Propene, Propyne, and Isoprene, Calculated at the ωB97XD/def2-TZVP Level of Theory (energies in kcal mol<sup>-1</sup>). <sup>a</sup>

Species	$\Delta E_{\text{elec}}$	$\Delta H^\circ$	$\Delta G^\circ$
1,1,2-trimethylstannirane ( <b>19a</b> )	+3.0	+4.8	+17.6
1,1,2-trimethylstannirene ( <b>20a</b> )	-4.8	-2.7	+9.6
1,1-dimethyl-2-(methylethenyl)stannirane ( <b>21a</b> )	+9.6	+11.0	+23.9
2-methyl-1,1-diphenylstannirane ( <b>19b</b> )	+6.4	+7.1	+18.7
2-methyl-1,1-diphenylstannirene ( <b>20b</b> )	-1.4	-0.3	+10.8
2-methylethenyl-1,1-diphenylstannirane ( <b>21b</b> )	+7.9	+8.4	+19.9

- a. Electronic and standard energies were computed at 298.15 K and 1 atm from unscaled vibrational frequencies, relative to the isolated reactants, and are not corrected for Basis Set Superposition Errors (BSSEs). Tight optimization criteria were employed for all species.

## Optimized Structures and Energies ( $\omega$ B97XD/def2-TZVP)

### Dimethylstannylene ( $\text{SnMe}_2$ )

Opt=(verytight,nosymm) int=ultrafine

Zero-point correction= 0.069684 (Hartree/Particle)

Thermal correction to Energy= 0.075865

Thermal correction to Enthalpy= 0.076809

Thermal correction to Gibbs Free Energy= 0.038474

Sum of electronic and zero-point Energies= -294.108274


Sum of electronic and thermal Energies= -294.102093

Sum of electronic and thermal Enthalpies= -294.101149

Sum of electronic and thermal Free Energies= -294.139484

```

Sn      0.002429  0.413509  0.200736
C     -1.586590  -1.092490  0.085415
C      1.584320  -1.076999  -0.086150
H      1.431118  -1.589791  -1.040644
H      1.516173  -1.837252  0.697796
H     -1.522736  -1.617889  -0.872247
H     -2.586488  -0.671892  0.189829
H     -1.435414  -1.840798  0.869399
H      2.586350  -0.648773  -0.074793
  
```



### Diphenylstannylene ( $\text{SnPh}_2$ )

Zero-point correction= 0.181123 (Hartree/Particle)

Thermal correction to Energy= 0.192757

Thermal correction to Enthalpy= 0.193702

Thermal correction to Gibbs Free Energy= 0.141044

Sum of electronic and zero-point Energies= -677.461199


Sum of electronic and thermal Energies= -677.449565

Sum of electronic and thermal Enthalpies= -677.448621

Sum of electronic and thermal Free Energies= -677.501278

```

C     -0.000000  1.642356  0.009600
C     -0.000000  -1.642356  0.009600
C     -0.584521  1.578572  -1.259446
C     -0.610888  2.683920  -2.096644
C     -0.038257  3.879386  -1.686441
C     0.545255  3.969823  -0.431977
C     0.549004  2.865254  0.407675
C     0.584521  -1.578572  -1.259446
C     -0.549004  -2.865254  0.407675
C     0.610888  -2.683920  -2.096644
C     0.038257  -3.879386  -1.686441
C     -0.545255  -3.969823  -0.431977
H    -1.075495  2.612839  -3.072737
H     0.988032  4.902783  -0.104971
H     0.990637  2.966517  1.395146
H     -0.990637  -2.966517  1.395146
H     1.075495  -2.612839  -3.072737
H     -1.029488  0.651766  -1.604507
H     -0.052032  4.741173  -2.342292
H     1.029488  -0.651766  -1.604507
H     0.052032  -4.741173  -2.342292
H     -0.988032  -4.902783  -0.104971
Sn    0.000000  -0.000000  1.442910
  
```




### Methanol (MeOH, 5)

Zero-point correction= 0.051686 (Hartree/Particle)  
 Thermal correction to Energy= 0.055016  
 Thermal correction to Enthalpy= 0.055960  
 Thermal correction to Gibbs Free Energy= 0.028942  
 Sum of electronic and zero-point Energies= -115.683260  
 Sum of electronic and thermal Energies= -115.679930  
 Sum of electronic and thermal Enthalpies= -115.678986  
 Sum of electronic and thermal Free Energies= -115.706004

```

C   0.662764  -0.020690  0.000003
H   1.081898  0.987035  -0.000546
H   1.024622  -0.545125  0.894269
O   -0.744853  0.122105  0.000003
H   -1.148812  -0.748583  0.000000
H   1.024533  -0.546031  -0.893767
  
```




### Dimethyl ether (Me<sub>2</sub>O, 6')

Zero-point correction= 0.080145 (Hartree/Particle)  
 Thermal correction to Energy= 0.084447  
 Thermal correction to Enthalpy= 0.085391  
 Thermal correction to Gibbs Free Energy= 0.054770  
 Sum of electronic and zero-point Energies= -154.958166  
 Sum of electronic and thermal Energies= -154.953863  
 Sum of electronic and thermal Enthalpies= -154.952919  
 Sum of electronic and thermal Free Energies= -154.983540

```

C   -1.163882  -0.193140  0.000067
H   -2.015478  0.485811  -0.000029
H   -1.219210  -0.834562  -0.890211
H   -1.219160  -0.834244  0.890578
C   1.163882  -0.193140  0.000003
H   1.219147  -0.834585  -0.890263
H   2.015478  0.485810  -0.000173
H   1.219223  -0.834221  0.890526
O   0.000000  0.585458  -0.000106
  
```




### Diethyl ether (Et<sub>2</sub>O, 6)

Zero-point correction= 0.137306 (Hartree/Particle)  
 Thermal correction to Energy= 0.144089  
 Thermal correction to Enthalpy= 0.145033  
 Thermal correction to Gibbs Free Energy= 0.107231  
 Sum of electronic and zero-point Energies= -233.542952  
 Sum of electronic and thermal Energies= -233.536170  
 Sum of electronic and thermal Enthalpies= -233.535225  
 Sum of electronic and thermal Free Energies= -233.573027

```

C   -1.173340  -0.513856  -0.000001
C    1.173340  -0.513856  0.000000
H   -1.191921  -1.167191  0.884913
H   -1.191922  -1.167189  -0.884916
H    1.191921  -1.167190  -0.884914
H    1.191922  -1.167190  0.884915
O    0.000000  0.259702  0.000000
C   -2.369857  0.409141  0.000001
H   -3.294342  -0.170427  0.000000
H   -2.360271  1.047144  0.884384
H   -2.360271  1.047147  -0.884380
C    2.369857  0.409141  -0.000000
H    2.360271  1.047146  0.884381
H    3.294342  -0.170427  -0.000000
H    2.360271  1.047145  -0.884383
  
```




### Tetrahydrofuran (THF, 7)

Zero-point correction= 0.117706 (Hartree/Particle)  
 Thermal correction to Energy= 0.122596  
 Thermal correction to Enthalpy= 0.123540  
 Thermal correction to Gibbs Free Energy= 0.089457  
 Sum of electronic and zero-point Energies= -232.349555  
 Sum of electronic and thermal Energies= -232.344665  
 Sum of electronic and thermal Enthalpies= -232.343721  
 Sum of electronic and thermal Free Energies= -232.377804

```

C    1.157651  -0.428609  -0.131659
C   -1.157635  -0.428655  0.131652
C   -0.729062  0.989633  -0.226485
C    0.729022  0.989658  0.226488
H    1.937931  -0.818881  0.524763
H    1.521536  -0.479148  -1.165083
H   -1.937888  -0.818955  -0.524785
H   -1.521535  -0.479213  1.165069
H   -0.790561  1.145636  -1.305714
H   -1.337119  1.748975  0.263810
H    1.337048  1.749027  -0.263802
H    0.790516  1.145657  1.305718
O    0.000027  -1.240657  0.000006
  
```




**Ethyl acetate (EtOAc, 8)**

Zero-point correction= 0.118773 (Hartree/Particle)  
 Thermal correction to Energy= 0.126208  
 Thermal correction to Enthalpy= 0.127152  
 Thermal correction to Gibbs Free Energy= 0.086177  
 Sum of electronic and zero-point Energies= -307.614593  
 Sum of electronic and thermal Energies= -307.607158  
 Sum of electronic and thermal Enthalpies= -307.606214  
 Sum of electronic and thermal Free Energies= -307.647189

```

O   -1.197000  1.334685  0.000004
C   -1.031705  0.145290  -0.000002
O    0.176352 -0.433855  -0.000007
C    1.304810  0.449143  -0.000005
H    1.251101  1.091789  0.880578
H    1.251111  1.091782  -0.880593
C   -2.125594 -0.884657  0.000002
H   -2.033028 -1.522480  -0.879461
H   -2.033024 -1.522478  0.879466
H   -3.091488 -0.387951  0.000004
C    2.552995 -0.398702  0.000006
H    2.592038 -1.034549  -0.884992
H    3.433414  0.245345  0.000009
H    2.592027 -1.034543  0.885008
  
```


**Acetone (Me<sub>2</sub>CO, 9)**

Opt=verytight,nosymm int=ultrafine

Zero-point correction= 0.083949 (Hartree/Particle)  
 Thermal correction to Energy= 0.089401  
 Thermal correction to Enthalpy= 0.090345  
 Thermal correction to Gibbs Free Energy= 0.054532  
 Sum of electronic and zero-point Energies= -193.085942  
 Sum of electronic and thermal Energies= -193.080490  
 Sum of electronic and thermal Enthalpies= -193.079546  
 Sum of electronic and thermal Free Energies= -193.115359

```

C     -0.00148200  0.18678900 -0.01181400
C      1.28167500 -0.60641200  0.06609300
C     -1.28109600 -0.61447400 -0.05966200
O     -0.00415300  1.39104000 -0.03449500
H      1.30153600 -1.18518500  0.99278100
H      1.33609800 -1.32159300 -0.75773600
H      2.13834700  0.06249000  0.03474700
H     -2.14073900  0.05130800 -0.05300400
H     -1.29852000 -1.22746500 -0.96413100
H     -1.33216500 -1.29866500  0.79027500
  
```




### Dimethylsulfide ( $\text{Me}_2\text{S}$ , 10')

Zero-point correction= 0.076079 (Hartree/Particle)  
 Thermal correction to Energy= 0.080923  
 Thermal correction to Enthalpy= 0.081867  
 Thermal correction to Gibbs Free Energy= 0.049109  
 Sum of electronic and zero-point Energies= -477.953576  
 Sum of electronic and thermal Energies= -477.948732  
 Sum of electronic and thermal Enthalpies= -477.947788  
 Sum of electronic and thermal Free Energies= -477.980546

```

C   0.000000 -0.508599  1.372224
C   0.000000 -0.508599 -1.372224
H   0.891493 -1.136519  1.354141
H   -0.000000  0.074405  2.292214
H   -0.891492 -1.136520  1.354140
H   -0.000000  0.074405 -2.292214
H   -0.891492 -1.136520 -1.354140
H   0.891493 -1.136519 -1.354141
S   -0.000000  0.656279  0.000000
  
```




### Diethylsulfide ( $\text{Et}_2\text{S}$ , 10)

Zero-point correction= 0.133813 (Hartree/Particle)  
 Thermal correction to Energy= 0.141284  
 Thermal correction to Enthalpy= 0.142228  
 Thermal correction to Gibbs Free Energy= 0.101968  
 Sum of electronic and zero-point Energies= -556.528592  
 Sum of electronic and thermal Energies= -556.521122  
 Sum of electronic and thermal Enthalpies= -556.520177  
 Sum of electronic and thermal Free Energies= -556.560438

```

C   -0.000001 -0.614838  1.382818
C   -0.000001 -0.614838 -1.382818
H   0.883476 -1.252065  1.305180
H   -0.883479 -1.252063  1.305179
H   -0.883479 -1.252063 -1.305179
H   0.883476 -1.252065 -1.305180
S   0.000002  0.552638 -0.000000
C   -0.000001  0.134457  2.705555
H   -0.883328  0.768151  2.797628
H   -0.000002 -0.570989  3.537994
H   0.883328  0.768149  2.797629
C   -0.000001  0.134457 -2.705555
H   -0.000002 -0.570989 -3.537994
H   -0.883328  0.768151 -2.797628
H   0.883328  0.768149 -2.797629
  
```




### Tetrahydrothiophene (THT, 11)

Zero-point correction= 0.114763 (Hartree/Particle)  
 Thermal correction to Energy= 0.119846  
 Thermal correction to Enthalpy= 0.120790  
 Thermal correction to Gibbs Free Energy= 0.086178  
 Sum of electronic and zero-point Energies= -555.341866  
 Sum of electronic and thermal Energies= -555.336783  
 Sum of electronic and thermal Enthalpies= -555.335838  
 Sum of electronic and thermal Free Energies= -555.370451

```

C   0.056777  -1.330337  0.136774
C   0.056761   1.330342  -0.136754
C  -1.274972   0.711458  0.273101
C  -1.274957  -0.711474  -0.273111
H   0.346787  -2.159131  -0.506918
H   0.023382  -1.686275  1.167006
H   0.346767   2.159122  0.506956
H   0.023369   1.686299  -1.166980
H  -1.349742   0.686215  1.363223
H  -2.114413   1.297827  -0.105049
H  -2.114402  -1.297853  0.105014
H  -1.349682  -0.686228  -1.363236
S   1.300392   0.000006  -0.000005
  
```




### Methylamine (MeNH<sub>2</sub>, 12')

Zero-point correction= 0.064435 (Hartree/Particle)  
 Thermal correction to Energy= 0.067862  
 Thermal correction to Enthalpy= 0.068806  
 Thermal correction to Gibbs Free Energy= 0.041519  
 Sum of electronic and zero-point Energies= -95.801528  
 Sum of electronic and thermal Energies= -95.798102  
 Sum of electronic and thermal Enthalpies= -95.797157  
 Sum of electronic and thermal Free Energies= -95.824444

```


C   0.049082   0.702042  0.000000
H  -0.946127   1.166588  0.000000
H   0.587561   1.062631  -0.877771
H   0.587561   1.062631  0.877771
N   0.049082  -0.754248  -0.000000
H  -0.433528  -1.112184  -0.812497
H  -0.433528  -1.112184  0.812497
  
```



**Dimethylamine ( $\text{Me}_2\text{NH}$ , 13')**


Zero-point correction= 0.092958 (Hartree/Particle)  
 Thermal correction to Energy= 0.097346  
 Thermal correction to Enthalpy= 0.098291  
 Thermal correction to Gibbs Free Energy= 0.067510  
 Sum of electronic and zero-point Energies= -135.080179  
 Sum of electronic and thermal Energies= -135.075790  
 Sum of electronic and thermal Enthalpies= -135.074846  
 Sum of electronic and thermal Free Energies= -135.105626

C	-1.206939	-0.221609	0.020072
H	-2.082274	0.424077	-0.059810
H	-1.270106	-0.966079	-0.777467
H	-1.258087	-0.759926	0.980675
N	0.000000	0.561256	-0.147177
H	0.000000	1.334370	0.502579
C	1.206939	-0.221609	0.020072
H	1.270106	-0.966079	-0.777467
H	2.082274	0.424077	-0.059810
H	1.258086	-0.759926	0.980675

**Trimethylamine ( $\text{NMe}_3$ , 14')**

Zero-point correction= 0.120858 (Hartree/Particle)  
 Thermal correction to Energy= 0.126258  
 Thermal correction to Enthalpy= 0.127202  
 Thermal correction to Gibbs Free Energy= 0.094627  
 Sum of electronic and zero-point Energies= -174.362590  
 Sum of electronic and thermal Energies= -174.357190  
 Sum of electronic and thermal Enthalpies= -174.356246  
 Sum of electronic and thermal Free Energies= -174.388821

C	0.000000	1.379384	-0.060075
C	1.194582	-0.689692	-0.060075
C	-1.194582	-0.689692	-0.060075
H	0.000000	1.479262	-1.161021
H	0.883663	1.890594	0.325627
H	-0.883663	1.890594	0.325627
H	1.281078	-0.739631	-1.161021
H	2.079134	-0.180023	0.325627
H	1.195471	-1.710571	0.325627
H	-1.281078	-0.739631	-1.161021
H	-2.079134	-0.180023	0.325627
H	-1.195471	-1.710571	0.325627
N	0.000000	0.000000	0.372951




### Propene (15')

Zero-point correction= 0.080121 (Hartree/Particle)  
 Thermal correction to Energy= 0.084191  
 Thermal correction to Enthalpy= 0.085135  
 Thermal correction to Gibbs Free Energy= 0.055126  
 Sum of electronic and zero-point Energies= -117.829946  
 Sum of electronic and thermal Energies= -117.825876  
 Sum of electronic and thermal Enthalpies= -117.824932  
 Sum of electronic and thermal Free Energies= -117.854941

```

C   1.274021  0.220368 -0.000002
H   2.231011 -0.286096  0.000035
H   1.290743  1.305178 -0.000012
C   0.134196 -0.452774  0.000000
H   0.167842 -1.539256  0.000034
C  -1.228244  0.162008 -0.000005
H  -1.797704 -0.154461 -0.877677
H  -1.797661 -0.154339  0.877741
H  -1.174071  1.251362 -0.000080
  
```




### Cyclohexene (16)

Zero-point correction= 0.147448 (Hartree/Particle)  
 Thermal correction to Energy= 0.152898  
 Thermal correction to Enthalpy= 0.153843  
 Thermal correction to Gibbs Free Energy= 0.119522  
 Sum of electronic and zero-point Energies= -234.510154  
 Sum of electronic and thermal Energies= -234.504703  
 Sum of electronic and thermal Enthalpies= -234.503759  
 Sum of electronic and thermal Free Energies= -234.538080

```

C   0.005482  1.492556  0.045405
C  -0.005482  0.663424  1.298104
C   0.005482 -0.663424  1.298104
C  -0.005482 -1.492556  0.045405
C  -0.373075 -0.665231 -1.184213
C   0.373075  0.665231 -1.184213
H   0.020706 -1.195473  2.243843
H  -0.020706  1.195473  2.243843
H  -0.981104  1.951037 -0.091548
H   0.704793  2.324655  0.164281
H   0.981104 -1.951037 -0.091548
H  -0.704793 -2.324655  0.164281
H  -0.158506 -1.227789 -2.095016
H  -1.450195 -0.469716 -1.177336
H   1.450195  0.469716 -1.177336
H   0.158506  1.227789 -2.095016
  
```




### Propyne (17')

Zero-point correction= 0.056094 (Hartree/Particle)  
 Thermal correction to Energy= 0.059986  
 Thermal correction to Enthalpy= 0.060930  
 Thermal correction to Gibbs Free Energy= 0.031938  
 Sum of electronic and zero-point Energies= -116.598816  
 Sum of electronic and thermal Energies= -116.594924  
 Sum of electronic and thermal Enthalpies= -116.593980  
 Sum of electronic and thermal Free Energies= -116.622972

```

C   -1.236676  -0.000005  -0.000011
H   -1.622009  -0.841447  -0.577514
H   -1.622085  -0.079433  1.017417
H   -1.622044  0.920835  -0.439961
C   1.415780   0.000002  0.000006
H   2.479059   -0.000051  -0.000082
C   0.218743   0.000019  0.000028
  
```




### Isoprene (18)

Zero-point correction= 0.114283 (Hartree/Particle)  
 Thermal correction to Energy= 0.120058  
 Thermal correction to Enthalpy= 0.121003  
 Thermal correction to Gibbs Free Energy= 0.085869  
 Sum of electronic and zero-point Energies= -195.198672  
 Sum of electronic and thermal Energies= -195.192896  
 Sum of electronic and thermal Enthalpies= -195.191952  
 Sum of electronic and thermal Free Energies= -195.227086

```

C      -1.97008800  0.00686000  0.00001500
H      -2.92628700  -0.49988800  -0.00004000
H      -1.99211400  1.08991800  0.00000800
C      -0.83160100  -0.67864800  -0.00000600
H      -0.87262500  -1.76410400  -0.00000500
C      0.51653300  -0.09992500  -0.00000300
C      1.57973900  -0.90349400  0.00000400
H      1.46998100  -1.98153200  0.00000700
H      2.58903700  -0.51077600  0.00000000
C      0.65317800  1.39450700  -0.00000500
H      0.17223900  1.82955700  -0.87945000
H      0.17224300  1.82955600  0.87944600
H      1.70096600  1.69146700  0.00001000
  
```




**SnMe<sub>2</sub>-MeOH complex (5a)**

Zero-point correction= 0.124038 (Hartree/Particle)  
 Thermal correction to Energy= 0.134347  
 Thermal correction to Enthalpy= 0.135291  
 Thermal correction to Gibbs Free Energy= 0.087457  
 Sum of electronic and zero-point Energies= -409.810352  
 Sum of electronic and thermal Energies= -409.800043  
 Sum of electronic and thermal Enthalpies= -409.799099  
 Sum of electronic and thermal Free Energies= -409.846933

$$r_{\text{Sn-O}} = 2.443$$


Sn	-0.553682	0.115822	-0.440911
C	2.772882	-0.033391	-0.018804
H	2.802464	0.349500	-1.036842
H	2.703698	0.804618	0.677688
H	3.678593	-0.610536	0.173654
O	1.622356	-0.870829	0.067557
C	-1.282609	-1.382818	1.009845
H	-1.217011	-2.398355	0.614077
H	-0.749457	-1.333573	1.964127
H	-2.337243	-1.183838	1.222544
C	-0.092235	1.609127	1.126338
H	0.524666	2.432079	0.759868
H	-1.034286	2.039021	1.481258
H	0.399003	1.152900	1.990719
H	1.546592	-1.233784	0.953718

**SnMe<sub>2</sub>-Me<sub>2</sub>O complex (6a')**

Zero-point correction= 0.152616 (Hartree/Particle)  
 Thermal correction to Energy= 0.164106  
 Thermal correction to Enthalpy= 0.165051  
 Thermal correction to Gibbs Free Energy= 0.113630  
 Sum of electronic and zero-point Energies= -449.085618  
 Sum of electronic and thermal Energies= -449.074128  
 Sum of electronic and thermal Enthalpies= -449.073184  
 Sum of electronic and thermal Free Energies= -449.124604

$$r_{\text{Sn-O}} = 2.459$$

Sn	0.78019500	-0.33170100	-0.29590500
C	-2.45996200	-0.91130200	-0.42289700
H	-2.01046400	-1.61726900	-1.11868900
H	-2.55001800	-1.37642500	0.56412800
H	-3.45163900	-0.62236700	-0.78206200
C	-2.11513000	1.23453600	0.49065800
H	-2.20226800	0.86324700	1.51615000
H	-1.41245100	2.06324600	0.46156500
H	-3.09457200	1.56959000	0.13751200
O	-1.61435100	0.22336900	-0.36594700
C	1.22214600	1.82632100	-0.17683700
H	0.72849600	2.37053000	-0.98597200
H	0.94024200	2.26946200	0.78063700
H	2.29885100	1.96887000	-0.30823900
C	0.53607100	-0.60391400	1.88316500
H	-0.05096700	-1.49224200	2.12688400
H	1.52812100	-0.74011900	2.32547500
H	0.08296100	0.26771600	2.36088500




### SnMe<sub>2</sub>-Et<sub>2</sub>O complex (6a)

Zero-point correction= 0.209598 (Hartree/Particle)  
 Thermal correction to Energy= 0.223764  
 Thermal correction to Enthalpy= 0.224709  
 Thermal correction to Gibbs Free Energy= 0.166587  
 Sum of electronic and zero-point Energies= -527.668932  
 Sum of electronic and thermal Energies= -527.654766  
 Sum of electronic and thermal Enthalpies= -527.653821  
 Sum of electronic and thermal Free Energies= -527.711943

$$r_{\text{Sn-O}} = 2.464$$

Sn	-1.198419	0.350790	-0.179292
C	1.963705	1.110038	0.509419
H	1.456206	1.472229	1.410251
H	2.961234	0.774134	0.801788
C	1.664954	-1.273725	0.497234
H	1.851093	-1.188875	1.572381
H	0.825507	-1.952367	0.359331
O	1.233656	-0.007318	-0.005913
C	-1.335618	-1.630270	-1.145302
H	-0.525856	-1.753905	-1.869500
H	-1.309090	-2.460822	-0.436588
H	-2.273815	-1.690330	-1.703461
C	-1.335708	-0.399948	1.894300
H	-0.888631	0.292554	2.611228
H	-2.395912	-0.491038	2.151770
H	-0.881362	-1.385006	2.019915
C	2.880240	-1.784099	-0.247441
H	3.738875	-1.120363	-0.133776
H	3.162646	-2.764918	0.138747
H	2.656609	-1.882015	-1.309939
C	2.062747	2.190474	-0.540882
H	2.608233	3.044995	-0.137138
H	2.591603	1.821248	-1.420081
H	1.072419	2.528694	-0.846988




**SnMe<sub>2</sub>-THF complex (7a)**

Zero-point correction= 0.190202 (Hartree/Particle)  
 Thermal correction to Energy= 0.202197  
 Thermal correction to Enthalpy= 0.203142  
 Thermal correction to Gibbs Free Energy= 0.150661  
 Sum of electronic and zero-point Energies= -526.480190  
 Sum of electronic and thermal Energies= -526.468195  
 Sum of electronic and thermal Enthalpies= -526.467251  
 Sum of electronic and thermal Free Energies= -526.519731

$$r_{\text{Sn-O}} = 2.426$$

C	1.873129	-0.919665	-0.811011
C	1.692610	1.260554	0.072012
C	3.105185	0.747144	0.311055
C	2.907148	-0.766971	0.287231
H	1.251710	-1.809818	-0.713938
H	2.329766	-0.912766	-1.804642
H	1.650449	2.187637	-0.498283
H	1.148806	1.397188	1.007849
H	3.770226	1.055824	-0.497664
H	3.516782	1.113168	1.250161
H	3.821797	-1.319104	0.077374
H	2.496664	-1.114973	1.236930
O	1.026683	0.235429	-0.690438
C	-1.602015	1.840485	0.336026
H	-1.255893	2.523582	-0.443557
H	-2.674180	2.017417	0.462187
H	-1.107547	2.092662	1.276223
C	-0.639364	-0.957218	1.721426
H	-0.129041	-1.922082	1.672087
H	0.016000	-0.234430	2.214450
H	-1.518926	-1.087012	2.359879
Sn	-1.311005	-0.261934	-0.271520




**SnMe<sub>2</sub>-EtOAc complex (8a)**

Zero-point correction= 0.190939 (Hartree/Particle)  
 Thermal correction to Energy= 0.205582  
 Thermal correction to Enthalpy= 0.206526  
 Thermal correction to Gibbs Free Energy= 0.146929  
 Sum of electronic and zero-point Energies= -601.742608  
 Sum of electronic and thermal Energies= -601.727965  
 Sum of electronic and thermal Enthalpies= -601.727021  
 Sum of electronic and thermal Free Energies= -601.786618

$$r_{\text{Sn-O}} = 2.419$$

Sn	-1.698350	-0.060954	-0.380245
O	0.709473	-0.164427	-0.172396
C	1.517334	0.745641	-0.119838
O	2.811354	0.520269	-0.023525
C	1.158396	2.194949	-0.143852
H	0.652248	2.436434	0.792034
H	2.037352	2.821963	-0.261939
H	0.446307	2.369920	-0.951242
C	-1.717697	-2.029230	0.597420
H	-2.734759	-2.248151	0.937100
H	-1.413607	-2.826148	-0.083033
H	-1.062518	-2.035357	1.470790
C	-1.743240	1.040408	1.541044
H	-0.913824	0.730639	2.182887
H	-1.720151	2.125594	1.422300
H	-2.669868	0.783015	2.062933
C	3.236221	-0.857357	0.032375
H	2.746614	-1.334960	0.881695
H	2.899124	-1.358853	-0.875361
C	4.737778	-0.866210	0.162173
H	5.054292	-0.355179	1.071554
H	5.089857	-1.897342	0.207056
H	5.207066	-0.379795	-0.693102




**SnMe<sub>2</sub>-Me<sub>2</sub>CO complex (9a)**

Zero-point correction= 0.156343 (Hartree/Particle)  
 Thermal correction to Energy= 0.168793  
 Thermal correction to Enthalpy= 0.169738  
 Thermal correction to Gibbs Free Energy= 0.116320  
 Sum of electronic and zero-point Energies= -487.213459  
 Sum of electronic and thermal Energies= -487.201008  
 Sum of electronic and thermal Enthalpies= -487.200064  
 Sum of electronic and thermal Free Energies= -487.253481

$$r_{\text{Sn-O}} = 2.420$$

O	-1.166229	0.761480	-0.037154
C	-2.236912	0.181414	-0.021168
C	-2.333636	-1.301488	-0.217901
H	-2.052119	-1.784085	0.721665
H	-3.341514	-1.614431	-0.484504
H	-1.617687	-1.626081	-0.974403
Sn	1.059770	-0.112832	-0.409031
C	1.776728	1.606936	0.753416
H	2.813251	1.422872	1.052505
H	1.754395	2.529814	0.172122
H	1.183270	1.741243	1.659671
C	0.771778	-1.380872	1.384585
H	0.125940	-0.882738	2.112874
H	0.364212	-2.368236	1.158476
H	1.746067	-1.524208	1.861306
C	-3.503029	0.944918	0.214325
H	-4.125506	0.885431	-0.682408
H	-4.069906	0.480258	1.024156
H	-3.288618	1.984453	0.447760




**SnMe<sub>2</sub>-Me<sub>2</sub>S complex (10a')**

Zero-point correction= 0.148055 (Hartree/Particle)  
 Thermal correction to Energy= 0.160329  
 Thermal correction to Enthalpy= 0.161274  
 Thermal correction to Gibbs Free Energy= 0.107750  
 Sum of electronic and zero-point Energies= -772.084291  
 Sum of electronic and thermal Energies= -772.072016  
 Sum of electronic and thermal Enthalpies= -772.071072  
 Sum of electronic and thermal Free Energies= -772.124595

$$r_{\text{Sn-S}} = 2.790$$

Sn	0.89110800	-0.06887000	-0.46738000
C	-2.31102700	1.41246500	-0.09647600
H	-1.82310400	2.24875100	0.40090900
H	-2.07604000	1.43966800	-1.16051500
H	-3.38719600	1.47404700	0.05792600
C	-2.49897300	-1.33576100	-0.34140100
H	-2.26611400	-1.19747700	-1.39671700
H	-2.12593400	-2.30563400	-0.01641500
H	-3.57437200	-1.28906500	-0.17562500
S	-1.66396700	-0.08979800	0.65198200
C	1.59803100	-1.38435500	1.15835000
H	1.27436900	-2.41825900	1.02366800
H	2.69208300	-1.37922600	1.14857200
H	1.27103700	-1.03207400	2.13833600
C	1.23208700	1.80158300	0.66688300
H	0.79073900	2.67341400	0.17987200
H	0.85998000	1.73463400	1.69180400
H	2.31192900	1.96791700	0.72134500




**SnMe<sub>2</sub>-Et<sub>2</sub>S complex (10a)**

Zero-point correction= 0.206257 (Hartree/Particle)  
 Thermal correction to Energy= 0.220762  
 Thermal correction to Enthalpy= 0.221706  
 Thermal correction to Gibbs Free Energy= 0.163809  
 Sum of electronic and zero-point Energies= -850.661877  
 Sum of electronic and thermal Energies= -850.647372  
 Sum of electronic and thermal Enthalpies= -850.646428  
 Sum of electronic and thermal Free Energies= -850.704325

$$r_{\text{Sn-S}} = 2.825$$

Sn	1.45992100	0.14952400	-0.23151100
C	-1.94594900	1.35530500	0.31466900
H	-1.58850100	1.19380300	1.33243100
H	-3.03439400	1.30076900	0.31164400
C	-1.86027300	-1.44368200	0.23605000
H	-1.45739900	-1.35280800	1.24560200
H	-1.35320500	-2.28331600	-0.23924500
S	-1.32002900	-0.00118000	-0.71371400
C	1.02923800	0.39551200	1.93134200
H	0.71551800	1.41070900	2.18402200
H	1.96211700	0.20074000	2.46967200
H	0.28677000	-0.31200100	2.30899400
C	1.50232500	-2.06267900	-0.15421000
H	1.16280800	-2.51028400	-1.09123100
H	0.91796600	-2.47063100	0.67270500
H	2.54257300	-2.36871900	-0.01069900
C	-1.47670100	2.69668400	-0.22287200
H	-1.89250500	3.49941700	0.38721800
H	-0.38939500	2.77832700	-0.19535700
H	-1.80366900	2.84815600	-1.25238900
C	-3.36514200	-1.65039200	0.24632700
H	-3.60478000	-2.57305400	0.77797400
H	-3.88210900	-0.83523300	0.75352300
H	-3.75838200	-1.72766000	-0.76772800




### SnMe<sub>2</sub>-THT complex (11a)

Zero-point correction= 0.187101 (Hartree/Particle)  
 Thermal correction to Energy= 0.199326  
 Thermal correction to Enthalpy= 0.200271  
 Thermal correction to Gibbs Free Energy= 0.147479  
 Sum of electronic and zero-point Energies= -849.474905  
 Sum of electronic and thermal Energies= -849.462679  
 Sum of electronic and thermal Enthalpies= -849.461735  
 Sum of electronic and thermal Free Energies= -849.514527

$$r_{\text{Sn-S}} = 2.779$$

C	-1.83370700	1.41801300	0.08525500
C	-2.07053900	-1.16809800	-0.58384700
C	-3.25436800	-0.57818500	0.17189700
C	-2.70316100	0.57071600	1.00877900
H	-1.04715700	1.95343700	0.61346100
H	-2.42369500	2.13206400	-0.48808400
H	-2.36023700	-1.72435600	-1.47256800
H	-1.46800200	-1.81219000	0.05670300
H	-3.99789000	-0.20436500	-0.53627700
H	-3.73464000	-1.33914900	0.78850700
H	-3.49788100	1.17402000	1.44945100
H	-2.09232100	0.17429100	1.82115900
S	-1.05909400	0.26168000	-1.09908100
C	1.98696500	1.73813400	-0.21672300
H	2.96493600	1.86387400	0.25704900
H	2.07273300	2.08809300	-1.24696000
H	1.28011300	2.37669300	0.31829200
C	0.68842400	-0.28725900	1.96778100
H	0.22476500	0.67436300	2.19979700
H	-0.01187500	-1.09187000	2.20411100
H	1.54841600	-0.40457700	2.63435400
Sn	1.45213100	-0.40414300	-0.11225100




**SnMe<sub>2</sub>-MeNH<sub>2</sub> complex (12a')**

Zero-point correction= 0.137980 (Hartree/Particle)  
 Thermal correction to Energy= 0.148014  
 Thermal correction to Enthalpy= 0.148958  
 Thermal correction to Gibbs Free Energy= 0.102011  
 Sum of electronic and zero-point Energies= -389.939954  
 Sum of electronic and thermal Energies= -389.929920  
 Sum of electronic and thermal Enthalpies= -389.928976  
 Sum of electronic and thermal Free Energies= -389.975923

$$r_{\text{Sn-N}} = 2.418$$

Sn	0.50463600	0.09211200	-0.45752500
C	1.45908700	-1.26897100	1.00752100
H	1.41388100	-2.31280900	0.68722400
H	2.51653900	-1.00711600	1.10280100
H	1.01214900	-1.18363200	2.00235400
C	0.13588900	1.68531000	1.03735400
H	-0.51728400	2.47535100	0.66079700
H	-0.29000400	1.28469700	1.96246600
H	1.09218200	2.14832600	1.29712600
C	-2.76480600	-0.03546300	0.00549000
H	-2.62535400	0.93311200	0.48293300
H	-2.84392800	0.12502400	-1.06917400
H	-3.69242300	-0.48289000	0.36911700
N	-1.58858000	-0.86834400	0.27757900
H	-1.46628500	-1.00683000	1.27408300
H	-1.69222700	-1.78568900	-0.13874000




**SnMe<sub>2</sub>-Me<sub>2</sub>NH complex (13a')**

Zero-point correction= 0.166413 (Hartree/Particle)  
 Thermal correction to Energy= 0.177586  
 Thermal correction to Enthalpy= 0.178530  
 Thermal correction to Gibbs Free Energy= 0.129109  
 Sum of electronic and zero-point Energies= -429.221236  
 Sum of electronic and thermal Energies= -429.210063  
 Sum of electronic and thermal Enthalpies= -429.209118  
 Sum of electronic and thermal Free Energies= -429.258540

$$r_{\text{Sn-N}} = 2.411$$

Sn	-0.68753300	0.00000100	-0.46525200
C	-1.09492000	1.61457600	0.99869500
H	-0.79268000	2.59886500	0.63459900
H	-2.17217000	1.65266300	1.18384200
H	-0.61024000	1.43075800	1.96262600
C	-1.09492200	-1.61457800	0.99868900
H	-0.79270100	-2.59887000	0.63458400
H	-0.61022600	-1.43077200	1.96261500
H	-2.17217000	-1.65265100	1.18385100
C	2.29007900	-1.21789300	0.01536400
H	1.73381600	-2.08634200	0.36519500
H	2.36528000	-1.27042900	-1.07147900
H	3.29919300	-1.23921700	0.43955900
N	1.56897000	0.00000000	0.38312900
H	1.40553600	0.00000200	1.38340900
C	2.29008400	1.21789000	0.01536100
H	2.36528100	1.27042600	-1.07148300
H	1.73382700	2.08634100	0.36519400
H	3.29920000	1.23920900	0.43955200




**SnMe<sub>2</sub>-NMe<sub>3</sub> complex (14a')**

Zero-point correction= 0.194514 (Hartree/Particle)  
 Thermal correction to Energy= 0.206711  
 Thermal correction to Enthalpy= 0.207655  
 Thermal correction to Gibbs Free Energy= 0.155537  
 Sum of electronic and zero-point Energies= -468.502561  
 Sum of electronic and thermal Energies= -468.490364  
 Sum of electronic and thermal Enthalpies= -468.489420  
 Sum of electronic and thermal Free Energies= -468.541537

$$r_{\text{Sn-N}} = 2.466$$

Sn	-0.87628100	0.00000000	-0.46344400
C	2.10019700	-1.20075800	-0.56737100
H	1.65588700	-2.08628300	-0.11417600
H	1.87475000	-1.20474600	-1.63370000
H	3.18830000	-1.23872200	-0.43073800
C	2.10019300	1.20077100	-0.56735200
H	1.87474500	1.20477500	-1.63368100
H	1.65588200	2.08628800	-0.11414200
H	3.18829700	1.23873500	-0.43072000
N	1.53533700	0.00000100	0.04954800
C	1.79754500	-0.00001000	1.48870500
H	1.35214300	0.88442400	1.94079800
H	1.35214400	-0.88445300	1.94078400
H	2.87668100	-0.00001100	1.68931100
C	-1.19055900	1.63111300	0.99957600
H	-0.64057800	2.53832500	0.73637900
H	-2.25308100	1.89167100	0.98962800
H	-0.93288000	1.34033400	2.02040700
C	-1.19055400	-1.63111600	0.99957500
H	-0.64055500	-2.53831900	0.73638600
H	-0.93289300	-1.34033100	2.02040800
H	-2.25307300	-1.89169100	0.98961300




**SnMe<sub>2</sub>-propene complex (15a')**

Zero-point correction= 0.152583 (Hartree/Particle)  
 Thermal correction to Energy= 0.163690  
 Thermal correction to Enthalpy= 0.164635  
 Thermal correction to Gibbs Free Energy= 0.114359  
 Sum of electronic and zero-point Energies= -411.952069  
 Sum of electronic and thermal Energies= -411.940962  
 Sum of electronic and thermal Enthalpies= -411.940017  
 Sum of electronic and thermal Free Energies= -411.990293

$$r_{\text{Sn-C1}} = 2.793; r_{\text{Sn-C2}} = 3.032$$

Sn	-0.81623800	0.00064500	-0.39678100
C	1.59617700	-1.40160600	-0.52236900
H	1.03266700	-2.28922000	-0.26130700
H	1.86872100	-1.28065700	-1.56450600
C	2.04848800	-0.56556200	0.41845800
H	1.78369300	-0.75911800	1.45385400
C	2.94177800	0.60037600	0.16653400
H	2.54002600	1.50756800	0.62105600
H	3.91954100	0.42042900	0.62140900
H	3.08417900	0.77472000	-0.90019800
C	-1.25075700	-0.91739900	1.56311300
H	-1.19575400	-2.00720100	1.52465200
H	-0.59519600	-0.55317100	2.35598400
H	-2.27741100	-0.65451700	1.83642000
C	-0.17632400	1.94008900	0.44097000
H	0.31020300	1.84801300	1.41339800
H	0.47121900	2.49245100	-0.24172900
H	-1.08616700	2.53307700	0.57975300




### 1,1,2-trimethylstannirane (19a)

Zero-point correction= 0.153534 (Hartree/Particle)  
 Thermal correction to Energy= 0.163834  
 Thermal correction to Enthalpy= 0.164778  
 Thermal correction to Gibbs Free Energy= 0.116907  
 Sum of electronic and zero-point Energies= -411.929709  
 Sum of electronic and thermal Energies= -411.919409  
 Sum of electronic and thermal Enthalpies= -411.918464  
 Sum of electronic and thermal Free Energies= -411.966336

$r_{\text{Sn-C}2} = 2.137$ ;  $r_{\text{Sn-C}3} = 2.136$

C	-1.58413000	-0.69140300	-0.29130400
C	-1.18214900	-0.78668900	1.19053600
H	-1.65330300	-1.65883400	-0.78191100
H	-1.08924100	-1.78508800	1.60575400
H	-1.71629600	-0.11540500	1.85745100
Sn	0.40668100	0.02213900	0.01358500
C	0.72145500	2.13443900	0.13147100
H	1.37193700	2.37797300	0.96997500
H	1.17126900	2.50573600	-0.78809600
H	-0.24003800	2.62527900	0.27729500
C	2.08264400	-1.23205500	-0.42287900
H	2.50822300	-0.97831900	-1.39251300
H	2.84957500	-1.12241800	0.34234100
H	1.74938800	-2.26882900	-0.44323200
C	-2.73291600	0.22698800	-0.63565700
H	-2.83093400	0.36272900	-1.71388800
H	-3.67965400	-0.17453900	-0.25579900
H	-2.60439500	1.21707300	-0.18962400




### SnMe<sub>2</sub>-cyclohexene complex (16a)

Zero-point correction= 0.219850 (Hartree/Particle)  
 Thermal correction to Energy= 0.232474  
 Thermal correction to Enthalpy= 0.233418  
 Thermal correction to Gibbs Free Energy= 0.179435  
 Sum of electronic and zero-point Energies= -528.633960  
 Sum of electronic and thermal Energies= -528.621336  
 Sum of electronic and thermal Enthalpies= -528.620392  
 Sum of electronic and thermal Free Energies= -528.674374

$$r_{\text{Sn-C}1} = 2.951, r_{\text{Sn-C}2} = 3.031$$

C	-2.19756200	-1.42138500	0.20161900
C	-1.26639900	-0.73634400	1.16412200
C	-1.13663000	0.59395200	1.22848000
C	-1.86775900	1.54421900	0.33051400
C	-2.60285400	0.84170000	-0.80993000
C	-3.25001700	-0.45597000	-0.33840100
H	-0.51594800	1.03008900	2.00375400
H	-0.75581500	-1.35538600	1.89370200
H	-1.62351000	-1.85579700	-0.62411800
H	-2.67352500	-2.26378900	0.70840600
H	-2.57388900	2.11126900	0.94815800
H	-1.16449800	2.28351700	-0.06439200
H	-3.35161900	1.51233400	-1.23466300
H	-1.89442100	0.61307800	-1.60876100
H	-3.97413100	-0.23657100	0.45269600
H	-3.80303300	-0.92402400	-1.15447400
Sn	1.41198700	-0.44745200	-0.04008100
C	0.78377600	0.51375300	-1.92014000
H	0.15858600	-0.12635100	-2.54422600
H	0.28356000	1.47079900	-1.76173000
H	1.70595900	0.71521500	-2.47664700
C	2.04408500	1.45785400	0.87766300
H	1.37117600	2.28010800	0.62637400
H	2.14011400	1.38852100	1.96247900
H	3.03177900	1.70292600	0.47391800




**SnMe<sub>2</sub>-propyne complex (17a')**

Zero-point correction= 0.127697 (Hartree/Particle)  
 Thermal correction to Energy= 0.139021  
 Thermal correction to Enthalpy= 0.139965  
 Thermal correction to Gibbs Free Energy= 0.088987  
 Sum of electronic and zero-point Energies= -410.721229  
 Sum of electronic and thermal Energies= -410.709905  
 Sum of electronic and thermal Enthalpies= -410.708961  
 Sum of electronic and thermal Free Energies= -410.759939

$r_{\text{Sn-C}1} = 2.789$ ;  $r_{\text{Sn-C}1} = 2.955$


Sn	-0.85322100	-0.26886500	-0.00005500
C	2.73553000	0.75377700	0.00011100
H	2.44516100	1.32039000	0.88532900
H	3.81936600	0.63148500	0.00037800
H	2.44559900	1.32041900	-0.88523000
C	1.57718700	-1.63713100	-0.00021400
H	1.24349800	-2.64793400	-0.00034700
C	2.08893600	-0.54683200	-0.00006900
C	-0.33935600	1.11014100	1.64544900
H	0.24321700	0.59608900	2.41366900
H	0.20753500	1.99204500	1.30682400
H	-1.26613300	1.44836400	2.11749200
C	-0.33929300	1.11069300	-1.64507100
H	0.24292900	0.59681700	-2.41367200
H	-1.26609400	1.44940900	-2.11671700
H	0.20793900	1.99228800	-1.30618900

**1,1,3-trimethylstannirene (20a)**

Zero-point correction= 0.129880 (Hartree/Particle)  
 Thermal correction to Energy= 0.140072  
 Thermal correction to Enthalpy= 0.141016  
 Thermal correction to Gibbs Free Energy= 0.093344  
 Sum of electronic and zero-point Energies= -410.710575  
 Sum of electronic and thermal Energies= -410.700383  
 Sum of electronic and thermal Enthalpies= -410.699439  
 Sum of electronic and thermal Free Energies= -410.747111

$r_{\text{Sn-C}2} = 2.106$ ;  $r_{\text{Sn-C}3} = 2.097$

C	1.704621	0.000000	-0.004961
C	1.301231	0.000000	1.261236
H	1.853734	0.000000	2.197690
Sn	-0.401289	0.000000	0.036527
C	-1.499619	-1.816051	-0.253752
H	-2.347810	-1.857799	0.428601
H	-1.866697	-1.880862	-1.277307
H	-0.839522	-2.658990	-0.055544
C	-1.499619	1.816051	-0.253752
H	-1.866697	1.880862	-1.277307
H	-2.347810	1.857799	0.428601
H	-0.839522	2.658990	-0.055544
C	3.028178	0.000000	-0.683573
H	3.132006	0.877553	-1.325196
H	3.845995	0.000000	0.043652
H	3.132006	-0.877553	-1.325196




### **SnMe<sub>2</sub>-isoprene complex (18a)**

Zero-point correction= 0.186608 (Hartree/Particle)  
 Thermal correction to Energy= 0.199466  
 Thermal correction to Enthalpy= 0.200410  
 Thermal correction to Gibbs Free Energy= 0.146901  
 Sum of electronic and zero-point Energies= -489.322701  
 Sum of electronic and thermal Energies= -489.309843  
 Sum of electronic and thermal Enthalpies= -489.308899  
 Sum of electronic and thermal Free Energies= -489.362408

$$r_{\text{Sn-C1}} = 2.768; r_{\text{Sn-C2}} = 3.102$$

Sn	1.25098600	-0.24246500	-0.29531000
C	-0.89992100	1.07446100	-1.43587500
H	-0.37644700	2.02274200	-1.41587400
H	-0.87362400	0.51838700	-2.36454900
C	-1.70332800	0.69680200	-0.42009300
C	1.54067600	1.32370800	1.22947200
H	1.56831100	2.32429800	0.79289900
H	0.78472600	1.29477600	2.01583700
H	2.51485600	1.14936900	1.69773800
C	0.23315400	-1.63367200	1.07657500
H	-0.48021200	-1.12894700	1.73083300
H	-0.27581000	-2.44418300	0.55506600
H	1.01316300	-2.07259800	1.70754800
C	-2.47939300	-0.53858500	-0.53851200
H	-2.32409600	-1.10496800	-1.45172000
C	-3.32904400	-0.99919200	0.37290600
H	-3.51563800	-0.47901100	1.30419700
H	-3.86879000	-1.92315000	0.21364500
C	-1.86025200	1.53244900	0.81227300
H	-2.89329900	1.87638800	0.90189000
H	-1.62960200	0.95438500	1.71002900
H	-1.20418700	2.39993300	0.78750300




### 1,1-dimethyl-2-(methylethenyl)stannirane (**21a**)

Zero-point correction= 0.186401 (Hartree/Particle)  
 Thermal correction to Energy= 0.198977  
 Thermal correction to Enthalpy= 0.199921  
 Thermal correction to Gibbs Free Energy= 0.146976  
 Sum of electronic and zero-point Energies= -489.289135  
 Sum of electronic and thermal Energies= -489.276559  
 Sum of electronic and thermal Enthalpies= -489.275615  
 Sum of electronic and thermal Free Energies= -489.328560

$r_{\text{Sn-C}2} = 2.144$ ;  $r_{\text{Sn-C}3} = 2.137$

C	1.33091100	-0.57844100	0.09882900
C	0.68270200	-0.64642900	1.50220600
H	1.05878100	0.07341500	2.22383000
H	0.57778000	-1.64082300	1.92763400
Sn	-0.71110800	0.07267000	0.05010900
C	-2.19605300	-1.29322300	-0.66183400
H	-2.99966700	-1.39349600	0.06598300
H	-2.61188800	-0.94342100	-1.60559100
H	-1.73623100	-2.26831700	-0.81750800
C	-1.17974900	2.15738100	0.08637500
H	-1.36417500	2.52629100	-0.92160800
H	-2.05941200	2.34436200	0.70044100
H	-0.32746000	2.68730700	0.50897800
C	1.68358900	-1.93396400	-0.48387000
H	1.92943400	-1.85922400	-1.54395700
H	2.54959900	-2.36079800	0.03799700
H	0.86099100	-2.64558700	-0.37612000
C	2.44331900	0.40265700	-0.01013100
H	3.32713800	0.14879500	0.58016200
C	2.46774700	1.51362600	-0.73166500
H	1.61875900	1.80858400	-1.33971600
H	3.33696000	2.15978300	-0.74541700




**SnPh<sub>2</sub>-MeOH complex (5b)**

Zero-point correction= 0.235050 (Hartree/Particle)  
 Thermal correction to Energy= 0.251012  
 Thermal correction to Enthalpy= 0.251956  
 Thermal correction to Gibbs Free Energy= 0.188605  
 Sum of electronic and zero-point Energies= -793.167634  
 Sum of electronic and thermal Energies= -793.151672  
 Sum of electronic and thermal Enthalpies= -793.150728  
 Sum of electronic and thermal Free Energies= -793.214080

$$r_{\text{Sn-O}} = 2.432$$

C	1.56355200	0.29852600	-0.30190000
C	-1.71729700	0.15052600	-0.28727500
C	1.41399800	1.34284700	0.61488300
C	2.47606200	2.16601300	0.96048500
C	3.72312200	1.96750700	0.38411100
C	3.89873500	0.94254200	-0.53190500
C	2.82990500	0.11823400	-0.86143800
C	-1.74535100	1.51172100	-0.60091200
C	-2.85754100	-0.39095700	0.31310900
C	-2.85442100	2.29832600	-0.32210500
C	-3.96598400	1.74013000	0.29203200
C	-3.96551500	0.39138300	0.61261300
H	2.33123300	2.96766300	1.67524000
H	4.86897300	0.78200700	-0.98674300
H	2.99631400	-0.68661200	-1.57214200
H	-2.89255800	-1.45030900	0.55357700
H	-2.84995900	3.35068500	-0.58036100
H	0.44466800	1.52930900	1.06746500
H	4.55351800	2.61084900	0.64805800
H	-0.88239500	1.97697900	-1.06643400
H	-4.83035300	2.35314200	0.51576200
H	-4.83268100	-0.05439300	1.08534100
Sn	-0.01619600	-1.16501400	-0.78632400
C	1.08156100	-1.83779500	2.33569900
H	1.55264800	-2.70474900	1.87708600
H	1.75923100	-0.98459200	2.27158000
H	0.84801400	-2.06420100	3.37691300
O	-0.12026600	-1.59284500	1.60544800
H	-0.57969800	-0.82631300	1.96290800




**SnPh<sub>2</sub>-Et<sub>2</sub>O complex (6b)**

Zero-point correction= 0.321135  
 (Hartree/Particle)  
 Thermal correction to Energy= 0.340828  
 Thermal correction to Enthalpy= 0.341773  
 Thermal correction to Gibbs Free Energy= 0.269879  
 Sum of electronic and zero-point Energies= -911.020853  
 Sum of electronic and thermal Energies= -911.001160  
 Sum of electronic and thermal Enthalpies= -911.000216  
 Sum of electronic and thermal Free Energies= -911.072109

$$r_{\text{Sn-O}} = 2.461$$

Sn	-0.09048400	0.28213000	-1.33913300
C	-1.29017800	2.67905300	0.58459200
H	-2.19164600	2.08409200	0.40021300
H	-1.38866500	3.13391800	1.57253400
C	0.11352200	1.23686600	1.88845200
H	-0.83151200	0.95584400	2.36175100
H	0.67835900	0.32563500	1.70529900
O	-0.16089600	1.79824300	0.59788500
C	0.92425800	2.18730800	2.74176000
H	0.39933800	3.12605900	2.92665000
H	1.13153200	1.72360700	3.70758700
H	1.87487500	2.40894900	2.25598700
C	-1.10154800	3.74986300	-0.46334700
H	-1.96682000	4.41470000	-0.46457300
H	-0.20877300	4.33910100	-0.25150400
H	-1.00268100	3.31605300	-1.45874200
C	1.75439300	-0.55542100	-0.48197900
C	1.96120400	-1.92762200	-0.33062400
C	2.81468900	0.29252900	-0.15241400
C	3.16605100	-2.43272800	0.14154200
H	1.16835500	-2.62649400	-0.57883100
C	4.01677400	-0.20033700	0.33435600
H	2.70317500	1.36700200	-0.26978900
C	4.19495800	-1.56843800	0.48199900
H	3.29973500	-3.50280700	0.24765900
H	4.81920800	0.48136800	0.59091000
H	5.13360200	-1.95858800	0.85576900
C	-1.54070600	-0.95515500	-0.22794300
C	-2.87491600	-0.87647500	-0.63527500
C	-1.26162900	-1.74981600	0.88692800
C	-3.88709600	-1.55198300	0.03491600
H	-3.13946100	-0.27428500	-1.50062400
C	-2.26375500	-2.42888800	1.56487300
H	-0.24071300	-1.84612000	1.24010900
C	-3.58130900	-2.33020000	1.13987500
H	-4.91245100	-1.47241900	-0.30636800
H	-2.01745200	-3.03877800	2.42623100
H	-4.36489600	-2.86061600	1.66703000




**SnPh<sub>2</sub>-THF complex (7b)**

Zero-point correction= 0.301201 (Hartree/Particle)  
 Thermal correction to Energy= 0.318847  
 Thermal correction to Enthalpy= 0.319791  
 Thermal correction to Gibbs Free Energy= 0.252886  
 Sum of electronic and zero-point Energies= -909.838529  
 Sum of electronic and thermal Energies= -909.820883  
 Sum of electronic and thermal Enthalpies= -909.819938  
 Sum of electronic and thermal Free Energies= -909.886843

$$r_{\text{Sn-O}} = 2.419$$

C	-1.73785700	2.47689400	-0.14000200
C	-0.41988500	1.54439800	1.58135100
C	-1.86916800	1.47450300	2.01377600
C	-2.49289300	2.59044900	1.17793000
H	-1.54235300	3.43603400	-0.61902100
H	-2.26288800	1.82792100	-0.84436400
H	0.12901200	0.61288100	1.69416500
H	0.12380300	2.34313800	2.09384800
H	-2.29007400	0.50429500	1.74282700
H	-1.98925300	1.62409200	3.08566900
H	-3.56620400	2.47337600	1.03864300
H	-2.31193900	3.56155400	1.64243400
O	-0.46949800	1.86470700	0.17635000
Sn	0.25918000	0.25288500	-1.47342600
C	2.02031700	-0.14822500	-0.21655900
C	2.76141400	0.89940700	0.33365600
C	2.50134800	-1.44415600	-0.02045300
C	3.91558800	0.66676400	1.06827900
H	2.43293700	1.92548000	0.19425600
C	3.66182000	-1.68773500	0.70270900
H	1.96198000	-2.29266300	-0.43173100
C	4.36955200	-0.63085400	1.25405200
H	4.46645400	1.49886800	1.49088900
H	4.01182300	-2.70424900	0.83848400
H	5.27259900	-0.81671900	1.82233100
C	-1.13571600	-1.10928200	-0.42816700
C	-0.86047400	-1.80454500	0.75168500
C	-2.44868900	-1.15783900	-0.90338600
C	-1.84906800	-2.50074100	1.43323500
H	0.14464400	-1.79817200	1.15958300
C	-3.44846900	-1.84609700	-0.22757600
H	-2.70743200	-0.64426400	-1.82596600
C	-3.14912800	-2.51736100	0.94775400
H	-1.60638900	-3.02929200	2.34770400
H	-4.45872200	-1.86141800	-0.61930700
H	-3.92315000	-3.05624700	1.48034200




**SnPh<sub>2</sub>-EtOAc complex (8b)**

Zero-point correction= 0.301456 (Hartree/Particle)  
 Thermal correction to Energy= 0.321976  
 Thermal correction to Enthalpy= 0.322920  
 Thermal correction to Gibbs Free Energy= 0.248180  
 Sum of electronic and zero-point Energies= -985.101756  
 Sum of electronic and thermal Energies= -985.081236  
 Sum of electronic and thermal Enthalpies= -985.080292  
 Sum of electronic and thermal Free Energies= -985.155032

$$r_{\text{Sn}-\text{O}} = 2.445$$

C	-1.61900900	-0.73552700	0.52933200
C	1.64892000	-1.04803600	0.16736400
C	-1.32425300	0.28457300	1.43818900
C	-2.31171600	0.88484200	2.20655500
C	-3.63072700	0.46846600	2.09005500
C	-3.95062700	-0.54944900	1.20497100
C	-2.95353000	-1.13607500	0.43511200
C	1.75996600	-1.09714100	1.55780800
C	2.78332000	-0.66414600	-0.55181000
C	2.94090300	-0.75565200	2.20548300
C	4.04427600	-0.35222900	1.46918100
C	3.96451800	-0.31011700	0.08427800
H	-2.05354700	1.67902100	2.89726300
H	-4.97734400	-0.88240500	1.10964500
H	-3.23319200	-1.91882300	-0.26461400
H	2.74635100	-0.62235900	-1.63675600
H	2.99815600	-0.80127700	3.28670100
H	-0.30159800	0.62988400	1.54806600
H	-4.40428200	0.93454200	2.68795500
H	0.90704100	-1.39610200	2.15874000
H	4.96490800	-0.08046300	1.97099300
H	4.82620200	-0.00737600	-0.49924800
Sn	-0.18675800	-1.55921000	-0.94403500
O	-0.08258200	0.74526000	-1.75406700
C	-0.69874200	1.74162100	-1.41289600
O	-0.12206800	2.74451800	-0.79036900
C	-2.16189500	1.94151400	-1.63061500
H	-2.67846600	1.56368000	-0.74396100
H	-2.40163800	2.99547300	-1.75072900
H	-2.48653500	1.36284700	-2.49150100
C	1.26491700	2.58020400	-0.41670400
H	1.36637400	1.65212600	0.14511300
H	1.85700400	2.48251000	-1.32733500
C	1.66434900	3.78220700	0.39802500
H	2.70728800	3.67712500	0.69866800
H	1.55986200	4.70321900	-0.17616000
H	1.05450800	3.86030700	1.29840800




**SnPh<sub>2</sub>-Me<sub>2</sub>CO complex (9b)**

Zero-point correction= 0.266958 (Hartree/Particle)  
 Thermal correction to Energy= 0.285203  
 Thermal correction to Enthalpy= 0.286147  
 Thermal correction to Gibbs Free Energy= 0.217066  
 Sum of electronic and zero-point Energies= -870.570524  
 Sum of electronic and thermal Energies= -870.552279  
 Sum of electronic and thermal Enthalpies= -870.551335  
 Sum of electronic and thermal Free Energies= -870.620415

$$r_{\text{Sn-O}} = 2.414$$

C	-1.26190900	-0.95205000	-0.27145600
C	1.94188500	-0.26366100	-0.19821600
C	-1.16175300	-1.17774200	1.10398900
C	-2.17395500	-1.81163200	1.81140400
C	-3.31448600	-2.24881500	1.15102400
C	-3.43196300	-2.05035000	-0.21596300
C	-2.41664600	-1.40446800	-0.91092600
C	2.13234200	-1.55121600	0.30569300
C	2.96157400	0.66628800	0.01189800
C	3.28729300	-1.89626500	0.99571700
C	4.27921000	-0.95054000	1.20434800
C	4.11305100	0.33584600	0.71215300
H	-2.07209600	-1.97111400	2.87866700
H	-4.31622700	-2.39392800	-0.73974500
H	-2.54118000	-1.24251400	-1.97826300
H	2.86003700	1.67732900	-0.37185100
H	3.41055600	-2.90400000	1.37481200
H	-0.27582700	-0.84917500	1.63804000
H	-4.10490000	-2.74640800	1.69959600
H	1.36315600	-2.30503200	0.17017100
H	5.17923800	-1.21479000	1.74604700
H	4.88529000	1.07988500	0.86878100
Sn	0.18579900	0.28254900	-1.39663100
O	-0.20435000	1.96128100	0.29325900
C	-1.22167000	2.39779900	0.80340900
C	-2.58757100	2.04458100	0.30383300
H	-2.88717900	1.10915100	0.78737700
H	-3.31584900	2.81431600	0.55537800
H	-2.57214200	1.86281000	-0.76963700
C	-1.12757600	3.30520300	1.99074500
H	-1.49841500	4.29544800	1.71389100
H	-1.77601200	2.93451400	2.78762500
H	-0.10058000	3.37791400	2.33865700




**SnPh<sub>2</sub>-Et<sub>2</sub>S complex (10b)**

Zero-point correction= 0.316807 (Hartree/Particle)  
 Thermal correction to Energy= 0.337330  
 Thermal correction to Enthalpy= 0.338274  
 Thermal correction to Gibbs Free Energy= 0.263578  
 Sum of electronic and zero-point Energies= -1234.018240  
 Sum of electronic and thermal Energies= -1233.997718  
 Sum of electronic and thermal Enthalpies= -1233.996774  
 Sum of electronic and thermal Free Energies= -1234.071470

$$r_{\text{Sn-S}} = 2.820$$

C	-1.52532100	-0.75246500	-0.29790500
C	1.77989100	-0.54883300	-0.28733500
C	-1.42123300	-1.35994600	0.95682400
C	-2.48930100	-2.03897800	1.52534300
C	-3.69385800	-2.13448200	0.84308600
C	-3.82191300	-1.54626900	-0.40548900
C	-2.74884600	-0.86018000	-0.96126600
C	1.78175500	-1.91916400	-0.02149300
C	2.95860700	0.15398900	-0.02985500
C	2.90287300	-2.55662300	0.49261100
C	4.05330900	-1.83121700	0.76185000
C	4.07996500	-0.46973900	0.49882100
H	-2.38108200	-2.49743000	2.50124900
H	-4.75889100	-1.61866300	-0.94494700
H	-2.87851600	-0.39530200	-1.93457800
H	3.01681400	1.21736000	-0.24990200
H	2.87628000	-3.62244100	0.68686800
H	-0.48776600	-1.30257300	1.50689600
H	-4.52934300	-2.66475200	1.28349400
H	0.89017000	-2.50742600	-0.21138000
H	4.92694800	-2.32422400	1.17015300
H	4.97829000	0.10272000	0.69811500
Sn	0.06322400	0.50349900	-1.17730700
C	0.61359700	3.49739600	0.86170600
H	1.68373500	3.30370100	0.91528600
H	0.36057000	3.86005900	-0.13418800
H	0.34559600	4.23635900	1.61545800
C	-1.93980600	2.43898900	1.02391300
H	-2.11380000	2.86690000	0.03660900
H	-2.53858900	1.53640200	1.13580200
H	-2.20090700	3.15634200	1.80028100
S	-0.22056400	1.94019600	1.20157800




**SnPh<sub>2</sub>-THT complex (11b)**

Zero-point correction= 0.297587 (Hartree/Particle)  
 Thermal correction to Energy= 0.315827  
 Thermal correction to Enthalpy= 0.316772  
 Thermal correction to Gibbs Free Energy= 0.247510  
 Sum of electronic and zero-point Energies= -1232.831733  
 Sum of electronic and thermal Energies= -1232.813493  
 Sum of electronic and thermal Enthalpies= -1232.812549  
 Sum of electronic and thermal Free Energies= -1232.881811

$$r_{\text{Sn-S}} = 2.820$$

C	-2.22508100	-2.48498500	-0.42109100
C	-1.22026900	-1.34175300	1.78442000
C	-2.65125300	-1.84713100	1.90993500
C	-3.23835300	-1.81548700	0.50380400
H	-2.27836900	-2.12288100	-1.44647100
H	-2.33465700	-3.56858500	-0.42658100
H	-0.57982500	-1.63861800	2.61205800
H	-1.19307700	-0.25797800	1.67008300
H	-2.65642100	-2.86752300	2.30095600
H	-3.21745900	-1.21991200	2.59976000
H	-4.20185100	-2.32379000	0.44906500
H	-3.38463500	-0.77837000	0.19873900
S	-0.56927500	-2.10536800	0.25969400
Sn	0.42940600	-0.11969800	-1.42859500
C	2.16919800	0.05055000	-0.08304300
C	3.43454300	0.02727500	-0.67247500
C	2.11990600	0.14361600	1.31029500
C	4.59639500	0.10659700	0.08471300
H	3.52676900	-0.05844700	-1.75160200
C	3.27324200	0.21091200	2.07848900
H	1.16255600	0.17372700	1.81941800
C	4.51751700	0.19602400	1.46505200
H	5.56347400	0.09277600	-0.40376300
H	3.20220200	0.27864800	3.15781800
H	5.42005700	0.25231500	2.06110600
C	-0.89231400	1.35019200	-0.44071900
C	-2.22588500	1.40115000	-0.85450900
C	-0.50082700	2.24683300	0.55544300
C	-3.13905500	2.27524000	-0.28098900
H	-2.56833200	0.74482400	-1.65109200
C	-1.40328500	3.13263800	1.13092400
H	0.52960900	2.26249600	0.89212700
C	-2.72784400	3.14247900	0.72039100
H	-4.16800900	2.28786100	-0.62130000
H	-1.07046200	3.81851000	1.90113900
H	-3.43330100	3.83084300	1.16934400




**SnPh<sub>2</sub>-MeNH<sub>2</sub> complex (12b')**

Zero-point correction= 0.248478 (Hartree/Particle)  
 Thermal correction to Energy= 0.264410  
 Thermal correction to Enthalpy= 0.265354  
 Thermal correction to Gibbs Free Energy= 0.201230  
 Sum of electronic and zero-point Energies= -773.296631  
 Sum of electronic and thermal Energies= -773.280699  
 Sum of electronic and thermal Enthalpies= -773.279755  
 Sum of electronic and thermal Free Energies= -773.343879

$$r_{\text{Sn-N}} = 2.413$$

C	1.68956000	0.24385900	-0.16969000
C	-1.60031100	0.38655100	-0.33309900
C	1.59502400	1.17321300	0.87049100
C	2.69609700	1.90043400	1.30129400
C	3.92820800	1.72032500	0.68913900
C	4.04964500	0.80911300	-0.34821200
C	2.94265600	0.07954900	-0.76325700
C	-1.47933800	1.77051900	-0.47112700
C	-2.83471800	-0.10379700	0.10028200
C	-2.53495900	2.62498900	-0.18160100
C	-3.74393600	2.11231600	0.26469600
C	-3.89324000	0.74115800	0.40708700
H	2.59190900	2.61487400	2.10960000
H	5.00789500	0.66428800	-0.83298200
H	3.06628600	-0.63517500	-1.57199400
H	-2.99018200	-1.17682100	0.19371600
H	-2.41228500	3.69512600	-0.30060700
H	0.63672700	1.35182000	1.34962400
H	4.78860700	2.29004200	1.01822700
H	-0.53923700	2.19888700	-0.80344300
H	-4.56704800	2.77736700	0.49525300
H	-4.83705200	0.33014800	0.74591500
Sn	0.01504700	-1.04357100	-0.82530700
C	-0.55840800	-3.04671100	1.80258300
H	-1.54187600	-3.22448600	1.36929800
H	0.14126400	-3.74198900	1.34096800
H	-0.60346500	-3.24329500	2.87595400
N	-0.14324100	-1.67483300	1.49813100
H	0.76726700	-1.46592800	1.89241500
H	-0.79613800	-1.00157900	1.88499000




**SnPh<sub>2</sub>-Me<sub>2</sub>NH complex (13b')**

Zero-point correction= 0.277260 (Hartree/Particle)  
 Thermal correction to Energy= 0.294194  
 Thermal correction to Enthalpy= 0.295139  
 Thermal correction to Gibbs Free Energy= 0.230042  
 Sum of electronic and zero-point Energies= -812.578024  
 Sum of electronic and thermal Energies= -812.561089  
 Sum of electronic and thermal Enthalpies= -812.560145  
 Sum of electronic and thermal Free Energies= -812.625242

$$r_{\text{Sn-N}} = 2.415$$

C	-1.64474400	-0.45850500	-0.26306300
C	1.69168800	-0.46973200	-0.29316000
C	-1.63864300	-1.15672600	0.94795000
C	-2.75578600	-1.84163500	1.40518000
C	-3.91840800	-1.85326900	0.64809300
C	-3.95247200	-1.17518700	-0.56004000
C	-2.83014800	-0.48430400	-1.00006500
C	1.57553700	-1.82614700	0.01905300
C	2.97331700	0.08583300	-0.23755700
C	2.67748500	-2.58404600	0.39390200
C	3.93235100	-1.99906500	0.46838900
C	4.08022700	-0.65805600	0.14773100
H	-2.71801700	-2.37306800	2.34896200
H	-4.85546800	-1.18018900	-1.15901500
H	-2.88890000	0.05064900	-1.94374900
H	3.12377300	1.12650900	-0.51413500
H	2.55577700	-3.63540800	0.62698500
H	-0.73593600	-1.18986100	1.55252400
H	-4.79163800	-2.38990600	0.99806600
H	0.60784300	-2.31221400	-0.03697700
H	4.79250000	-2.58757400	0.76326500
H	5.05958700	-0.19558700	0.18561900
Sn	0.02376100	0.80315200	-0.99271300
C	1.11152100	2.59032300	1.54527800
H	1.99600100	1.95725300	1.50143900
H	1.22101000	3.39642000	0.81836500
H	1.03026100	3.02863200	2.54497700
N	-0.07085600	1.79841600	1.20614200
H	-0.10520300	0.98258400	1.80734900
C	-1.31584800	2.55309800	1.36464000
H	-1.32853500	3.37158100	0.64368200
H	-2.16283700	1.89823000	1.16502600
H	-1.40872600	2.96993700	2.37227300




**SnPh<sub>2</sub>-NMe<sub>3</sub> complex (14b')**

Zero-point correction= 0.305531 (Hartree/Particle)  
 Thermal correction to Energy= 0.323459  
 Thermal correction to Enthalpy= 0.324403  
 Thermal correction to Gibbs Free Energy= 0.257696  
 Sum of electronic and zero-point Energies= -851.858731  
 Sum of electronic and thermal Energies= -851.840804  
 Sum of electronic and thermal Enthalpies= -851.839860  
 Sum of electronic and thermal Free Energies= -851.906567

$$r_{\text{Sn-N}} = 2.480$$

C	-1.65414200	-0.59055700	-0.27839100
C	1.70494500	-0.57286400	-0.34656500
C	-1.60129400	-1.42595800	0.84103100
C	-2.72941600	-2.07700500	1.32074200
C	-3.95064300	-1.91271600	0.68310600
C	-4.03264300	-1.09565800	-0.43317100
C	-2.89715000	-0.44560900	-0.89978600
C	1.64322200	-1.94415600	-0.08901200
C	2.95132200	0.04213000	-0.19958800
C	2.75948600	-2.65933700	0.32528100
C	3.97489000	-2.01496500	0.49736800
C	4.07075600	-0.65789400	0.22869200
H	-2.65523300	-2.71757600	2.19183800
H	-4.98088400	-0.96365600	-0.94072400
H	-2.99008300	0.19413300	-1.77328400
H	3.06812600	1.09537000	-0.44043800
H	2.67942600	-3.72342000	0.51433500
H	-0.65963100	-1.58152800	1.35600000
H	-4.83216000	-2.42148700	1.05356300
H	0.70798700	-2.47719800	-0.21941500
H	4.84552400	-2.56929900	0.82557500
H	5.02075700	-0.14834000	0.33948300
Sn	0.00554300	0.61198900	-1.11197900
C	0.93713900	3.08284700	0.75294900
H	1.94183200	2.66443400	0.71396300
H	0.73630100	3.60479900	-0.18251000
H	0.88766100	3.79982000	1.58193700
C	-1.38948300	2.56274200	1.01974200
H	-1.62162600	3.09553200	0.09701800
H	-2.11000900	1.75613600	1.14714300
H	-1.47255900	3.25957600	1.86282500
N	-0.03669000	2.00527500	0.93868000
C	0.27365000	1.25856100	2.16010600
H	-0.47499400	0.48369700	2.30984700
H	1.25172800	0.78911500	2.06481900
H	0.27368900	1.92615600	3.03116600




### **SnPh<sub>2</sub>-propene complex (15b')**

Zero-point correction= 0.263105 (Hartree/Particle)  
 Thermal correction to Energy= 0.280109  
 Thermal correction to Enthalpy= 0.281053  
 Thermal correction to Gibbs Free Energy= 0.215318  
 Sum of electronic and zero-point Energies= -795.307797  
 Sum of electronic and thermal Energies= -795.290793  
 Sum of electronic and thermal Enthalpies= -795.289849  
 Sum of electronic and thermal Free Energies= -795.355584

$$r_{\text{Sn-C}1} = 2.842, r_{\text{Sn-C}2} = 3.096$$

C	1.47881900	0.49602900	-0.38297900
C	-1.81952600	0.23202800	-0.21150800
C	1.37603000	1.41661700	0.66342300
C	2.46017200	2.18362300	1.06258900
C	3.68179700	2.05062000	0.41613800
C	3.80939500	1.14873000	-0.62773600
C	2.71778300	0.38145500	-1.01587300
C	-1.87431000	1.62811100	-0.21701900
C	-2.96385200	-0.44804300	0.21181600
C	-3.00744500	2.31301900	0.20126800
C	-4.11868600	1.61259200	0.64403700
C	-4.09583900	0.22595500	0.64711900
H	2.35443200	2.88597800	1.88095800
H	4.75875000	1.03949300	-1.13817600
H	2.84612900	-0.32731600	-1.82909500
H	-2.99018000	-1.53412400	0.19548800
H	-3.02124400	3.39632700	0.18315200
H	0.43515500	1.53234400	1.19001200
H	4.52986100	2.64846900	0.72659800
H	-1.01860300	2.20307700	-0.55481200
H	-5.00166400	2.14399100	0.97699200
H	-4.96430000	-0.33038100	0.97916200
Sn	-0.10960400	-0.87825500	-1.04290100
C	-0.13092100	-2.63291500	1.19324100
H	-1.21223000	-2.57915700	1.16967600
H	0.33072400	-3.51118800	0.75648000
C	0.59117800	-1.72116700	1.85207300
H	0.07342200	-0.87959700	2.30397300
C	2.06583300	-1.78494200	2.05407300
H	2.54252800	-0.85529100	1.73810500
H	2.28436300	-1.91482300	3.11746500
H	2.51050200	-2.61533200	1.50512100




### 2-methyl-1,1-diphenylstannirane (19b)

Zero-point correction= 0.262939 (Hartree/Particle)  
 Thermal correction to Energy= 0.279103  
 Thermal correction to Enthalpy= 0.280047  
 Thermal correction to Gibbs Free Energy= 0.215802  
 Sum of electronic and zero-point Energies= -795.279286  
 Sum of electronic and thermal Energies= -795.263123  
 Sum of electronic and thermal Enthalpies= -795.262179  
 Sum of electronic and thermal Free Energies= -795.326424

$$r_{\text{Sn-C}2} = 2.135, r_{\text{Sn-C}3} = 2.132$$

C	-1.65450400	-0.63982700	-0.01269700
C	-2.84993600	-0.31378200	-0.65056300
C	-1.58599200	-1.83058200	0.70928000
C	-3.95138600	-1.15261600	-0.56337100
H	-2.92722900	0.59995400	-1.22903500
C	-2.68411000	-2.67447900	0.79017000
H	-0.67021600	-2.10952900	1.21925500
C	-3.86941700	-2.33527500	0.15578500
H	-4.87393600	-0.88398100	-1.06303900
H	-2.61430900	-3.59692600	1.35334800
H	-4.72761700	-2.99230900	0.22053400
C	1.90946700	-0.30197400	-0.04644200
C	3.04724700	0.37724200	0.38477400
C	2.03299700	-1.63456000	-0.43562500
C	4.27993500	-0.25738000	0.41852100
H	2.97850900	1.41170000	0.70238400
C	3.26464400	-2.27231400	-0.39582500
H	1.16473600	-2.18739800	-0.77771200
C	4.39025900	-1.58398400	0.02953900
H	5.15575900	0.28458500	0.75342900
H	3.34462700	-3.30828400	-0.70127300
H	5.35202100	-2.08049100	0.05895400
Sn	0.02005400	0.65809400	-0.11309600
C	-0.23814100	2.51385100	-1.13085600
H	-1.19017500	2.70820600	-1.61782400
H	0.59850600	2.92558000	-1.68568400
C	-0.22456000	2.71763700	0.39326000
H	0.66827100	3.22079400	0.75575400
C	-1.49490800	3.22491900	1.03328100
H	-1.44315700	3.17385700	2.12161500
H	-1.68296400	4.26667300	0.74885800
H	-2.36508400	2.64160400	0.71988800




**SnPh<sub>2</sub>-cyclohexene complex (16b)**

Zero-point correction= 0.330252 (Hartree/Particle)  
 Thermal correction to Energy= 0.348935  
 Thermal correction to Enthalpy= 0.349879  
 Thermal correction to Gibbs Free Energy= 0.279892  
 Sum of electronic and zero-point Energies= -911.991367  
 Sum of electronic and thermal Energies= -911.972684  
 Sum of electronic and thermal Enthalpies= -911.971740  
 Sum of electronic and thermal Free Energies= -912.041727

$$r_{\text{Sn-C}1} = 2.935, r_{\text{Sn-C}2} = 3.043$$

C	1.74438200	-3.18223200	-0.00283000
C	0.64926300	-2.38435200	0.64984300
C	0.87016500	-1.31025400	1.41852700
C	2.23973500	-0.75728600	1.67348300
C	3.25987500	-1.28921300	0.67333700
C	3.12872000	-2.80087100	0.51935600
H	0.03091500	-0.83534600	1.91684900
H	-0.36295900	-2.76518400	0.55784200
H	1.69432600	-3.04080400	-1.08729200
H	1.55223000	-4.24470300	0.16699500
H	2.53188500	-1.02895500	2.69495100
H	2.20581600	0.33317400	1.64693300
H	4.26868800	-1.01944400	0.98937100
H	3.09296900	-0.80578600	-0.29488400
H	3.28969900	-3.27160100	1.49433300
H	3.89770300	-3.19012900	-0.14992800
Sn	-0.25329400	-0.31796300	-1.22954200
C	0.74579100	1.44980000	-0.38366600
C	0.37235500	2.11142700	0.78907000
C	1.90159300	1.89292300	-1.02908300
C	1.11853400	3.16516100	1.29494400
H	-0.51046800	1.79156700	1.33150600
C	2.65676500	2.94753300	-0.53166600
H	2.23297600	1.40340900	-1.94085500
C	2.26541900	3.58503200	0.63461500
H	0.80887100	3.65820100	2.20882100
H	3.55025100	3.26934500	-1.05311300
H	2.85110000	4.40601900	1.02959200
C	-2.17143400	-0.10202400	-0.17212600
C	-2.90144700	-1.22982000	0.21013100
C	-2.77347300	1.14323900	0.02588500
C	-4.15475500	-1.12514500	0.79643100
H	-2.49666900	-2.22388600	0.04290200
C	-4.03425500	1.25907900	0.59590700
H	-2.25452900	2.04960400	-0.26812900
C	-4.72463600	0.12393500	0.99156900
H	-4.69152400	-2.01866700	1.09220300
H	-4.47692100	2.23842700	0.73379400
H	-5.70525200	0.21132100	1.44286200




### **SnPh<sub>2</sub>-propyne complex (17b')**

Zero-point correction= 0.238578  
 (Hartree/Particle)  
 Thermal correction to Energy= 0.255512  
 Thermal correction to Enthalpy= 0.256457  
 Thermal correction to Gibbs Free Energy= 0.191063  
 Sum of electronic and zero-point Energies= -794.077406  
 Sum of electronic and thermal Energies= -794.060472  
 Sum of electronic and thermal Enthalpies= -794.059528  
 Sum of electronic and thermal Free Energies= -794.124922

$$r_{\text{Sn-C1}} = 2.779, r_{\text{Sn-C2}} = 2.975$$

C	1.65344700	0.24984200	-0.29608000
C	-1.65471100	0.16625900	-0.38729400
C	1.47621100	1.49552900	0.31021200
C	2.55698700	2.29756900	0.64892200
C	3.85002000	1.86803200	0.38696900
C	4.05374100	0.63673800	-0.21611100
C	2.96511000	-0.15621600	-0.55343600
C	-1.72981500	1.46724600	-0.88945900
C	-2.75518500	-0.30657200	0.33064900
C	-2.84402400	2.26767600	-0.67227500
C	-3.91414200	1.78197700	0.06260400
C	-3.86731900	0.48971200	0.56498400
H	2.39060000	3.26053100	1.11741400
H	5.06020100	0.29486900	-0.42587700
H	3.15028800	-1.11577100	-1.02808100
H	-2.74903900	-1.31721100	0.72793500
H	-2.87405100	3.27322000	-1.07480000
H	0.47578900	1.85122100	0.53029000
H	4.69510000	2.49236400	0.65003700
H	-0.90357500	1.87913400	-1.46120200
H	-4.78231200	2.40482000	0.23915900
H	-4.70256400	0.09903900	1.13418900
Sn	0.04956300	-1.13871100	-0.88317900
C	-0.06680700	-0.26903700	2.78262000
H	-0.85338100	0.37074500	2.37824300
H	-0.26506200	-0.44984800	3.83992600
H	0.88859600	0.24567600	2.67863200
C	-0.02032300	-2.58755400	1.48723300
H	-0.00537800	-3.58222700	1.10847400
C	-0.03708300	-1.52970500	2.06456500




## 2-methyl-1,1-diphenylstannirene (20b)

Zero-point correction= 0.239492 (Hartree/Particle)  
 Thermal correction to Energy= 0.255513  
 Thermal correction to Enthalpy= 0.256457  
 Thermal correction to Gibbs Free Energy= 0.192556  
 Sum of electronic and zero-point Energies= -794.060034  
 Sum of electronic and thermal Energies= -794.044013  
 Sum of electronic and thermal Enthalpies= -794.043069  
 Sum of electronic and thermal Free Energies= -794.106969

$$r_{\text{Sn-C}2} = 2.102, r_{\text{Sn-C}3} = 2.092$$

C	-0.01727200	2.53285700	-1.09751000
C	0.06871500	2.73068400	0.21524700
H	-0.05117700	3.22410200	-1.93621500
C	0.13768200	3.92809700	1.09415400
H	1.04601700	3.91096600	1.69969900
H	0.12494400	4.85098900	0.50640000
H	-0.70645000	3.94270900	1.78651400
C	-1.79194400	-0.46055700	0.01331900
C	-2.96513500	-0.00505700	-0.58407300
C	-1.82483700	-1.65278200	0.73408600
C	-4.14464900	-0.72454900	-0.46328600
H	-2.96277700	0.92015100	-1.14977500
C	-3.00390300	-2.37478800	0.85342600
H	-0.92809700	-2.02795600	1.21538000
C	-4.16502500	-1.91120800	0.25454700
H	-5.04965900	-0.35872300	-0.93243400
H	-3.01527900	-3.29925000	1.41751600
H	-5.08557700	-2.47372600	0.34739800
C	1.77138000	-0.51781300	-0.07579200
C	2.99132600	0.06332600	0.26324900
C	1.73460700	-1.87973300	-0.36735900
C	4.14860400	-0.69925900	0.30876100
H	3.04446100	1.12198700	0.49228300
C	2.89173100	-2.64449400	-0.31949400
H	0.79992000	-2.35658400	-0.64195400
C	4.09971400	-2.05495700	0.01912200
H	5.09065800	-0.23445500	0.57229600
H	2.84901800	-3.70181900	-0.55009300
H	5.00303600	-2.65085900	0.05629400
Sn	0.00510000	0.66307700	-0.15947400



**SnPh<sub>2</sub>-isoprene complex (18b)**

Zero-point correction= 0.297196

(Hartree/Particle)

Thermal correction to Energy= 0.316027

Thermal correction to Enthalpy= 0.316971

Thermal correction to Gibbs Free Energy= 0.247885

Sum of electronic and zero-point Energies= -872.680131


Sum of electronic and thermal Energies= -872.661300

Sum of electronic and thermal Enthalpies= -872.660356

Sum of electronic and thermal Free Energies= -872.729442

 $r_{\text{Sn-C}1} = 2.796, r_{\text{Sn-C}2} = 3.177$ 

C	1.50947300	0.64624800	-0.51354300
C	-1.81964700	0.38360900	-0.43442200
C	1.40225600	1.37049900	0.67604600
C	2.50371700	1.99180200	1.24670600
C	3.74653200	1.90500300	0.63520600
C	3.87913100	1.19673700	-0.54890500
C	2.77043600	0.57736400	-1.11072200
C	-1.88820200	1.73425400	-0.08718600
C	-2.95596100	-0.39339400	-0.19721200
C	-3.02552100	2.27792800	0.49586600
C	-4.12691800	1.47608400	0.75087100
C	-4.09173100	0.13466300	0.39909000
H	2.39321100	2.54306600	2.17327100
H	4.84539700	1.12493500	-1.03365500
H	2.90082400	0.02096400	-2.03483300
H	-2.96817800	-1.44126000	-0.48523400
H	-3.04996500	3.33011300	0.75361600
H	0.44864000	1.43379700	1.18554100
H	4.60759600	2.38854500	1.08010700
H	-1.04153500	2.38618600	-0.27330900
H	-5.01256800	1.89580800	1.21168700
H	-4.95362500	-0.49663800	0.57993700
Sn	-0.09783300	-0.50032800	-1.47977000
C	-0.06949400	-2.73295100	0.20311400
H	-1.14822300	-2.81653100	0.13853300
H	0.51231100	-3.34142200	-0.47709800
C	0.51251100	-2.06176700	1.21854500
C	1.99907900	-2.06504900	1.40011100
H	2.39116100	-1.04850900	1.46172100
H	2.25776200	-2.58029700	2.32836300
H	2.49347100	-2.57186900	0.57301800
C	-0.32314400	-1.35748000	2.19217200
H	-1.39226400	-1.39363600	2.01250200
C	0.13665700	-0.68748100	3.24335700
H	1.19517000	-0.60163500	3.45551900
H	-0.54259400	-0.19165900	3.92423500




## 2-methylethenyl-1,1-diphenylstannirane (21b)

Zero-point correction= 0.296290 (Hartree/Particle)  
 Thermal correction to Energy= 0.314630  
 Thermal correction to Enthalpy= 0.315574  
 Thermal correction to Gibbs Free Energy= 0.246161  
 Sum of electronic and zero-point Energies= -872.646448  
 Sum of electronic and thermal Energies= -872.628109  
 Sum of electronic and thermal Enthalpies= -872.627165  
 Sum of electronic and thermal Free Energies= -872.696578

$r_{\text{Sn-C}2} = 2.130$ ,  $r_{\text{Sn-C}3} = 2.129$

C	1.07194900	1.44813900	-0.06227400
C	2.40368100	1.51356700	-0.46708100
C	0.48147300	2.58208200	0.49148100
C	3.12803200	2.68664700	-0.32087300
H	2.88857600	0.64228100	-0.89218100
C	1.20551900	3.75730300	0.63508300
H	-0.55151800	2.55621200	0.82145700
C	2.52959600	3.81098900	0.22881200
H	4.16311400	2.72277500	-0.63738900
H	0.73396000	4.63085900	1.06800300
H	3.09561200	4.72714000	0.34152100
C	-2.14020000	-0.11519500	-0.02010800
C	-2.88582700	-1.06766900	0.67179600
C	-2.79936400	0.99373000	-0.54911000
C	-4.25671200	-0.91998800	0.82466700
H	-2.39752500	-1.93462800	1.10234200
C	-4.16921200	1.14608100	-0.39106000
H	-2.24691800	1.75055900	-1.09526600
C	-4.90001300	0.18802500	0.29466800
H	-4.82245800	-1.67011100	1.36328100
H	-4.66645100	2.01316300	-0.80795000
H	-5.96947400	0.30521000	0.41672700
Sn	-0.04477200	-0.34142300	-0.26676600
C	0.73965400	-1.91220400	-1.47163800
H	1.69142100	-1.71373800	-1.95721300
H	0.08579300	-2.53054200	-2.07747900
C	0.84002800	-2.25507300	0.03573500
H	0.14023900	-3.03922100	0.32304800
C	2.20994400	-2.49589900	0.57882300
C	2.83658900	-1.65975700	1.39888600
H	3.83798700	-1.86740000	1.75803700
H	2.36692000	-0.74648900	1.74376900
C	2.85107600	-3.77457000	0.10921300
H	2.25922400	-4.63575600	0.43211700
H	2.88893900	-3.80896200	-0.98248600
H	3.86389300	-3.88743400	0.49585500




**Me<sub>2</sub>O-Sn<sub>2</sub>Me<sub>4</sub> complex (22a)**

Zero-point correction= 0.225061 (Hartree/Particle)  
 Thermal correction to Energy= 0.244214  
 Thermal correction to Enthalpy= 0.245159  
 Thermal correction to Gibbs Free Energy= 0.173576  
 Sum of electronic and zero-point Energies= -743.223969  
 Sum of electronic and thermal Energies= -743.204816  
 Sum of electronic and thermal Enthalpies= -743.203871  
 Sum of electronic and thermal Free Energies= -743.275454

$$r_{\text{Sn}-\text{O}} = 2.377, r_{\text{Sn}-\text{Sn}} = 2.932$$

Sn	0.77868200	-0.64646600	0.09856400
C	1.85734100	-1.83962500	-1.35918000
C	1.94596000	-0.97909900	1.89999300
H	1.57693300	-1.87887200	2.39760800
H	3.00298300	-1.12682500	1.67319100
H	2.01054300	-1.26294500	-2.27307600
H	2.82066700	-2.18501400	-0.98142000
H	1.25562300	-2.71230700	-1.61994800
H	1.83725500	-0.14835400	2.59849200
Sn	-1.86808100	0.59583400	-0.11986200
C	-2.56757400	-1.01147900	-1.48462700
C	-2.51865200	-0.38596800	1.76712900
H	-2.45813600	-1.47439100	1.72529800
H	-3.56389000	-0.11366900	1.93365700
H	-2.02751800	-0.99647300	-2.43325800
H	-3.62223500	-0.82427200	-1.70148800
H	-2.48642500	-2.00710200	-1.04615500
H	-1.94504600	-0.03203800	2.62610000
O	2.15862600	1.21481200	-0.43198800
C	1.73969500	2.51064200	-0.01559100
H	0.65582600	2.54957300	-0.11182700
H	2.02952000	2.68725200	1.02445000
H	2.19751700	3.26499200	-0.65938200
C	3.56718900	1.05039000	-0.38788600
H	3.79358300	0.05218200	-0.75494800
H	4.04493600	1.79266700	-1.03175900
H	3.93507700	1.15952700	0.63625500




**Me<sub>2</sub>S-Sn<sub>2</sub>Me<sub>4</sub> complex (22b)**

Zero-point correction= 0.220673 (Hartree/Particle)  
 Thermal correction to Energy= 0.240381  
 Thermal correction to Enthalpy= 0.241325  
 Thermal correction to Gibbs Free Energy= 0.168474  
 Sum of electronic and zero-point Energies= -1066.223553  
 Sum of electronic and thermal Energies= -1066.203845  
 Sum of electronic and thermal Enthalpies= -1066.202901  
 Sum of electronic and thermal Free Energies= -1066.275752

$$r_{\text{Sn-S}} = 2.723, r_{\text{Sn-Sn}} = 2.947$$

Sn	0.60289600	-0.82883000	0.10341100
C	1.66439700	-2.24791700	-1.15812800
C	1.69730900	-1.03178100	1.97857300
H	1.16853000	-1.75304300	2.60519600
H	2.71362400	-1.39657800	1.82363900
H	1.52440600	-2.01723600	-2.21423900
H	2.73100200	-2.26670900	-0.92834700
H	1.26156700	-3.24614200	-0.97549000
H	1.72900500	-0.08966500	2.52898000
Sn	-1.93149800	0.65302600	-0.14768500
C	-2.88336500	-0.90272700	-1.40735000
C	-2.63465300	-0.14903100	1.80301700
H	-2.70095800	-1.23791400	1.81353600
H	-3.63564900	0.25116900	1.98349200
H	-2.39516100	-0.98758800	-2.37988500
H	-3.91937100	-0.60089300	-1.58149200
H	-2.89324100	-1.88275000	-0.92865500
H	-1.99673000	0.17463400	2.62812300
C	1.70030100	2.53181400	0.32622100
H	0.65849900	2.75030000	0.09133400
H	1.77959700	2.22214900	1.36764700
H	2.31881100	3.40795600	0.14025000
C	3.84193200	0.82222800	-0.12211300
H	4.20813500	-0.05073800	-0.65946300
H	4.50806600	1.66386800	-0.30481000
H	3.79244000	0.60008100	0.94244000
S	2.20387600	1.19461100	-0.76624100




**Me<sub>2</sub>NH-Sn<sub>2</sub>Me<sub>4</sub> complex (22c)**

Zero-point correction= 0.240562 (Hartree/Particle)  
 Thermal correction to Energy= 0.258636  
 Thermal correction to Enthalpy= 0.259580  
 Thermal correction to Gibbs Free Energy= 0.192643  
 Sum of electronic and zero-point Energies= -723.351520  
 Sum of electronic and thermal Energies= -723.333446  
 Sum of electronic and thermal Enthalpies= -723.332502  
 Sum of electronic and thermal Free Energies= -723.399439

$$r_{\text{Sn-N}} = 2.364, r_{\text{Sn-Sn}} = 2.931$$

Sn	0.85245200	-0.66367700	0.27006900
C	2.00500700	-2.00017400	-0.99901700
C	2.17397400	-0.49792400	1.99092500
H	2.20494700	-1.46323300	2.50022100
H	3.19275300	-0.25108300	1.68383100
H	1.74518500	-1.87187100	-2.05091200
H	3.07818800	-1.85040000	-0.87075700
H	1.77166000	-3.03127600	-0.72619400
H	1.82195100	0.24725000	2.70420800
Sn	-1.80394600	0.38630200	-0.38801200
C	-2.87055000	-1.54441400	-0.48157500
C	-2.35001600	0.88251800	1.70224500
H	-2.34728800	0.00302400	2.34732200
H	-3.36057100	1.29888600	1.69990600
H	-2.48309400	-2.18100500	-1.27865000
H	-3.92111100	-1.33791400	-0.70021800
H	-2.82092200	-2.08706500	0.46299700
H	-1.68462300	1.63458600	2.13217600
C	1.62786700	2.41615700	0.24504200
H	0.59677600	2.48992400	0.59157500
H	2.27762700	2.23000200	1.09966600
H	1.91457800	3.36251400	-0.22104400
N	1.74288100	1.29920800	-0.70021100
H	1.06363900	1.45228100	-1.44242600
C	3.08539900	1.18886900	-1.27334500
H	3.78942700	0.92043900	-0.48525600
H	3.09844200	0.40666700	-2.02964000
H	3.40687500	2.13241800	-1.72382400



## References

1. Kostina, S. S.; Singh, T.; Leigh, W. J. *Organometallics* 2012, **31**, 3755.
2. Moiseev, A. G.; Leigh, W. J. *Organometallics* 2007, **26**, 6277.
3. Moiseev, A. G.; Leigh, W. J. *Organometallics* 2007, **26**, 6268.
4. Leigh, W. J.; Lollmahomed, F.; Harrington, C. R. *Organometallics* 2006, **25**, 2055.
5. Leigh, W. J.; Harrington, C. R.; Vargas-Baca, I. *J. Am. Chem. Soc.* 2004, **126**, 16105.
6. (a) Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Scuseria, G. E.; Robb, M. A.; Cheeseman, J. R.; Scalmani, G.; Barone, V.; Mennucci, B.; Petersson, G. A.; Nakatsuji, H.; Caricato, M.; Li, X.; Hratchian, H. P.; Izmaylov, A. F.; Bloino, J.; Zheng, G.; Sonnenberg, J. L.; Hada, M.; Ehara, M.; Toyota, K.; Fukuda, R.; Hasegawa, J.; Ishida, M.; Nakajima, T.; Honda, Y.; Kitao, O.; Nakai, H.; Vreven, T.; Montgomery, J., J. A.; Peralta, J. E.; Ogliaro, F.; Bearpark, M.; Heyd, J. J.; Brothers, E.; Kudin, K. N.; Staroverov, V. N.; Kobayashi, R.; Normand, J.; Raghavachari, K.; Rendell, A.; Burant, J. C.; Iyengar, S. S.; Tomasi, J.; Cossi, M.; Rega, N.; Millam, N. J.; Klene, M.; Knox, J. E.; Cross, J. B.; Bakken, V.; Adamo, C.; Jaramillo, J.; Gomperts, R.; Stratmann, R. E.; Yazyev, O.; Austin, A. J.; Cammi, R.; Pomelli, C.; Ochterski, J. W.; Martin, R. L.; Morokuma, K.; Zakrzewski, V. G.; Voth, G. A.; Salvador, P.; Dannenberg, J. J.; Dapprich, S.; Daniels, A. D.; Farkas, Ö.; Foresman, J. B.; Ortiz, J. V.; Cioslowski, J.; Fox, D. J. *Gaussian 09, Revision E.01*, Gaussian, Inc.: Wallingford CT, 2013; (b) Glendening, E. D.; Reed, A. E.; Carpenter, J. E.; Weinhold, F. *NBO Version 3.1*.
7. Chai, J.-D.; Head-Gordon, M. *Phys. Chem. Chem. Phys.* 2008, **10**, 6615.
8. Weigend, F.; Ahlrichs, R. *Phys. Chem. Chem. Phys.* 2005, **7**, 3297.
9. Boys, S. F.; Bernardi, F. *Mol. Phys.* 1970, **19**, 553.