

### Section 1: Computational Details

The DFT-D calculations were carried out using the ADF software package<sup>1,2</sup>. The revPBE gradient density functional<sup>3-6</sup> was employed, and Grimme's latest dispersion corrected functional<sup>7</sup> was used to account for the dispersion forces. Tests were performed to determine the effect of the basis set on the binding energy of benzene to an Ag(111) slab, see Section 3 below. For the results given in the main text, the basis functions on all of the atoms consisted of a valence triple- $\zeta$  Slater-type basis set with polarization functions (TZP) from the ADF basis-set library. The core shells up to 1s, 1s, 3p and 4p of carbon, nitrogen, copper and silver, respectively, were kept frozen. In situations where SCF convergence issues arose, the steepest decent method was employed. Both a Mulliken and a Hirshfeld charge analysis were used to determine the magnitude of the charge transferred between the adsorbate and the metal surface.


The Cu(111) and Ag(111) surfaces were simulated by using a finite slab, or cluster, comprised of 166 metal atoms and the experimental lattice parameter of 3.614 Å<sup>8</sup> and 4.086 Å<sup>8</sup>, respectively. The clusters were composed of two layers with the top layer containing 91 atoms and the bottom layer containing 75 atoms. During the structural relaxation, the top layer of the slabs was allowed to relax. Next, a geometry optimization was performed where the 2H-TPP was placed on-top of the optimized metal surface, and the coordinates of the cluster atoms were kept fixed. This procedure was found to give binding energies (BEs) in reasonable agreement with experimental data obtained for benzene adsorbed on Ag(111)/Cu(111) (see Section 3 of the Supplementary Information, SI). For select systems, the basis set superposition error (BSSE) was calculated using the Counterpoise method.

To clarify the nature of the bonding, a fragment orbital analysis was employed using the ADF program<sup>1</sup>. The fragments used were those of the metal cluster and distorted adsorbate (as found in the optimized structures **S3**, **S5**, **S6** and **S7**). The composition of the molecular orbitals of the metal-adsorbate system was decomposed into terms of occupied and unoccupied orbitals of the finite metal cluster and of the adsorbate. From this analysis, charge density difference (CDD) contours and isosurfaces were plotted using the ADFview program. The CDD given below are the calculated differences between the charge density of the metal-organic systems and that of the isolated fragments. They illustrate how the charge density changes upon adsorption of the molecule to the metal surface.

## Section 2: 2H-TPP Dimer Binding Energies

The coordinates for the adjacent 2H-TPP dimer (**S1**) and the sandwich 2H-TPP dimer (**S2**) can be found in Section 5 of the SI. The basis functions on all of the atoms consisted of a valence triple- $\zeta$  Slater-type basis set with polarization functions (TZP) from the ADF basis-set library. The core shells up to 1s of carbon and nitrogen were kept frozen. The binding energy (BE) of **S1** was calculated as being 0.03 eV. The binding energy of **S2** was found to be 1.12 eV.

**Figure 1:** Illustrations of the geometries of the (a) adjacent (**S1**), and (b) sandwich (**S2**) 2H-TPP dimer.



The most stable benzene dimer (**S8**)<sup>9</sup> has a geometry which is very similar to that of **S2**. Using the computational settings described herein, the binding energy for the benzene dimer was found to be 0.05 eV, which is somewhat smaller than that computed by high-level CCSD(T) calculations<sup>9</sup> for the parallel-displaced benzene dimer (0.09 to 0.12 eV).

## Section 3: Benzene on Various Copper/Silver Surfaces

The geometries of benzene adsorbed to metal clusters (models for various metal surfaces) were optimized, and the BEs computed. In the following geometry optimizations the bottom layer of metal atoms was kept fixed, but the top layer of atoms was allowed to relax. For benzene adsorbed on the Ag(111) surface computations were performed using different basis sets, and varying the number of atoms in the cluster. The BE, given below in Table 1, were calculated by:

$$BE = E_{(\text{Organic Molecule})} + E_{(\text{Metal Slab})} - E_{(\text{Organic-Metal Complex})} \quad (1)$$

**Table 1:** The binding energy (BE) of benzene to Ag(111) using various basis sets and slab sizes<sup>a</sup>

System	# of Surface Atoms	Adsorbate Basis	Surface Basis	BE (eV)
Benzene-Ag(111)	64	DZP	DZ	1.16
Benzene-Ag(111)	64	TZP	DZ	0.98
Benzene-Ag(111)	64	DZP	TZP	1.10
Benzene-Ag(111)	64	TZP	TZP	0.87
Benzene-Ag(111)	166	TZP	TZP	0.77
<b>Experimental BE<sup>7</sup></b>				0.56

<sup>a</sup> DZ denotes a double- $\zeta$  basis; DZP is a double- $\zeta$  basis with polarization functions; TZP is a triple- $\zeta$  basis set with polarization functions.

A TZP basis set on the adsorbate atoms and the surface atoms was found to give a BE which was closest to the experimental values. Moreover, as the number of atoms used to simulate the metallic slab increased, the computed BE was found to approach the experimental BE.

The computed BE between benzene and various copper/silver surfaces are given below in Table 2. The results shown in Table 1 and 2 illustrate that computational method employed overestimates the BE for these types of systems, in-line with the original benchmark calculations<sup>7</sup>. The BSSE lowers the computed BEs slightly. For example, the BSSE-corrected BE of benzene on Cu(111) and Ag(111) with 64 atoms in the cluster was found to be 1.11 and 0.79 eV, respectively.

The optimized coordinates of the Ag(111)-benzene system with 64 silver atoms (**S3**), the Ag(111)-benzene system with 166 silver atoms (**S4**), and the Cu(111)-benzene system (**S5**) can be found in Section 5 of the SI.

**Table 2:** The binding energy (BE) of benzene to various copper and silver surfaces<sup>a</sup>

System	Calculated BE (eV)	Experimental BE (eV)
Cu(100)-Benzene <sup>b</sup>	1.03	-
Cu(110)-Benzene <sup>c</sup>	1.27	0.73 <sup>10</sup>
Cu(111)-Benzene <sup>d</sup>	1.28	0.59 <sup>11</sup>
Ag(100)-Benzene <sup>b</sup>	0.67	-
Ag(111)-Benzene <sup>d</sup>	0.87	0.56 <sup>7</sup>


<sup>a</sup> TZP basis sets were used for all of the atoms; <sup>b</sup> Slab contained 74 atoms; <sup>c</sup> Slab contained 134 atoms;

<sup>d</sup> Slab contained 64 atoms.

The differences between the charge densities of the isolated fragments and that of the metal-adsorbate system were calculated. In the charge density difference (CDD) isosurfaces provided herein, red denotes a gain of electrons, and blue a loss of electrons upon adsorption. Charge density difference isosurfaces were calculated for the **S3** and **S5** structures (Figures 2a and 2b).

Figure 2b is illustrative of the “Pillow Effect”, which is caused by Pauli repulsion between the metal and adsorbate electron densities<sup>12</sup>. The charge redistribution is also a result of electron donation from the HOMO of benzene to the metal surface, and back-donation from the surface to the benzene LUMO (the Dewar, Chatt, and Duncason model which has, for example, been applied to benzene on Cu(110)<sup>13</sup>). A Mulliken analysis illustrates that for both **S3** and **S5** there is a charge transfer of 0.19e to the metal cluster, whereas the Hirschfeld scheme yields 0.16e, and 0.27e for Ag(111) and Cu(111), respectively. Mulliken charges are strongly basis set dependent, and the Hirschfeld method may provide results which are more in-line with chemical intuition since the promolecular fragments are the same as those employed in our CDD calculations. The benzene to Ag/Cu surface distance was found to be 3.84/2.76 angstroms. The closer the adsorbate is to the metal, the stronger the binding energy and the more pronounced is the CDD.

**Figure 2:** Charge density difference (CDD) isosurfaces of benzene on an: (a) Ag(111) (S3), and (b) Cu(111) slab (S5). The slabs contained 64 atoms and the isovalues are +/- 0.0003 au.



#### Section 4: Cu(111)/2H-TPP and Ag(111)/2H-TPP

Geometry optimizations were performed as previously described in Section 1, with the Cu(111) and Ag(111) clusters both containing 166 atoms. The coordinates of the following systems can be found in Section 5, and the BE are given in Table 3.


**Table 3:** Binding energies (BE) and structural parameters of 2H-TPP with Cu(111) and Ag(111)<sup>a</sup>

System	BE (eV) <sup>b</sup>	Surface Charge (Mulliken)	Surface Charge (Hirschfeld)	Dihedral	N1-surface Distance (Å)	N2-Surface Distance (Å)
Cu(111)	6.19/5.31	-1.69e	-0.89e	38.3	3.05	3.05
Ag(111)	3.44/3.07	-1.45e	-0.46e	42.1	3.30	3.29


<sup>a</sup> The atoms C1, C2, C3 and C4 which define the dihedral angle given are illustrated in Figure 3. The N1 and N2 atoms are defined in Figure 3.

<sup>b</sup> The uncorrected/BSSE corrected binding energies.

**Figure 3:** The carbon atoms which define the dihedral angle, and the nitrogen atoms given in Table 3.



**Figure 4:** Charge density difference (CDD) isosurfaces of 2H-TPP on an: (a) Cu(111) (S6), and (b) Ag(111) slab (S7). The slabs contained 166 atoms and the isovalues are +/- 0.0003 au.



**Table 4:** Bonding Energy (eV) decomposition analysis for 2H-TPP on Cu(111) and Ag(111).

System	Pauli	Electrostatic	Steric Interaction	Orbital Interaction	Dispersion	Geometric Distortion
Cu(111)	15.27	-7.84	7.43	-5.07	-9.15	0.62
Ag(111)	8.60	-4.44	4.16	-2.36	-5.70	0.53

)						
---	--	--	--	--	--	--

The 2H-TPP molecule distorts as it approaches the Cu(111) and Ag(111) surfaces. The phenyl arms rotate so that the dihedral angle, as defined in Figure 3, changes (for free 2H-TPP we compute the dihedral angle to be 62.7 degrees). In both cases the phenyl arms are oriented nearly parallel to the metal surface, with an angle of 26/30 degrees to Cu(111)/Ag(111). The ends of the pyrrole rings that contain N1 distort downwards, and the pyrrole rings that contain N2 distort upwards due to the rotation of the phenyl arms of the 2H-TPP.

In accordance with our findings for benzene on Ag(111)/Cu(111), the Mulliken charges for the two systems were about the same even though visual inspection of the CDD (Figures 4 and 5) appears to indicate a larger charge redistribution and charge build-up on the Cu surface. The Hirschfeld charge analysis, on the other hand, shows that there is a larger amount of charge transferred to Cu(111) than to Ag(111) suggesting that the repulsion between the positively charged 2H-TPP molecules may hinder their self-assembly. It is likely that the Hirschfeld scheme provides better results for the systems we are considering<sup>19</sup>.

The BSSE uncorrected bonding energy can be decomposed as<sup>14</sup>:

$$BE = DE_{\text{bond}} = DE_{\text{geo}} + DE_{\text{steric}} + DE_{\text{oi}} + DE_{\text{disp}} \quad (2)$$


where  $DE_{\text{geo}}$  is the energy necessary to distort the geometry of the 2H-TPP to the one in the total system,  $DE_{\text{steric}}$ , the steric repulsion, is a sum of the Pauli repulsion and the classical electrostatic interaction between the interpenetrating charge densities of the fragments,  $DE_{\text{oi}}$  is the orbital interaction and  $DE_{\text{disp}}$  the dispersion energy. These values are provided in Table 4.

The distances between N1 and N2 and the metal surface is larger for the Ag(111) than for the Cu(111) slab, and the resulting charge redistribution upon absorption is smaller as evidenced in Figures 4 and 5. The stronger adsorbate-metal interaction for the Cu(111) system correlates with the larger magnitude of the steric, orbital and dispersion interaction energies, and the larger energy necessary to distort the 2H-TPP molecule as it adsorbs to the metal surface.


To clarify the nature of the bonding between 2H-TPP and Cu(111)/Ag(111), we calculated the composition of the molecular orbitals (MOs) in terms of the occupied and unoccupied MOs of the molecule and the metal cluster. Based upon the results of this analysis approximate interaction diagrams, provided in Fig. 6, can be constructed using the thinking outlined in Refs. [15-18].

These diagrams illustrate that the bonding is similar to benzene, with charge transfer from the 2H-TPP HOMO to the surface, and back donation into the 2H-TPP LUMO. Because of the shorter metal-adsorbate distance, the dispersion of the HOMO/metal and LUMO/metal bands is larger for Cu(111). The calculation of the crystal orbital overlap population (COOP) would be necessary for a more in-depth analysis of the bonding in the two systems.

**Figure 5:** Charge density difference (CDD) contours of 2H-TPP on an: (a) Cu(111) (S6), and (b) Ag(111) slab (S7). The slabs contained 166 atoms, and the settings used to obtain the contours in both plots was the same.



**Figure 6:** Schematic interaction diagram of 2H-TPP with the a) Ag(111) and b) Cu(111) surface. The Fermi level has been set to zero. Isosurfaces of the HOMO and LUMO of the 2H-TPP molecule ( $\pm 0.03$  a.u.) are displayed in red/pink and green/yellow. The blue/red rectangles represent the width of the bands formed from the overlap of metal bands with the 2H-TPP HOMO/LUMO. On Cu some of the metal/LUMO bands are off the scale of this figure, as denoted by the dashed line. Note that the bandwidths of the metals extend to higher/lower energies.





## Section 5: Coordinates

### S1-Adjacent 2H-TPP Dimer

E= -1043.98775848 eV Symmetry: C<sub>2v</sub>

H	-14.632016	-6.294225	0.013682	H	-6.990332	-5.130155	-0.207176
H	-14.632016	6.294225	0.013682	H	-6.990332	5.130155	-0.207176
C	-13.855608	-5.525492	0.006242	N	-6.216737	0.000000	-0.035577
C	-13.855608	5.525492	0.006242	C	-5.887630	-2.471290	0.006142
H	-13.467074	1.347669	0.173646	C	-5.887630	2.471290	0.006142
H	-13.467074	-1.347669	0.173646	C	-5.432601	-1.136302	0.017972
H	-14.458660	-4.700141	-1.906099	C	-5.432601	1.136302	0.017972
H	-14.458660	4.700141	-1.906099	C	-4.829672	-3.534150	0.021180
C	-13.759877	-4.629054	-1.069030	C	-4.829672	3.534150	0.021180
C	-13.759877	4.629054	-1.069030	H	-4.003367	-2.972578	-1.892724
C	-12.947725	-5.428541	1.071674	H	-4.003367	2.972578	-1.892724
C	-12.947725	5.428541	1.071674	C	-3.920522	-3.658534	-1.047367
H	-13.017334	-6.119126	1.915801	C	-3.920522	3.658534	-1.047367
H	-13.017334	6.119126	1.915801	C	-4.717910	-4.421836	1.109777
C	-12.609272	-0.688133	0.091867	C	-4.717910	4.421836	1.109777
C	-12.609272	0.688133	0.091867	H	-5.417917	-4.327169	1.943165
H	-12.686374	-2.943943	-1.912285	H	-5.417917	4.327169	1.943165
H	-12.686374	2.943943	-1.912285	C	-4.069503	-0.688135	0.114180
C	-12.764706	-3.642393	-1.076429	C	-4.069503	0.688135	0.114180
C	-12.764706	3.642393	-1.076429	H	-2.234924	-4.731537	-1.872802
C	-11.952706	-4.441989	1.061912	H	-2.234924	4.731537	-1.872802
C	-11.952706	4.441989	1.061912	C	-2.925351	-4.645308	-1.030518
H	-11.246395	-4.362053	1.890813	C	-2.925351	4.645308	-1.030518
H	-11.246395	4.362053	1.890813	C	-3.722170	-5.407772	1.129407
C	-11.848226	-3.535428	-0.012034	C	-3.722170	5.407772	1.129407
C	-11.848226	3.535428	-0.012034	H	-3.646927	-6.083479	1.984453
C	-11.246159	1.136555	-0.005931	H	-3.646927	6.083479	1.984453
C	-11.246159	-1.136555	-0.005931	H	-3.212139	-1.347942	0.193526
C	-10.791091	-2.472192	-0.016819	H	-3.212139	1.347942	0.193526
C	-10.791091	2.472192	-0.016819	C	-2.821721	-5.522984	0.059285
N	-10.462042	0.000000	-0.060579	C	-2.821721	5.522984	0.059285
H	-9.683937	-5.131056	-0.226769	H	-2.044879	-6.291260	0.075238
H	-9.683937	5.131056	-0.226769	H	-2.044879	6.291260	0.075238
H	-9.444133	0.000000	-0.071925	H	2.044879	-6.291260	0.075238
C	-9.432382	-2.875554	-0.027725	H	2.044879	6.291260	0.075238
C	-9.432382	2.875554	-0.027725	C	2.821721	-5.522984	0.059285
C	-9.018772	-4.277214	-0.133434	C	2.821721	5.522984	0.059285
C	-9.018772	4.277214	-0.133434	H	3.212139	1.347942	0.193526
N	-8.339417	-2.041025	0.030416	H	3.212139	-1.347942	0.193526
N	-8.339417	2.041025	0.030416	H	3.646927	-6.083479	1.984453
C	-7.657112	-4.276954	-0.123939	H	3.646927	6.083479	1.984453
C	-7.657112	4.276954	-0.123939	C	3.722170	-5.407772	1.129407
C	-7.245578	-2.875124	-0.015566	C	3.722170	5.407772	1.129407
C	-7.245578	2.875124	-0.015566	C	2.925351	-4.645308	-1.030518
H	-7.234471	0.000000	-0.048785	C	2.925351	4.645308	-1.030518
				H	2.234924	-4.731537	-1.872802
				H	2.234924	4.731537	-1.872802
				C	4.069503	-0.688135	0.114180

C	4.069503	0.688135	0.114180	H	13.017334	-6.119126	1.915801
H	5.417917	-4.327169	1.943165	H	13.017334	6.119126	1.915801
H	5.417917	4.327169	1.943165	C	12.947725	-5.428541	1.071674
C	4.717910	-4.421836	1.109777	C	12.947725	5.428541	1.071674
C	4.717910	4.421836	1.109777	C	13.759877	-4.629054	-1.069030
C	3.920522	-3.658534	-1.047367	C	13.759877	4.629054	-1.069030
C	3.920522	3.658534	-1.047367	H	14.458660	-4.700141	-1.906099
H	4.003367	-2.972578	-1.892724	H	14.458660	4.700141	-1.906099
H	4.003367	2.972578	-1.892724	H	13.467074	-1.347669	0.173646
C	4.829672	-3.534150	0.021180	H	13.467074	1.347669	0.173646
C	4.829672	3.534150	0.021180	C	13.855608	-5.525492	0.006242
C	5.432601	1.136302	0.017972	C	13.855608	5.525492	0.006242
C	5.432601	-1.136302	0.017972	H	14.632016	-6.294225	0.013682
C	5.887630	-2.471290	0.006142	H	14.632016	6.294225	0.013682
C	5.887630	2.471290	0.006142				
N	6.216737	0.000000	-0.035577	<u>S2- Sandwich 2H-TPP Dimer</u>			
H	6.990332	-5.130155	-0.207176	E= -1045.07165541 eV			
H	6.990332	5.130155	-0.207176	C	-3.038613	2.742607	2.470483
H	7.234471	0.000000	-0.048785	C	-3.454285	2.946468	1.136601
C	7.245578	-2.875124	-0.015566	C	-1.755541	2.275154	2.858180
C	7.245578	2.875124	-0.015566	C	-4.680716	3.547237	0.688350
C	7.657112	-4.276954	-0.123939	C	-4.680716	3.547237	-0.688350
C	7.657112	4.276954	-0.123939	C	-3.454285	2.946468	-1.136601
N	8.339417	-2.041025	0.030416	C	-1.408678	1.930655	4.238644
N	8.339417	2.041025	0.030416	C	-0.078398	1.640462	4.236598
C	9.018772	-4.277214	-0.133434	C	0.376962	1.793599	2.852954
C	9.018772	4.277214	-0.133434	N	-2.744497	2.610311	0.000000
C	9.432382	-2.875554	-0.027725	H	-1.788008	2.258651	0.000000
C	9.432382	2.875554	-0.027725	H	-5.444064	3.949786	1.345137
H	9.444133	0.000000	-0.071925	H	-5.444064	3.949786	-1.345137
H	9.683937	-5.131056	-0.226769	N	-0.669077	2.131529	2.025456
H	9.683937	5.131056	-0.226769	H	-2.102342	1.874004	5.072249
N	10.462042	0.000000	-0.060579	H	0.534698	1.304006	5.066791
C	10.791091	-2.472192	-0.016819	C	-3.038613	2.742607	-2.470483
C	10.791091	2.472192	-0.016819	C	-1.755541	2.275154	-2.858180
C	11.246159	-1.136555	-0.005931	C	-1.408678	1.930655	-4.238644
C	11.246159	1.136555	-0.005931	C	-0.078398	1.640462	-4.236598
C	11.848226	-3.535428	-0.012034	C	0.376962	1.793599	-2.852954
C	11.848226	3.535428	-0.012034	N	-0.669077	2.131529	-2.025456
H	11.246395	-4.362053	1.890813	H	-2.102342	1.874004	-5.072249
H	11.246395	4.362053	1.890813	H	0.534698	1.304006	-5.066791
C	11.952706	-4.441989	1.061912	C	1.736363	1.648687	2.470138
C	11.952706	4.441989	1.061912	C	3.564553	1.554078	0.688244
C	12.764706	-3.642393	-1.076429	C	3.564553	1.554078	-0.688244
C	12.764706	3.642393	-1.076429	C	2.199121	1.587706	-1.137443
H	12.686374	-2.943943	-1.912285	N	1.413468	1.589976	0.000000
H	12.686374	2.943943	-1.912285	H	4.427035	1.556618	-1.345752
C	12.609272	-0.688133	0.091867	C	1.736363	1.648687	-2.470138
C	12.609272	0.688133	0.091867	C	2.199121	1.587706	1.137443

H	4.427035	1.556618	1.345752	C	-3.564553	-1.554078	0.688244
H	0.404131	1.729419	0.000000	C	-3.564553	-1.554078	-0.688244
C	2.763464	1.650481	3.559518	C	-2.199121	-1.587706	-1.137443
C	2.800249	2.722829	4.477910	C	0.078398	-1.640462	4.236598
C	3.707615	0.614939	3.702444	C	1.408678	-1.930655	4.238644
C	3.747391	2.755301	5.509187	C	1.755541	-2.275154	2.858180
C	4.652626	0.643506	4.736032	N	-1.413468	-1.589976	0.000000
C	4.677560	1.713133	5.643185	H	-0.404131	-1.729419	0.000000
H	2.076016	3.533050	4.371231	H	-4.427035	-1.556618	1.345752
H	3.675845	-0.224072	3.009162	H	-4.427035	-1.556618	-1.345752
H	3.760503	3.597021	6.205896	N	0.669077	-2.131529	2.025456
H	5.355845	-0.183454	4.843673	H	-0.534698	-1.304006	5.066791
H	5.413832	1.731833	6.450847	H	2.102342	-1.874004	5.072249
C	2.763464	1.650481	-3.559518	C	-1.736363	-1.648687	-2.470138
C	2.800249	2.722829	-4.477910	C	-0.376962	-1.793599	-2.852954
C	3.707615	0.614939	-3.702444	C	0.078398	-1.640462	-4.236598
C	3.747391	2.755301	-5.509187	C	1.408678	-1.930655	-4.238644
C	4.652626	0.643506	-4.736032	C	1.755541	-2.275154	-2.858180
C	4.677560	1.713133	-5.643185	N	0.669077	-2.131529	-2.025456
H	2.076016	3.533050	-4.371231	H	-0.534698	-1.304006	-5.066791
H	3.675845	-0.224072	-3.009162	H	2.102342	-1.874004	-5.072249
H	3.760503	3.597021	-6.205896	C	3.038613	-2.742607	2.470483
H	5.355845	-0.183454	-4.843673	C	4.680716	-3.547237	0.688350
H	5.413832	1.731833	-6.450847	C	4.680716	-3.547237	-0.688350
C	-4.023894	3.090569	3.541163	C	3.454285	-2.946468	-1.136601
C	-3.677966	3.997679	4.565595	N	2.744497	-2.610311	0.000000
C	-5.322581	2.541491	3.549994	H	5.444064	-3.949786	-1.345137
C	-4.595642	4.335700	5.567857	C	3.038613	-2.742607	-2.470483
C	-6.243284	2.879216	4.549526	C	3.454285	-2.946468	1.136601
C	-5.883016	3.776958	5.565822	H	5.444064	-3.949786	1.345137
H	-2.681423	4.443954	4.560140	H	1.788008	-2.258651	0.000000
H	-5.600958	1.834475	2.767149	C	4.023894	-3.090569	3.541163
H	-4.306953	5.045377	6.346558	C	5.322581	-2.541491	3.549994
H	-7.240827	2.433855	4.539081	C	3.677966	-3.997679	4.565595
H	-6.599639	4.042275	6.346667	C	6.243284	-2.879216	4.549526
C	-4.023894	3.090569	-3.541163	C	4.595642	-4.335700	5.567857
C	-3.677966	3.997679	-4.565595	C	5.883016	-3.776958	5.565822
C	-5.322581	2.541491	-3.549994	H	5.600958	-1.834475	2.767149
C	-4.595642	4.335700	-5.567857	H	2.681423	-4.443954	4.560140
C	-6.243284	2.879216	-4.549526	H	7.240827	-2.433855	4.539081
C	-5.883016	3.776958	-5.565822	H	4.306953	-5.045377	6.346558
H	-2.681423	4.443954	-4.560140	H	6.599639	-4.042275	6.346667
H	-5.600958	1.834475	-2.767149	C	4.023894	-3.090569	-3.541163
H	-4.306953	5.045377	-6.346558	C	5.322581	-2.541491	-3.549994
H	-7.240827	2.433855	-4.539081	C	3.677966	-3.997679	-4.565595
H	-6.599639	4.042275	-6.346667	C	6.243284	-2.879216	-4.549526
C	-1.736363	-1.648687	2.470138	C	4.595642	-4.335700	-5.567857
C	-2.199121	-1.587706	1.137443	C	5.883016	-3.776958	-5.565822
C	-0.376962	-1.793599	2.852954	H	5.600958	-1.834475	-2.767149

H	2.681423	-4.443954	-4.560140	Ag	0.834050	1.444617	-1.293216
H	7.240827	-2.433855	-4.539081	Ag	-1.668102	-2.889237	-1.293214
H	4.306953	-5.045377	-6.346558	Ag	-1.668102	2.889237	-1.293214
H	6.599639	-4.042275	-6.346667	Ag	3.336203	0.000000	-1.293214
C	-2.763464	-1.650481	3.559518	Ag	-1.668100	-5.778479	-1.293212
C	-3.707615	-0.614939	3.702444	Ag	-1.668100	5.778479	-1.293212
C	-2.800249	-2.722829	4.477910	Ag	-4.170260	-4.333857	-1.293212
C	-4.652626	-0.643506	4.736032	Ag	-4.170260	4.333857	-1.293212
C	-3.747391	-2.755301	5.509187	Ag	5.838360	1.444622	-1.293212
C	-4.677560	-1.713133	5.643185	Ag	5.838360	-1.444622	-1.293212
H	-3.675845	0.224072	3.009162	Ag	-7.787319	4.597414	0.982917
H	-2.076016	-3.533050	4.371231	Ag	-7.787319	-4.597414	0.982917
H	-5.355845	0.183454	4.843673	Ag	7.875137	-4.445310	0.982917
H	-3.760503	-3.597021	6.205896	Ag	7.875137	4.445310	0.982917
H	-5.413832	-1.731833	6.450847	Ag	-0.087817	-9.042723	0.982917
C	-2.763464	-1.650481	-3.559518	Ag	-0.087817	9.042723	0.982917
C	-3.707615	-0.614939	-3.702444	Ag	-7.954438	1.518828	1.202254
C	-2.800249	-2.722829	-4.477910	Ag	-7.954438	-1.518828	1.202254
C	-4.652626	-0.643506	-4.736032	Ag	5.292563	-6.129331	1.202254
C	-3.747391	-2.755301	-5.509187	Ag	5.292563	6.129331	1.202254
C	-4.677560	-1.713133	-5.643185	Ag	2.661875	-7.648160	1.202254
H	-3.675845	0.224072	-3.009162	Ag	2.661875	7.648160	1.202254
H	-2.076016	-3.533050	-4.371231	Ag	-5.248020	3.062867	1.676706
H	-5.355845	0.183454	-4.843673	Ag	-5.248020	-3.062867	1.676706
H	-3.760503	-3.597021	-6.205896	Ag	5.276530	-3.013485	1.676706
H	-5.413832	-1.731833	-6.450847	Ag	5.276530	3.013485	1.676706

S3- Ag(111) 64-Benzene

E=-183.74769746 eV

Symmetry: C<sub>3v</sub>

Ag	-6.672409	2.889236	-1.293224	Ag	-0.028511	-6.076352	1.676706
Ag	-6.672409	-2.889236	-1.293224	Ag	-0.028511	6.076352	1.676706
Ag	5.838356	-4.333857	-1.293224	Ag	-5.295288	0.000000	1.665041
Ag	5.838356	4.333857	-1.293224	Ag	2.647644	-4.585854	1.665041
Ag	0.834052	-7.223094	-1.293224	Ag	2.647644	4.585854	1.665041
Ag	0.834052	7.223094	-1.293224	Ag	-2.699858	1.561404	1.468911
Ag	-6.672411	0.000000	-1.293222	Ag	-2.699858	-1.561404	1.468911
Ag	3.336206	-5.778478	-1.293222	Ag	2.702144	-1.557444	1.468911
Ag	3.336206	5.778478	-1.293222	Ag	2.702144	1.557444	1.468911
Ag	-4.170257	1.444622	-1.293220	Ag	-0.002286	-3.118847	1.468911
Ag	-4.170257	-1.444622	-1.293220	Ag	-0.002286	3.118847	1.468911
Ag	3.336207	-2.889238	-1.293220	Ag	-2.651321	-4.592222	1.669296
Ag	3.336207	2.889238	-1.293220	Ag	-2.651321	4.592222	1.669296
Ag	0.834049	-4.333859	-1.293220	Ag	5.302642	0.000000	1.669296
Ag	0.834049	4.333859	-1.293220	Ag	0.000000	0.000000	1.312384
Ag	-1.668100	0.000000	-1.293216	Ag	-2.721867	-7.678530	0.691063
Ag	0.834050	-1.444617	-1.293216	Ag	-2.721867	7.678530	0.691063
				Ag	-5.288869	-6.196471	0.691063
				Ag	-5.288869	6.196471	0.691063
				Ag	8.010735	1.482059	0.691063
				Ag	8.010735	-1.482059	0.691063
				C	-1.217347	0.702723	4.528152
				C	-1.217347	-0.702723	4.528152

C	0.000098	-1.405615	4.528152	Ag	11.676697	-2.889229	-1.641269
C	1.217250	-0.702892	4.528152	Ag	-8.340494	-8.667702	-1.641269
C	1.217250	0.702892	4.528152	Ag	11.676697	2.889229	-1.641269
C	0.000098	1.405615	4.528152	Ag	-3.336206	5.778479	-1.641266
H	-2.163502	1.249690	4.528808	Ag	-3.336206	-5.778479	-1.641266
H	-2.163502	-1.249690	4.528808	Ag	6.672412	0.000000	-1.641266
H	-0.000512	-2.498492	4.528808	Ag	-5.838351	10.112321	-1.641265
H	2.164014	-1.248802	4.528808	Ag	-5.838351	-10.112321	-1.641265
H	2.164014	1.248802	4.528808	Ag	11.676702	0.000000	-1.641265
H	-0.000512	2.498492	4.528808	Ag	-3.336201	0.000000	-1.641263
<u>S4- Ag(111) 166-Benzene</u>				Ag	1.668100	2.889235	-1.641263
E=-372.89129933 eV Symmetry: C <sub>3v</sub>				Ag	1.668100	-2.889235	-1.641263
Ag	-0.834052	1.444620	-1.641278	Ag	-5.838359	-1.444619	-1.641259
Ag	-0.834052	-1.444620	-1.641278	Ag	4.170256	4.333858	-1.641259
Ag	1.668103	0.000000	-1.641278	Ag	-5.838359	1.444619	-1.641259
Ag	-0.834055	10.112322	-1.641277	Ag	1.668103	5.778477	-1.641259
Ag	-8.340500	5.778474	-1.641277	Ag	4.170256	-4.333858	-1.641259
Ag	-0.834055	-10.112322	-1.641277	Ag	1.668103	-5.778477	-1.641259
Ag	9.174555	-4.333848	-1.641277	Ag	-8.340507	-2.889239	-1.641254
Ag	-8.340500	-5.778474	-1.641277	Ag	6.672408	5.778472	-1.641254
Ag	9.174555	4.333848	-1.641277	Ag	-8.340507	2.889239	-1.641254
Ag	-0.834054	4.333856	-1.641274	Ag	1.668099	8.667711	-1.641254
Ag	-3.336202	2.889240	-1.641274	Ag	6.672408	-5.778472	-1.641254
Ag	-0.834054	-4.333856	-1.641274	Ag	1.668099	-8.667711	-1.641254
Ag	4.170256	-1.444616	-1.641274	Ag	-8.340507	0.000000	-1.641251
Ag	-3.336202	-2.889240	-1.641274	Ag	4.170254	7.223091	-1.641251
Ag	4.170256	1.444616	-1.641274	Ag	4.170254	-7.223091	-1.641251
Ag	-0.834054	13.001559	-1.641274	Ag	-10.842655	-4.333848	-1.641250
Ag	-10.842654	7.223092	-1.641274	Ag	9.174550	7.223091	-1.641250
Ag	-0.834054	-13.001559	-1.641274	Ag	-10.842655	4.333848	-1.641250
Ag	11.676708	-5.778467	-1.641274	Ag	1.668105	11.556939	-1.641250
Ag	-10.842654	-7.223092	-1.641274	Ag	9.174550	-7.223091	-1.641250
Ag	11.676708	5.778467	-1.641274	Ag	1.668105	-11.556939	-1.641250
Ag	-3.336213	8.667703	-1.641273	Ag	-10.842656	-1.444620	-1.641246
Ag	-5.838345	7.223097	-1.641273	Ag	6.672406	8.667705	-1.641246
Ag	-3.336213	-8.667703	-1.641273	Ag	-10.842656	1.444620	-1.641246
Ag	9.174558	-1.444606	-1.641273	Ag	4.170250	10.112325	-1.641246
Ag	-5.838345	-7.223097	-1.641273	Ag	6.672406	-8.667705	-1.641246
Ag	9.174558	1.444606	-1.641273	Ag	4.170250	-10.112325	-1.641246
Ag	-0.834054	7.223084	-1.641271	Ag	-13.132014	-4.667425	0.240009
Ag	-5.838348	4.333854	-1.641271	Ag	10.608116	9.038945	0.240009
Ag	-0.834054	-7.223084	-1.641271	Ag	-13.132014	4.667425	0.240009
Ag	6.672402	-2.889230	-1.641271	Ag	2.523898	13.706371	0.240009
Ag	-5.838348	-4.333854	-1.641271	Ag	10.608116	-9.038945	0.240009
Ag	6.672402	2.889230	-1.641271	Ag	2.523898	-13.706371	0.240009
Ag	-3.336203	11.556930	-1.641269	Ag	-13.079773	-1.593239	0.297832
Ag	-8.340494	8.667702	-1.641269	Ag	7.919671	10.530796	0.297832
Ag	-3.336203	-11.556930	-1.641269	Ag	-13.079773	1.593239	0.297832
				Ag	5.160101	12.124035	0.297832

Ag	7.919671	-10.530796	0.297832	Ag	-2.650993	-4.591655	1.212813
Ag	5.160101	-12.124035	0.297832	Ag	5.301987	0.000000	1.212813
Ag	-0.094487	15.172654	0.487307	Ag	-0.044086	9.174546	1.224618
Ag	-13.092660	7.668155	0.487307	Ag	-7.923347	4.625453	1.224618
Ag	-0.094487	-15.172654	0.487307	Ag	-0.044086	-9.174546	1.224618
Ag	13.187147	-7.504499	0.487307	Ag	7.967433	-4.549093	1.224618
Ag	-13.092660	-7.668155	0.487307	Ag	-7.923347	-4.625453	1.224618
Ag	13.187147	7.504499	0.487307	Ag	7.967433	4.549093	1.224618
Ag	-5.417787	12.383932	0.676159	Ag	-7.889211	-1.551838	1.235125
Ag	-8.015906	10.883907	0.676159	Ag	5.288537	6.056339	1.235125
Ag	-5.417787	-12.383932	0.676159	Ag	-7.889211	1.551838	1.235125
Ag	13.433693	-1.500025	0.676159	Ag	2.600675	7.608176	1.235125
Ag	-8.015906	-10.883907	0.676159	Ag	5.288537	-6.056339	1.235125
Ag	13.433693	1.500025	0.676159	Ag	2.600675	-7.608176	1.235125
Ag	-2.810427	13.837082	0.730460	Ag	-10.508123	-3.094728	1.242239
Ag	-10.578051	9.352442	0.730460	Ag	7.934175	7.552937	1.242239
Ag	-2.810427	-13.837082	0.730460	Ag	-10.508123	3.094728	1.242239
Ag	13.388478	-4.484640	0.730460	Ag	2.573948	10.647666	1.242239
Ag	-10.578051	-9.352442	0.730460	Ag	7.934175	-7.552937	1.242239
Ag	13.388478	4.484640	0.730460	Ag	2.573948	-10.647666	1.242239
Ag	0.000000	0.000000	1.023508	Ag	-2.692265	10.736687	1.239069
Ag	-0.005871	3.057964	1.132958	Ag	-7.952111	7.699913	1.239069
Ag	-2.645339	1.534066	1.132958	Ag	-2.692265	-10.736687	1.239069
Ag	-0.005871	-3.057964	1.132958	Ag	10.644376	-3.036774	1.239069
Ag	2.651209	-1.523898	1.132958	Ag	-7.952111	-7.699913	1.239069
Ag	-2.645339	-1.534066	1.132958	Ag	10.644376	3.036774	1.239069
Ag	2.651209	1.523898	1.132958	Ag	-0.070019	12.182003	1.297401
Ag	-5.257672	0.000000	1.198300	Ag	-10.514915	6.151640	1.297401
Ag	2.628836	4.553278	1.198300	Ag	-0.070019	-12.182003	1.297401
Ag	2.628836	-4.553278	1.198300	Ag	10.584933	-6.030363	1.297401
Ag	-2.672926	7.669849	1.194878	Ag	-10.514915	-6.151640	1.297401
Ag	-5.305821	6.149747	1.194878	Ag	10.584933	6.030363	1.297401
Ag	-2.672926	-7.669849	1.194878	C	0.000033	1.404795	4.281678
Ag	7.978747	-1.520102	1.194878	C	-1.216604	0.702369	4.281678
Ag	-5.305821	-6.149747	1.194878	C	-1.216604	-0.702369	4.281678
Ag	7.978747	1.520102	1.194878	C	0.000033	-1.404795	4.281678
Ag	-0.036086	6.128158	1.203431	C	1.216572	-0.702426	4.281678
Ag	-5.289098	3.095331	1.203431	C	1.216572	0.702426	4.281678
Ag	-0.036086	-6.128158	1.203431	H	0.000240	2.497448	4.272639
Ag	5.325184	-3.032828	1.203431	H	-2.162974	1.248516	4.272639
Ag	-5.289098	-3.095331	1.203431	H	-2.162974	-1.248516	4.272639
Ag	5.325184	3.032828	1.203431	H	0.000240	-2.497448	4.272639
Ag	-10.482963	0.000000	1.198702	H	2.162734	-1.248932	4.272639
Ag	5.241482	9.078512	1.198702	H	2.162734	1.248932	4.272639
Ag	5.241482	-9.078512	1.198702				
Ag	-5.312810	9.202056	1.192267				
Ag	-5.312810	-9.202056	1.192267				
Ag	10.625619	0.000000	1.192267				
Ag	-2.650993	4.591655	1.212813				

S5- Cu(111) 64-Benzene

E= -232.05207362 eV Symmetry: C<sub>3v</sub>

CU	-5.158257	-3.828868	2.032641
CU	-5.158257	3.828868	2.032641

CU	-0.736769	6.381616	2.032641
CU	-0.736769	-6.381616	2.032641
CU	5.895026	-2.552748	2.032641
CU	5.895026	2.552748	2.032641
CU	-0.736889	-1.276329	2.032520
CU	-0.736889	1.276329	2.032520
CU	1.473778	0.000000	2.032520
CU	-2.947539	5.105288	2.032512
CU	-2.947539	-5.105288	2.032512
CU	5.895078	0.000000	2.032512
CU	-2.947628	0.000000	2.032371
CU	1.473814	2.552721	2.032371
CU	1.473814	-2.552721	2.032371
CU	-2.947628	2.552669	2.032312
CU	-2.947628	-2.552669	2.032312
CU	-0.736862	3.829055	2.032312
CU	3.684490	1.276386	2.032312
CU	3.684490	-1.276386	2.032312
CU	-0.736862	-3.829055	2.032312
CU	-5.158207	-1.276329	2.032302
CU	-5.158207	1.276329	2.032302
CU	1.473770	5.105303	2.032302
CU	3.684437	3.828974	2.032302
CU	1.473770	-5.105303	2.032302
CU	3.684437	-3.828974	2.032302
CU	4.438931	-5.160010	0.025258
CU	2.249234	-6.424232	0.025258
CU	-6.688165	-1.264222	0.025258
CU	-6.688165	1.264222	0.025258
CU	2.249234	6.424232	0.025258
CU	4.438931	5.160010	0.025258
CU	6.603256	-3.830932	-0.073919
CU	0.016057	-7.634053	-0.073919
CU	-6.619312	-3.803121	-0.073919
CU	-6.619312	3.803121	-0.073919
CU	0.016057	7.634053	-0.073919
CU	6.603256	3.830932	-0.073919
CU	6.639379	1.270970	-0.116967
CU	6.639379	-1.270970	-0.116967
CU	-2.218997	-6.385356	-0.116967
CU	-4.420382	-5.114386	-0.116967
CU	-4.420382	5.114386	-0.116967
CU	-2.218997	6.385356	-0.116967
CU	0.000000	0.000000	-0.079687
CU	2.227987	-1.291122	-0.179093
CU	0.004151	-2.575054	-0.179093
CU	-2.232138	-1.283932	-0.179093
CU	-2.232138	1.283932	-0.179093
CU	0.004151	2.575054	-0.179093

CU	2.227987	1.291122	-0.179093
CU	2.221518	-3.847783	-0.224244
CU	-4.443037	0.000000	-0.224244
CU	2.221518	3.847783	-0.224244
CU	0.015427	-5.110435	-0.228404
CU	-4.433480	-2.541858	-0.228404
CU	-4.433480	2.541858	-0.228404
CU	0.015427	5.110435	-0.228404
CU	4.418053	2.568577	-0.228404
CU	4.418053	-2.568577	-0.228404
CU	-2.210259	-3.828281	-0.251616
CU	-2.210259	3.828281	-0.251616
CU	4.420518	0.000000	-0.251616
C	-1.219381	0.704528	-3.012385
C	-1.219381	-0.704528	-3.012385
C	-0.000449	-1.408279	-3.012385
C	1.219830	-0.703750	-3.012385
C	1.219830	0.703750	-3.012385
C	-0.000449	1.408279	-3.012385
H	-2.166704	1.250391	-2.989851
H	-2.166704	-1.250391	-2.989851
H	0.000482	-2.501616	-2.989851
H	2.166222	-1.251226	-2.989851
H	2.166222	1.251226	-2.989851
H	0.000482	2.501616	-2.989851

#### S6-Cu(111)-TPP

E=-957.51619907 eV Symmetry: C<sub>s</sub>

Cu	8.105765	-1.142575	-6.381640
Cu	8.105765	-1.142575	6.381640
Cu	1.473780	-1.142575	-10.210618
Cu	1.473780	-1.142575	10.210618
Cu	-9.579545	-1.142575	3.828978
Cu	-9.579545	-1.142575	-3.828978
Cu	5.895106	-1.142573	-7.657965
Cu	5.895106	-1.142573	7.657965
Cu	3.684439	-1.142573	-8.934294
Cu	3.684439	-1.142573	8.934294
Cu	-9.579545	-1.142573	1.276329
Cu	-9.579545	-1.142573	-1.276329
Cu	5.895105	-1.142571	-5.105304
Cu	5.895105	-1.142571	5.105304
Cu	1.473770	-1.142571	-7.657963
Cu	1.473770	-1.142571	7.657963
Cu	-7.368876	-1.142571	2.552659
Cu	-7.368876	-1.142571	-2.552659
Cu	10.316433	-1.142569	5.105310
Cu	10.316433	-1.142569	-5.105310
Cu	3.684438	-1.142569	-6.381633

Cu	3.684438	-1.142569	6.381633	Cu	1.473778	-1.142560	0.000000
Cu	-0.736888	-1.142569	-11.486948	Cu	-0.736889	-1.142560	-1.276329
Cu	-0.736888	-1.142569	11.486948	Cu	-0.736889	-1.142560	1.276329
Cu	-7.368876	-1.142569	0.000000	Cu	-2.947550	-1.142560	-5.105306
Cu	-9.579545	-1.142569	-6.381638	Cu	-2.947550	-1.142560	5.105306
Cu	-9.579545	-1.142569	6.381638	Cu	8.860490	0.957321	-7.663791
Cu	3.684442	-1.142567	-3.828982	Cu	8.860490	0.957321	7.663791
Cu	3.684442	-1.142567	3.828982	Cu	2.206793	0.957321	-11.505305
Cu	1.473774	-1.142567	-5.105311	Cu	2.206793	0.957321	11.505305
Cu	1.473774	-1.142567	5.105311	Cu	-11.067282	0.957321	3.841514
Cu	-5.158216	-1.142567	1.276329	Cu	-11.067282	0.957321	-3.841514
Cu	-5.158216	-1.142567	-1.276329	Cu	6.643155	0.943229	-8.937935
Cu	8.105764	-1.142566	3.828979	Cu	6.643155	0.943229	8.937935
Cu	8.105764	-1.142566	-3.828979	Cu	4.418901	0.943229	-10.222109
Cu	-0.736889	-1.142566	-8.934287	Cu	4.418901	0.943229	10.222109
Cu	-0.736889	-1.142566	8.934287	Cu	-11.062056	0.943229	1.284174
Cu	-7.368875	-1.142566	-5.105308	Cu	-11.062056	0.943229	-1.284174
Cu	-7.368875	-1.142566	5.105308	Cu	6.643226	1.063727	-6.378226
Cu	10.316432	-1.142565	2.552650	Cu	6.643226	1.063727	6.378226
Cu	10.316432	-1.142565	-2.552650	Cu	2.202092	1.063727	-8.942316
Cu	-2.947556	-1.142565	-10.210617	Cu	2.202092	1.063727	8.942316
Cu	-2.947556	-1.142565	10.210617	Cu	-8.845319	1.063727	2.564090
Cu	-7.368876	-1.142565	-7.657967	Cu	-8.845319	1.063727	-2.564090
Cu	-7.368876	-1.142565	7.657967	Cu	11.063551	0.959830	6.377028
Cu	5.895101	-1.142564	-2.552657	Cu	11.063551	0.959830	-6.377028
Cu	5.895101	-1.142564	2.552657	Cu	4.422871	1.063741	-7.660638
Cu	-0.736884	-1.142564	-6.381636	Cu	4.422871	1.063741	7.660638
Cu	-0.736884	-1.142564	6.381636	Cu	-0.009107	0.959830	-12.769830
Cu	-5.158216	-1.142564	-3.828978	Cu	-0.009107	0.959830	12.769830
Cu	-5.158216	-1.142564	3.828978	Cu	-8.845743	1.063741	0.000000
Cu	8.105768	-1.142563	-1.276328	Cu	-11.054444	0.959830	-6.392802
Cu	8.105768	-1.142563	1.276328	Cu	-11.054444	0.959830	6.392802
Cu	1.473774	-1.142563	-2.552651	Cu	4.424540	1.100325	-5.101812
Cu	1.473774	-1.142563	2.552651	Cu	4.424540	1.100325	5.101812
Cu	-2.947547	-1.142563	0.000000	Cu	2.206028	1.100325	-6.382670
Cu	-2.947552	-1.142563	-7.657965	Cu	2.206028	1.100325	6.382670
Cu	-2.947552	-1.142563	7.657965	Cu	-6.630569	1.100325	1.280858
Cu	-5.158216	-1.142563	-6.381637	Cu	-6.630569	1.100325	-1.280858
Cu	-5.158216	-1.142563	6.381637	Cu	8.866523	1.085428	5.105915
Cu	3.684441	-1.142562	-1.276321	Cu	8.866523	1.085428	-5.105915
Cu	3.684441	-1.142562	1.276321	Cu	-0.011409	1.085428	-10.231592
Cu	-0.736894	-1.142562	-3.828980	Cu	-0.011409	1.085428	10.231592
Cu	-0.736894	-1.142562	3.828980	Cu	-8.855114	1.085428	-5.125676
Cu	-2.947547	-1.142562	-2.552659	Cu	-8.855114	1.085428	5.125676
Cu	-2.947547	-1.142562	2.552659	Cu	11.105078	0.976411	3.825237
Cu	10.316427	-1.142561	0.000000	Cu	11.105078	0.976411	-3.825237
Cu	-5.158214	-1.142561	-8.934288	Cu	-2.239787	0.976411	-11.529898
Cu	-5.158214	-1.142561	8.934288	Cu	-2.239787	0.976411	11.529898
Cu	5.895100	-1.142560	0.000000	Cu	-8.865291	0.976411	-7.704661



Cu	-8.865291	0.976411	7.704661	H	2.413003	3.428917	-5.054629
Cu	6.648332	1.090726	3.830177	H	2.413003	3.428917	5.054629
Cu	6.648332	1.090726	-3.830177	H	-3.680270	3.527812	-6.874598
Cu	-0.007135	1.090726	-7.672713	H	-3.680270	3.527812	6.874598
Cu	-0.007135	1.090726	7.672713	H	4.080223	3.547983	-6.859862
Cu	-6.641197	1.090726	-3.842536	H	4.080223	3.547983	6.859862
Cu	-6.641197	1.090726	3.842536	H	5.263510	3.498115	1.334079
Cu	2.209076	1.069521	-3.826233	H	5.263510	3.498115	-1.334079
Cu	2.209076	1.069521	3.826233	H	-4.937082	3.505484	-1.330024
Cu	-4.418153	1.069521	0.000000	H	-4.937082	3.505484	1.330024
Cu	8.862277	1.105460	2.561247	C	4.410758	3.693234	-0.694118
Cu	8.862277	1.105460	-2.561247	C	4.410758	3.693234	0.694118
Cu	4.441194	1.098855	-2.560546	C	-4.082799	3.707161	-0.693617
Cu	4.441194	1.098855	2.560546	C	-4.082799	3.707161	0.693617
Cu	-0.003099	1.098855	-5.126460	C	-3.018739	3.870888	-4.853508
Cu	-0.003099	1.098855	5.126460	C	-3.018739	3.870888	4.853508
Cu	-2.213034	1.105460	-8.955581	C	3.390045	3.872533	-4.847142
Cu	-2.213034	1.105460	8.955581	C	3.390045	3.872533	4.847142
Cu	-4.438095	1.098855	-2.565914	C	-3.960609	3.914886	-5.891039
Cu	-4.438095	1.098855	2.565914	C	-3.960609	3.914886	5.891039
Cu	-6.649244	1.105460	-6.394334	C	4.343340	3.934985	-5.872117
Cu	-6.649244	1.105460	6.394334	C	4.343340	3.934985	5.872117
Cu	11.094578	0.983895	1.281284	C	3.077207	3.996465	1.146630
Cu	11.094578	0.983895	-1.281284	C	3.077207	3.996465	-1.146630
Cu	-4.437664	0.983895	-10.248829	C	-2.748589	4.004284	-1.147257
Cu	-4.437664	0.983895	10.248829	C	-2.748589	4.004284	1.147257
Cu	-6.656914	0.983895	-8.967544	N	0.168513	4.113168	-2.054745
Cu	-6.656914	0.983895	8.967544	N	0.168513	4.113168	2.054745
Cu	6.644651	1.081595	-1.271261	N	2.305394	4.111571	0.000000
Cu	6.644651	1.081595	1.271261	N	-1.976669	4.117776	0.000000
Cu	-2.221381	1.081595	-6.390067	C	2.635935	4.264059	-2.471391
Cu	-2.221381	1.081595	6.390067	C	2.635935	4.264059	2.471391
Cu	-4.423270	1.081595	-5.118806	C	-2.300769	4.271351	-2.470363
Cu	-4.423270	1.081595	5.118806	C	-2.300769	4.271351	2.470363
Cu	8.870651	1.101197	0.000000	H	1.293361	4.231886	0.000000
Cu	2.218557	1.061629	-1.275808	H	-0.966019	4.246815	0.000000
Cu	2.218557	1.061629	1.275808	C	1.267815	4.487450	-2.807675
Cu	-0.004397	1.061629	-2.559231	C	-0.931175	4.496396	-2.802688
Cu	-0.004397	1.061629	2.559231	C	1.267815	4.487450	2.807675
Cu	-2.214160	1.061629	-1.283423	C	-0.931175	4.496396	2.802688
Cu	-2.214160	1.061629	1.283423	C	-3.317766	4.364024	-3.558318
Cu	-4.435326	1.101197	-7.682209	C	-3.317766	4.364024	3.558318
Cu	-4.435326	1.101197	7.682209	C	3.663740	4.370267	-3.547697
Cu	4.430122	1.090351	0.000000	C	3.663740	4.370267	3.547697
Cu	-2.215061	1.090351	-3.836598	C	-5.252599	4.409375	-5.657177
Cu	-2.215061	1.090351	3.836598	C	-5.252599	4.409375	5.657177
Cu	0.000000	1.067131	0.000000	C	5.622124	4.455029	-5.621083
H	-2.033407	3.439537	-5.049510	C	5.622124	4.455029	5.621083
H	-2.033407	3.439537	5.049510	H	-6.000074	4.395734	-6.453389

H	-6.000074	4.395734	6.453389	Ag	-3.336202	-1.641274	-2.889240
H	6.378724	4.460467	-6.408469	Ag	-0.834054	-1.641274	-4.333856
H	6.378724	4.460467	6.408469	Ag	9.174558	-1.641273	-1.444606
C	0.850339	5.187219	-4.018859	Ag	-5.838345	-1.641273	7.223097
C	-0.512709	5.196463	-4.013708	Ag	9.174558	-1.641273	1.444606
C	0.850339	5.187219	4.018859	Ag	-3.336213	-1.641273	8.667703
C	-0.512709	5.196463	4.013708	Ag	-5.838345	-1.641273	-7.223097
C	-4.599444	4.937818	-3.370715	Ag	-3.336213	-1.641273	-8.667703
C	-4.599444	4.937818	3.370715	Ag	6.672402	-1.641271	-2.889230
C	4.932106	4.965769	-3.342126	Ag	-5.838348	-1.641271	4.333854
C	4.932106	4.965769	3.342126	Ag	6.672402	-1.641271	2.889230
C	-5.559409	4.933243	-4.391369	Ag	-0.834054	-1.641271	7.223084
C	-5.559409	4.933243	4.391369	Ag	-5.838348	-1.641271	-4.333854
C	5.904040	4.981769	-4.351489	Ag	-0.834054	-1.641271	-7.223084
C	5.904040	4.981769	4.351489	Ag	11.676697	-1.641269	-2.889229
H	1.510412	5.665262	-4.735782	Ag	-8.340494	-1.641269	8.667702
H	-1.171185	5.684383	-4.725353	Ag	11.676697	-1.641269	2.889229
H	1.510412	5.665262	4.735782	Ag	-3.336203	-1.641269	11.556930
H	-1.171185	5.684383	4.725353	Ag	-8.340494	-1.641269	-8.667702
H	-4.837403	5.418834	-2.422055	Ag	-3.336203	-1.641269	-11.556930
H	-4.837403	5.418834	2.422055	Ag	6.672412	-1.641266	0.000000
H	5.149857	5.447322	-2.388692	Ag	-3.336206	-1.641266	5.778479
H	5.149857	5.447322	2.388692	Ag	-3.336206	-1.641266	-5.778479
H	-6.545452	5.362555	-4.201567	Ag	11.676702	-1.641265	0.000000
H	-6.545452	5.362555	4.201567	Ag	-5.838351	-1.641265	10.112321
H	6.879476	5.428928	-4.149203	Ag	-5.838351	-1.641265	-10.112321
H	6.879476	5.428928	4.149203	Ag	1.668100	-1.641263	2.889235

S7- Ag(111)-TPP

E= -823.67750703 eV Symmetry: C<sub>s</sub>

Ag	1.668103	-1.641278	0.000000	Ag	1.668100	-1.641263	-2.889235
Ag	-0.834052	-1.641278	1.444620	Ag	1.668100	-1.641263	0.000000
Ag	-0.834052	-1.641278	-1.444620	Ag	-3.336201	-1.641263	0.000000
Ag	9.174555	-1.641277	-4.333848	Ag	1.668103	-1.641259	5.778477
Ag	-8.340500	-1.641277	5.778474	Ag	4.170256	-1.641259	4.333858
Ag	9.174555	-1.641277	4.333848	Ag	1.668103	-1.641259	-5.778477
Ag	-0.834055	-1.641277	10.112322	Ag	-5.838359	-1.641259	-1.444619
Ag	-8.340500	-1.641277	-5.778474	Ag	4.170256	-1.641259	-4.333858
Ag	-0.834055	-1.641277	-10.112322	Ag	-5.838359	-1.641259	1.444619
Ag	11.676708	-1.641274	-5.778467	Ag	1.668099	-1.641254	8.667711
Ag	-10.842654	-1.641274	7.223092	Ag	6.672408	-1.641254	5.778472
Ag	11.676708	-1.641274	5.778467	Ag	1.668099	-1.641254	-8.667711
Ag	-0.834054	-1.641274	13.001559	Ag	-8.340507	-1.641254	-2.889239
Ag	-10.842654	-1.641274	-7.223092	Ag	6.672408	-1.641254	-5.778472
Ag	-0.834054	-1.641274	-13.001559	Ag	-8.340507	-1.641254	2.889239
Ag	4.170256	-1.641274	-1.444616	Ag	4.170254	-1.641251	7.223091
Ag	-3.336202	-1.641274	2.889240	Ag	4.170254	-1.641251	-7.223091
Ag	4.170256	-1.641274	1.444616	Ag	-8.340507	-1.641251	0.000000
Ag	-0.834054	-1.641274	4.333856	Ag	1.668105	-1.641250	11.556939
				Ag	9.174550	-1.641250	7.223091
				Ag	1.668105	-1.641250	-11.556939
				Ag	-10.842655	-1.641250	-4.333848
				Ag	9.174550	-1.641250	-7.223091

Ag	-10.842655	-1.641250	4.333848	Ag	13.377237	0.744213	4.506497
Ag	4.170250	-1.641246	10.112325	Ag	-2.785877	0.744213	13.838275
Ag	6.672406	-1.641246	8.667705	Ag	-10.591360	0.744213	-9.331778
Ag	4.170250	-1.641246	-10.112325	Ag	-2.785877	0.744213	-13.838275
Ag	-10.842656	-1.641246	-1.444620	Ag	10.604750	1.192095	0.000000
Ag	6.672406	-1.641246	-8.667705	Ag	-5.302375	1.192095	9.183983
Ag	-10.842656	-1.641246	1.444620	Ag	-5.302375	1.192095	-9.183983
Ag	13.185879	0.422179	-7.543353	Ag	7.970762	1.195784	-1.526104
Ag	-13.125675	0.422179	7.647630	Ag	-5.307026	1.195784	6.139831
Ag	13.185879	0.422179	7.543353	Ag	7.970762	1.195784	1.526104
Ag	-0.060204	0.422179	15.190983	Ag	-2.663737	1.195784	7.665935
Ag	-13.125675	0.422179	-7.647630	Ag	-5.307026	1.195784	-6.139831
Ag	-0.060204	0.422179	-15.190983	Ag	-2.663737	1.195784	-7.665935
Ag	7.967890	1.220392	-4.553228	Ag	13.381081	0.722624	-1.505266
Ag	-7.927156	1.220392	4.623781	Ag	-7.994139	0.722624	10.835723
Ag	7.967890	1.220392	4.553228	Ag	13.381081	0.722624	1.505266
Ag	-0.040734	1.220392	9.177009	Ag	-5.386942	0.722624	12.340989
Ag	-7.927156	1.220392	-4.623781	Ag	-7.994139	0.722624	-10.835723
Ag	-0.040734	1.220392	-9.177009	Ag	-5.386942	0.722624	-12.340989
Ag	2.652585	1.109313	-1.525809	Ag	2.632687	1.203998	4.559948
Ag	-2.647682	1.109313	1.534302	Ag	2.632687	1.203998	-4.559948
Ag	2.652585	1.109313	1.525809	Ag	-5.265374	1.203998	0.000000
Ag	-0.004903	1.109313	3.060111	Ag	2.608606	1.238807	7.620201
Ag	-2.647682	1.109313	-1.534302	Ag	5.294985	1.238807	6.069220
Ag	-0.004903	1.109313	-3.060111	Ag	2.608606	1.238807	-7.620201
Ag	10.586752	1.278114	-6.048115	Ag	-7.903591	1.238807	-1.550982
Ag	-10.531197	1.278114	6.144339	Ag	5.294985	1.238807	-6.069220
Ag	10.586752	1.278114	6.048115	Ag	-7.903591	1.238807	1.550982
Ag	-0.055555	1.278114	12.192454	Ag	2.586859	1.232308	10.659570
Ag	-10.531197	1.278114	-6.144339	Ag	7.938029	1.232308	7.570071
Ag	-0.055555	1.278114	-12.192454	Ag	2.586859	1.232308	-10.659570
Ag	5.321744	1.213580	-3.048868	Ag	-10.524888	1.232308	-3.089499
Ag	-5.301269	1.213580	3.084331	Ag	7.938029	1.232308	-7.570071
Ag	5.321744	1.213580	3.048868	Ag	-10.524888	1.232308	3.089499
Ag	-0.020475	1.213580	6.133199	Ag	5.252888	1.194784	9.098269
Ag	-5.301269	1.213580	-3.084331	Ag	5.252888	1.194784	-9.098269
Ag	-0.020475	1.213580	-6.133199	Ag	-10.505777	1.194784	0.000000
Ag	10.633781	1.246795	-3.047499	Ag	2.554869	0.199030	13.731559
Ag	-7.956102	1.246795	7.685375	Ag	10.614444	0.199030	9.078361
Ag	10.633781	1.246795	3.047499	Ag	2.554869	0.199030	-13.731559
Ag	-2.677679	1.246795	10.732874	Ag	-13.169314	0.199030	-4.653198
Ag	-7.956102	1.246795	-7.685375	Ag	10.614444	0.199030	-9.078361
Ag	-2.677679	1.246795	-10.732874	Ag	-13.169314	0.199030	4.653198
Ag	0.000000	0.986107	0.000000	Ag	5.182871	0.251160	12.158823
Ag	5.301928	1.221224	0.000000	Ag	7.938414	0.251160	10.567909
Ag	-2.650964	1.221224	4.591604	Ag	5.182871	0.251160	-12.158823
Ag	-2.650964	1.221224	-4.591604	Ag	-13.121285	0.251160	-1.590914
Ag	13.377237	0.744213	-4.506497	Ag	7.938414	0.251160	-10.567909
Ag	-10.591360	0.744213	9.331778	Ag	-13.121285	0.251160	1.590914

H	-1.895525	3.735312	5.063171	C	-0.680402	4.778358	-2.818113
H	-1.895525	3.735312	-5.063171	C	-5.043488	4.947005	5.593452
H	2.752083	3.732729	5.059262	C	-5.043488	4.947005	-5.593452
H	2.752083	3.732729	-5.059262	H	-5.804259	5.011337	6.375016
H	-3.600905	3.922864	6.843675	H	-5.804259	5.011337	-6.375016
H	-3.600905	3.922864	-6.843675	C	5.115065	5.474178	3.326589
H	4.407679	4.013925	6.860815	C	5.115065	5.474178	-3.326589
H	4.407679	4.013925	-6.860815	C	6.069658	5.614264	4.341625
H	5.530271	3.931102	-1.339215	C	6.069658	5.614264	-4.341625
H	5.530271	3.931102	1.339215	C	-4.307252	5.402066	3.318533
H	-4.672448	3.859610	1.339456	C	-4.307252	5.402066	-3.318533
H	-4.672448	3.859610	-1.339456	C	-5.280294	5.491789	4.321046
C	4.675182	4.085752	0.691925	C	-5.280294	5.491789	-4.321046
C	4.675182	4.085752	-0.691925	C	-0.264715	5.458801	4.042624
C	-3.826753	4.053162	0.690938	C	-0.264715	5.458801	-4.042624
C	-3.826753	4.053162	-0.690938	C	1.097207	5.465841	4.039218
C	-2.850430	4.216187	4.841017	C	1.097207	5.465841	-4.039218
C	-2.850430	4.216187	-4.841017	H	6.991302	6.164591	4.139007
C	3.687241	4.252416	4.843167	H	6.991302	6.164591	-4.139007
C	3.687241	4.252416	-4.843167	H	5.287407	5.954192	2.362463
C	4.624687	4.417369	5.868546	H	5.287407	5.954192	-2.362463
C	4.624687	4.417369	-5.868546	H	-0.924017	5.929959	4.765223
C	-3.810924	4.333997	5.854128	H	-0.924017	5.929959	-4.765223
C	-3.810924	4.333997	-5.854128	H	1.753796	5.942857	4.760250
C	3.330968	4.319916	-1.145430	H	1.753796	5.942857	-4.760250
C	3.330968	4.319916	1.145430	H	-4.485105	5.887515	2.358560
C	-2.489768	4.320487	1.144094	H	-4.485105	5.887515	-2.358560
C	-2.489768	4.320487	-1.144094	H	-6.220156	6.008118	4.112423
N	0.419105	4.407650	2.065394	H	-6.220156	6.008118	-4.112423
N	0.419105	4.407650	-2.065394				
N	2.550977	4.386455	0.000000				
N	-1.712154	4.410620	0.000000				
H	-0.704076	4.550891	0.000000				
C	2.884511	4.585897	2.468871				
C	2.884511	4.585897	-2.468871				
C	-2.048002	4.582131	2.470076				
C	-2.048002	4.582131	-2.470076				
H	1.539076	4.502951	0.000000				
C	3.911297	4.760995	3.541338				
C	3.911297	4.760995	-3.541338				
C	-3.080561	4.729295	3.539774				
C	-3.080561	4.729295	-3.539774				
C	5.835045	5.079115	5.617818				
C	5.835045	5.079115	-5.617818				
H	6.579345	5.187666	6.409658				
H	6.579345	5.187666	-6.409658				
C	1.515570	4.783503	2.815636				
C	1.515570	4.783503	-2.815636				
C	-0.680402	4.778358	2.818113				

S8- Benzene Dimer  
E= -147.61618987 eV

H	0.965485	-0.839188	2.188888
C	0.436542	-0.932293	1.236708
C	-0.943494	-1.189527	1.222021
H	-1.489074	-1.298908	2.162880
C	-1.623784	-1.302856	-0.000680
H	-2.698982	-1.500725	-0.012122
C	-0.922975	-1.158500	-1.208889
H	-1.452549	-1.243432	-2.161353
C	0.456923	-0.901190	-1.193919
H	1.001834	-0.783792	-2.134307
C	1.136458	-0.787976	0.028824
H	2.209793	-0.580920	0.040502
H	1.553628	4.233294	2.161717
C	1.023484	4.152424	1.209115
C	-0.357054	3.899409	1.193669
H	-0.901908	3.780595	2.133946
C	-1.036919	3.792425	-0.029319

H	-2.110367	3.588855	-0.041031
C	-0.336995	3.938023	-1.237017
H	-0.866234	3.849806	-2.189227
C	1.043533	4.191417	-1.221984
H	1.589460	4.302948	-2.162577
C	1.723888	4.297748	0.001163
H	2.799327	4.492364	0.013014

S9-2H-TPP

E= -521.97873833 eV Symmetry: C<sub>2v</sub>

C	-2.452318	2.471657	0.019009
C	-2.907704	1.136394	0.006986
C	-1.093497	2.874835	0.036864
C	-4.270732	0.688210	-0.093962
C	-4.270732	-0.688210	-0.093962
C	-2.907704	-1.136394	0.006986
C	-0.680818	4.275988	0.147679
C	0.680818	4.275988	0.147679
C	1.093497	2.874835	0.036864
N	-2.123466	0.000000	0.064439
H	-1.104977	0.000000	0.075067
H	-5.128234	1.348272	-0.176076
H	-5.128234	-1.348272	-0.176076
N	0.000000	2.040719	-0.017192
H	-1.346545	5.129081	0.239989
H	1.346545	5.129081	0.239989
C	-2.452318	-2.471657	0.019009
C	-1.093497	-2.874835	0.036864
C	-0.680818	-4.275988	0.147679
C	0.680818	-4.275988	0.147679
C	1.093497	-2.874835	0.036864
N	0.000000	-2.040719	-0.017192
H	-1.346545	-5.129081	0.239989
H	1.346545	-5.129081	0.239989
C	2.452318	2.471657	0.019009
C	4.270732	0.688210	-0.093962
C	4.270732	-0.688210	-0.093962
C	2.907704	-1.136394	0.006986
N	2.123466	0.000000	0.064439
H	5.128234	-1.348272	-0.176076
C	2.452318	-2.471657	0.019009
C	2.907704	1.136394	0.006986
H	5.128234	1.348272	-0.176076
H	1.104977	0.000000	0.075067
C	3.508973	3.535430	0.009818
C	3.608055	4.440097	-1.065809
C	4.425488	3.650022	1.073830
C	4.597645	5.432205	-1.078128
C	5.413301	4.644195	1.065277

C	5.503858	5.538833	-0.011872
H	2.897836	4.358176	-1.890858
H	4.353843	2.951491	1.910021
H	4.662405	6.120333	-1.923896
H	6.108287	4.723348	1.904178
H	6.274368	6.313572	-0.019994
C	3.508973	-3.535430	0.009818
C	3.608055	-4.440097	-1.065809
C	4.425488	-3.650022	1.073830
C	4.597645	-5.432205	-1.078128
C	5.413301	-4.644195	1.065277
C	5.503858	-5.538833	-0.011872
H	2.897836	-4.358176	-1.890858
H	4.353843	-2.951491	1.910021
H	4.662405	-6.120333	-1.923896
H	6.108287	-4.723348	1.904178
H	6.274368	-6.313572	-0.019994
C	-3.508973	3.535430	0.009818
C	-3.608055	4.440097	-1.065809
C	-4.425488	3.650022	1.073830
C	-4.597645	5.432205	-1.078128
C	-5.413301	4.644195	1.065277
C	-5.503858	5.538833	-0.011872
H	-2.897836	4.358176	-1.890858
H	-4.353843	2.951491	1.910021
H	-4.662405	6.120333	-1.923896
H	-6.108287	4.723348	1.904178
H	-6.274368	6.313572	-0.019994
C	-3.508973	-3.535430	0.009818
C	-3.608055	-4.440097	-1.065809
C	-4.425488	-3.650022	1.073830
C	-4.597645	-5.432205	-1.078128
C	-5.413301	-4.644195	1.065277
C	-5.503858	-5.538833	-0.011872
H	-2.897836	-4.358176	-1.890858
H	-4.353843	-2.951491	1.910021
H	-4.662405	-6.120333	-1.923896
H	-6.108287	-4.723348	1.904178
H	-6.274368	-6.313572	-0.019994

S10- Cu(111)-166 Surface Cluster

E= -429.86498153 eV Symmetry: C<sub>s</sub>

Cu	8.105765	-1.142575	6.381640
Cu	8.105765	-1.142575	-6.381640
Cu	1.473780	-1.142575	10.210618
Cu	1.473780	-1.142575	-10.210618
Cu	-9.579545	-1.142575	-3.828978
Cu	-9.579545	-1.142575	3.828978
Cu	5.895106	-1.142573	7.657964

Cu	5.895106	-1.142573	-7.657964	Cu	-2.947552	-1.142563	7.657965
Cu	3.684439	-1.142573	8.934294	Cu	-2.947552	-1.142563	-7.657965
Cu	3.684439	-1.142573	-8.934294	Cu	-5.158216	-1.142563	6.381637
Cu	-9.579545	-1.142573	-1.276329	Cu	-5.158216	-1.142563	-6.381637
Cu	-9.579545	-1.142573	1.276329	Cu	3.684441	-1.142562	1.276321
Cu	5.895105	-1.142571	5.105304	Cu	3.684441	-1.142562	-1.276321
Cu	5.895105	-1.142571	-5.105304	Cu	-0.736894	-1.142562	3.828980
Cu	1.473770	-1.142571	7.657963	Cu	-0.736894	-1.142562	-3.828980
Cu	1.473770	-1.142571	-7.657963	Cu	-2.947547	-1.142562	2.552659
Cu	-7.368876	-1.142571	-2.552659	Cu	-2.947547	-1.142562	-2.552659
Cu	-7.368876	-1.142571	2.552659	Cu	10.316427	-1.142561	0.000000
Cu	10.316433	-1.142569	-5.105310	Cu	-5.158214	-1.142561	8.934288
Cu	10.316433	-1.142569	5.105310	Cu	-5.158214	-1.142561	-8.934288
Cu	3.684438	-1.142569	6.381633	Cu	5.895100	-1.142560	0.000000
Cu	3.684438	-1.142569	-6.381633	Cu	1.473778	-1.142560	0.000000
Cu	-0.736888	-1.142569	11.486948	Cu	-0.736889	-1.142560	1.276329
Cu	-0.736888	-1.142569	-11.486948	Cu	-0.736889	-1.142560	-1.276329
Cu	-7.368876	-1.142569	0.000000	Cu	-2.947550	-1.142560	5.105306
Cu	-9.579545	-1.142569	6.381637	Cu	-2.947550	-1.142560	-5.105306
Cu	-9.579545	-1.142569	-6.381637	Cu	8.842651	0.941652	7.657964
Cu	3.684442	-1.142567	3.828982	Cu	8.842651	0.941652	-7.657964
Cu	3.684442	-1.142567	-3.828982	Cu	2.210666	0.941652	11.486943
Cu	1.473774	-1.142567	5.105311	Cu	2.210666	0.941652	-11.486943
Cu	1.473774	-1.142567	-5.105311	Cu	-11.053317	0.941652	-3.828978
Cu	-5.158216	-1.142567	-1.276329	Cu	-11.053317	0.941652	3.828978
Cu	-5.158216	-1.142567	1.276329	Cu	6.631992	0.941654	8.934289
Cu	8.105764	-1.142566	-3.828979	Cu	6.631992	0.941654	-8.934289
Cu	8.105764	-1.142566	3.828979	Cu	4.421325	0.941654	10.210618
Cu	-0.736889	-1.142566	8.934287	Cu	4.421325	0.941654	-10.210618
Cu	-0.736889	-1.142566	-8.934287	Cu	-11.053317	0.941654	-1.276329
Cu	-7.368876	-1.142566	5.105308	Cu	-11.053317	0.941654	1.276329
Cu	-7.368876	-1.142566	-5.105308	Cu	6.631996	0.941656	6.381637
Cu	10.316432	-1.142565	-2.552650	Cu	6.631996	0.941656	-6.381637
Cu	10.316432	-1.142565	2.552650	Cu	2.210661	0.941656	8.934296
Cu	-2.947556	-1.142565	10.210617	Cu	2.210661	0.941656	-8.934296
Cu	-2.947556	-1.142565	-10.210617	Cu	-8.842658	0.941656	-2.552659
Cu	-7.368876	-1.142565	7.657967	Cu	-8.842658	0.941656	2.552659
Cu	-7.368876	-1.142565	-7.657967	Cu	11.053319	0.941658	-6.381635
Cu	5.895101	-1.142564	2.552657	Cu	11.053319	0.941658	6.381635
Cu	5.895101	-1.142564	-2.552657	Cu	4.421329	0.941658	7.657966
Cu	-0.736884	-1.142564	6.381636	Cu	4.421329	0.941658	-7.657966
Cu	-0.736884	-1.142564	-6.381636	Cu	-0.000002	0.941658	12.763272
Cu	-5.158216	-1.142564	3.828978	Cu	-0.000002	0.941658	-12.763272
Cu	-5.158216	-1.142564	-3.828978	Cu	-8.842658	0.941658	0.000000
Cu	8.105768	-1.142563	1.276328	Cu	-11.053317	0.941658	6.381637
Cu	8.105768	-1.142563	-1.276328	Cu	-11.053317	0.941658	-6.381637
Cu	1.473774	-1.142563	2.552651	Cu	4.421328	0.941660	5.105306
Cu	1.473774	-1.142563	-2.552651	Cu	4.421328	0.941660	-5.105306
Cu	-2.947547	-1.142563	0.000000	Cu	2.210661	0.941660	6.381635

Cu	2.210661	0.941660	-6.381635
Cu	-6.631989	0.941660	-1.276329
Cu	-6.631989	0.941660	1.276329
Cu	8.842655	0.941661	-5.105312
Cu	8.842655	0.941661	5.105312
Cu	0.000003	0.941661	10.210620
Cu	0.000003	0.941661	-10.210620
Cu	-8.842658	0.941661	5.105308
Cu	-8.842658	0.941661	-5.105308
Cu	11.053323	0.941662	-3.828983
Cu	11.053323	0.941662	3.828983
Cu	-2.210665	0.941662	11.486950
Cu	-2.210665	0.941662	-11.486950
Cu	-8.842658	0.941662	7.657967
Cu	-8.842658	0.941662	-7.657967
Cu	6.631987	0.941663	-3.828981
Cu	6.631987	0.941663	3.828981
Cu	0.000002	0.941663	7.657960
Cu	0.000002	0.941663	-7.657960
Cu	-6.631989	0.941663	3.828978
Cu	-6.631989	0.941663	-3.828978
Cu	2.210665	0.941664	3.828984
Cu	2.210665	0.941664	-3.828984
Cu	-4.421330	0.941664	0.000000
Cu	8.842655	0.941665	-2.552652
Cu	8.842655	0.941665	2.552652
Cu	4.421332	0.941665	2.552654
Cu	4.421332	0.941665	-2.552654
Cu	-0.000003	0.941665	5.105313
Cu	-0.000003	0.941665	-5.105313
Cu	-2.210666	0.941665	8.934289
Cu	-2.210666	0.941665	-8.934289
Cu	-4.421330	0.941665	2.552659
Cu	-4.421330	0.941665	-2.552659
Cu	-6.631989	0.941665	6.381637
Cu	-6.631989	0.941665	-6.381637
Cu	11.053313	0.941666	-1.276327
Cu	11.053313	0.941666	1.276327
Cu	-4.421325	0.941666	10.210614
Cu	-4.421325	0.941666	-10.210614
Cu	-6.631989	0.941666	8.934286
Cu	-6.631989	0.941666	-8.934286
Cu	6.631991	0.941667	1.276330
Cu	6.631991	0.941667	-1.276330
Cu	-2.210662	0.941667	6.381638
Cu	-2.210662	0.941667	-6.381638
Cu	-4.421330	0.941667	5.105308
Cu	-4.421330	0.941667	-5.105308
Cu	8.842659	0.941668	0.000000

Cu	2.210664	0.941668	1.276323
Cu	2.210664	0.941668	-1.276323
Cu	-0.000004	0.941668	2.552653
Cu	-0.000004	0.941668	-2.552653
Cu	-2.210660	0.941668	1.276329
Cu	-2.210660	0.941668	-1.276329
Cu	-4.421329	0.941668	7.657967
Cu	-4.421329	0.941668	-7.657967
Cu	4.421323	0.941669	0.000000
Cu	-2.210661	0.941669	3.828978
Cu	-2.210661	0.941669	-3.828978
Cu	0.000000	0.941670	0.000000

S11- Ag(111)-166 Surface Cluster

E= -298.19021653 eV Symmetry: C<sub>s</sub>

Ag	1.668103	-1.641278	0.000000
Ag	-0.834052	-1.641278	1.444620
Ag	-0.834052	-1.641278	-1.444620
Ag	9.174555	-1.641277	-4.333848
Ag	-8.340500	-1.641277	5.778474
Ag	9.174555	-1.641277	4.333848
Ag	-0.834055	-1.641277	10.112322
Ag	-8.340500	-1.641277	-5.778474
Ag	-0.834055	-1.641277	-10.112322
Ag	11.676708	-1.641274	-5.778467
Ag	-10.842654	-1.641274	7.223092
Ag	11.676708	-1.641274	5.778467
Ag	-0.834054	-1.641274	13.001559
Ag	-10.842654	-1.641274	-7.223092
Ag	-0.834054	-1.641274	-13.001559
Ag	4.170256	-1.641274	-1.444616
Ag	-3.336202	-1.641274	2.889240
Ag	4.170256	-1.641274	1.444616
Ag	-0.834054	-1.641274	4.333856
Ag	-3.336202	-1.641274	-2.889240
Ag	-0.834054	-1.641274	-4.333856
Ag	9.174558	-1.641273	-1.444606
Ag	-5.838345	-1.641273	7.223097
Ag	9.174558	-1.641273	1.444606
Ag	-3.336213	-1.641273	8.667703
Ag	-5.838345	-1.641273	-7.223097
Ag	-3.336213	-1.641273	-8.667703
Ag	6.672402	-1.641271	-2.889230
Ag	-5.838348	-1.641271	4.333854
Ag	6.672402	-1.641271	2.889230
Ag	-0.834054	-1.641271	7.223084
Ag	-5.838348	-1.641271	-4.333854
Ag	-0.834054	-1.641271	-7.223084
Ag	11.676697	-1.641269	-2.889229

Ag	-8.340494	-1.641269	8.667702	Ag	7.967890	1.220392	4.553228
Ag	11.676697	-1.641269	2.889229	Ag	-0.040734	1.220392	9.177009
Ag	-3.336203	-1.641269	11.556930	Ag	-7.927156	1.220392	-4.623781
Ag	-8.340494	-1.641269	-8.667702	Ag	-0.040734	1.220392	-9.177009
Ag	-3.336203	-1.641269	-11.556930	Ag	2.652585	1.109313	-1.525809
Ag	6.672412	-1.641266	0.000000	Ag	-2.647682	1.109313	1.534302
Ag	-3.336206	-1.641266	5.778479	Ag	2.652585	1.109313	1.525809
Ag	-3.336206	-1.641266	-5.778479	Ag	-0.004903	1.109313	3.060111
Ag	11.676702	-1.641265	0.000000	Ag	-2.647682	1.109313	-1.534302
Ag	-5.838351	-1.641265	10.112321	Ag	-0.004903	1.109313	-3.060111
Ag	-5.838351	-1.641265	-10.112321	Ag	10.586752	1.278114	-6.048115
Ag	1.668100	-1.641263	2.889235	Ag	-10.531197	1.278114	6.144339
Ag	1.668100	-1.641263	-2.889235	Ag	10.586752	1.278114	6.048115
Ag	-3.336201	-1.641263	0.000000	Ag	-0.055555	1.278114	12.192454
Ag	1.668103	-1.641259	5.778477	Ag	-10.531197	1.278114	-6.144339
Ag	4.170256	-1.641259	4.333858	Ag	-0.055555	1.278114	-12.192454
Ag	1.668103	-1.641259	-5.778477	Ag	5.321744	1.213580	-3.048868
Ag	-5.838359	-1.641259	-1.444619	Ag	-5.301269	1.213580	3.084331
Ag	4.170256	-1.641259	-4.333858	Ag	5.321744	1.213580	3.048868
Ag	-5.838359	-1.641259	1.444619	Ag	-0.020475	1.213580	6.133199
Ag	1.668099	-1.641254	8.667711	Ag	-5.301269	1.213580	-3.084331
Ag	6.672408	-1.641254	5.778472	Ag	-0.020475	1.213580	-6.133199
Ag	1.668099	-1.641254	-8.667711	Ag	10.633781	1.246795	-3.047499
Ag	-8.340507	-1.641254	-2.889239	Ag	-7.956102	1.246795	7.685375
Ag	6.672408	-1.641254	-5.778472	Ag	10.633781	1.246795	3.047499
Ag	-8.340507	-1.641254	2.889239	Ag	-2.677679	1.246795	10.732874
Ag	4.170254	-1.641251	7.223091	Ag	-7.956102	1.246795	-7.685375
Ag	4.170254	-1.641251	-7.223091	Ag	-2.677679	1.246795	-10.732874
Ag	-8.340507	-1.641251	0.000000	Ag	0.000000	0.986107	0.000000
Ag	1.668105	-1.641250	11.556939	Ag	5.301928	1.221224	0.000000
Ag	9.174550	-1.641250	7.223091	Ag	-2.650964	1.221224	4.591604
Ag	1.668105	-1.641250	-11.556939	Ag	-2.650964	1.221224	-4.591604
Ag	-10.842655	-1.641250	-4.333848	Ag	13.377237	0.744213	-4.506497
Ag	9.174550	-1.641250	-7.223091	Ag	-10.591360	0.744213	9.331778
Ag	-10.842655	-1.641250	4.333848	Ag	13.377237	0.744213	4.506497
Ag	4.170250	-1.641246	10.112325	Ag	-2.785877	0.744213	13.838275
Ag	6.672406	-1.641246	8.667705	Ag	-10.591360	0.744213	-9.331778
Ag	4.170250	-1.641246	-10.112325	Ag	-2.785877	0.744213	-13.838275
Ag	-10.842656	-1.641246	-1.444620	Ag	10.604750	1.192095	0.000000
Ag	6.672406	-1.641246	-8.667705	Ag	-5.302375	1.192095	9.183983
Ag	-10.842656	-1.641246	1.444620	Ag	-5.302375	1.192095	-9.183983
Ag	13.185879	0.422179	-7.543353	Ag	7.970762	1.195784	-1.526104
Ag	-13.125675	0.422179	7.647630	Ag	-5.307026	1.195784	6.139831
Ag	13.185879	0.422179	7.543353	Ag	7.970762	1.195784	1.526104
Ag	-0.060204	0.422179	15.190983	Ag	-2.663737	1.195784	7.665935
Ag	-13.125675	0.422179	-7.647630	Ag	-5.307026	1.195784	-6.139831
Ag	-0.060204	0.422179	-15.190983	Ag	-2.663737	1.195784	-7.665935
Ag	7.967890	1.220392	-4.553228	Ag	13.381081	0.722624	-1.505266
Ag	-7.927156	1.220392	4.623781	Ag	-7.994139	0.722624	10.835723



Ag	13.381081	0.722624	1.505266	Ag	-10.524888	1.232308	3.089499
Ag	-5.386942	0.722624	12.340989	Ag	5.252888	1.194784	9.098269
Ag	-7.994139	0.722624	-10.835723	Ag	5.252888	1.194784	-9.098269
Ag	-5.386942	0.722624	-12.340989	Ag	-10.505777	1.194784	0.000000
Ag	2.632687	1.203998	4.559948	Ag	2.554869	0.199030	13.731559
Ag	2.632687	1.203998	-4.559948	Ag	10.614444	0.199030	9.078361
Ag	-5.265374	1.203998	0.000000	Ag	2.554869	0.199030	-13.731559
Ag	2.608606	1.238807	7.620201	Ag	-13.169314	0.199030	-4.653198
Ag	5.294985	1.238807	6.069220	Ag	10.614444	0.199030	-9.078361
Ag	2.608606	1.238807	-7.620201	Ag	-13.169314	0.199030	4.653198
Ag	-7.903591	1.238807	-1.550982	Ag	5.182871	0.251160	12.158823
Ag	5.294985	1.238807	-6.069220	Ag	7.938414	0.251160	10.567909
Ag	-7.903591	1.238807	1.550982	Ag	5.182871	0.251160	-12.158823
Ag	2.586859	1.232308	10.659570	Ag	-13.121285	0.251160	-1.590914
Ag	7.938029	1.232308	7.570071	Ag	7.938414	0.251160	-10.567909
Ag	2.586859	1.232308	-10.659570	Ag	-13.121285	0.251160	1.59091
Ag	-10.524888	1.232308	-3.089499				
Ag	7.938029	1.232308	-7.570071				

## References

- [1] te Velde, G.; Bickelhaupt, F. M.; Baerends, E. J.; Fonseca Guerra, C.; van Gisbergen, S. J. A.; Snijders, J. G.; Ziegler, T. Chemistry with ADF. *J. Comput. Chem.* **22**, 931–967 (2001).
- [2] Baerends, E. J.; Autschbach, J.; Bérces, A.; Bickelhaupt, F. M.; Bo, C.; Boerrigter, P. M.; Cavallo, L.; Chong, D. P.; Deng, L.; Dickson, R. M.; et al. ADF2010.01, SCM, Theoretical Chemistry, Vrije Universiteit, Amsterdam, The Netherlands, <http://www.scm.com>.
- [3] Perdew, J. P.; Burke, K.; Wang, Y. Generalized Gradient Approximation for the Exchange-Correlation Hole of a Many-Electron System. *Phys. Rev. B* **54**, 16533–16539 (1996).
- [4] Zhang, Y.; Yang, W. Comment on Generalized Gradient Approximation Made Simple. *Phys. Rev. Lett.* **80**, 89 (1998).
- [5] Perdew, J. P.; Burke, K.; Ernzerhof, M. Reply to Comment on Generalized Gradient Approximation Made Simple. *Phys. Rev. Lett.* **80**, 891 (1998).
- [6] Hammer, B.; Hansen, L. B.; Norskov, J. K. Improved Adsorption Energetics within Density-Functional Theory using Revised Perdew-Burke-Ernzerhof Functionals. *Phys. Rev. B* **59**, 7413–7421. (1999).
- [7] Grimme, S.; Antony, J.; Ehrlich, S.; Krieg, H. A consistent and accurate ab initio parameterization of density functional dispersion correction (DFT-D) for the 94 elements H-Pu. *J. Chem. Phys.* **132**, 154104 (2010).
- [8] Suh, I.; Ohta, H.; Waseda, Y. High-temperature thermal expansion of six metallic elements measured by dilatation method and X-ray diffraction. *J. Mater. Sci.* **23**, 757-760 (1988).
- [9] Pitoňák, M.; Neogrady, P.; Řezáč, J.; Jurečka, P.; Urban, M.; Hobza, P. Benzene Dimer: High-Level Wave Function and Density Functional Theory Calculations. **4**, 1829-1834 (2008).
- [10] Lomas, J. R.; Baddeley, C. J.; Tikhov, M. S.; Lambert, R. M. Ethyne Cyclization to Benzene over Cu(110). *Langmuir*. **11**, 3048-3053 (1995).
- [11] (a) Lukas, S.; Witte, G.; Wöll, C. Adsorption of acenes on flat and vicinal Cu(111) surfaces: Step induced formation of lateral order. *J. Chem. Phys.* **114**, 10123 (2001).  
(b) Xi, M.; Yang, M. X.; Jo, S. K.; Bent, B. E.; Stevens, P. Benzene adsorption on Cu(111): Formation of a stable bilayer. *J. Chem. Phys.* **101**, 9122 (1994)
- [12] Witte, G.; Lukas, S.; Bagus, P. S.; Wöll, C. Vacuum level alignment at organic/metal junctions: “Cushion” effect and the interface dipole. *Appl. Phys. Lett.* **87**, 263502 (2005)
- [13] Triguero, L.; Föhlisch, A.; Vaterlain, P.; Hasselström, J.; Weinelt, M.; Petterson, L. G. M.; Luo, Y.; Agren, H.; Nilsson, A. Direct Measurement of Donation/Back-Donation in Unsaturated Hydrocarbon Bonding to Metals. *J. Am. Chem. Soc.* **122**, 12310-12316 (2000).

- [14] Bickelhaupt, F. M.; Baerends, E. J. Kohn-Sham Density Functional Theory: Predicting and Understanding Chemistry. *Rev. Comp. Chem.* **15**, 1-86 (2000).
- [15] Hoffmann, R. A chemical and theoretical way to look at bonding on surfaces. *Rev. Mod. Phys.* **60**, 601-628 (1988).
- [16] Glassey, W. G.; Hoffmann, R. A Cinoaratuve Study of p(2x2)-CO/M(111), M=Pt,Cu,Al Chemisorption Systems. *J. Phys. Chem. B* **105**, 3245-3260 (2001).
- [17] Philipsen, P. H. T.; Baerends, E. J. The role of the Fermi surface in adsorbate-metal interaction: an energy decomposition analysis. *J. Phys. Chem. B* **110**, 12470-12479 (2006).
- [18] Glassey, W. G. Energy Partitioning Studies of CO and NO Chemisorption on the Pd(111) Surface. *J. Phy. Chem. B* **108**, 5967-5979 (2004).
- [19] Wiberg, K. B.; Rablen, P. R. Comparison of Atomic Charges Derived via Different Procedures. *J. Comput. Chem.* **14**, 1504-1518 (1993).