

Supporting Information for

Quinone Methide Dimers Lacking Labile Hydrogen Atoms Are Surprisingly Excellent Radical-Trapping Antioxidants

Mark A. R. Raycroft, Jean-Philippe R. Chauvin, Matthew S. Galliher, Kevin J. Romero,
Corey R. J. Stephenson* and Derek A. Pratt*

Table of contents

1. Co-autoxidation kinetic experiments in hexadecene/PhCl	S2
2. Co-autoxidation kinetic experiments in dioxane/PhCl	S14
3. Co-autoxidation kinetic experiments in cumene/PhCl	S15
4. Scanning kinetics experiments in hexadecene/PhCl and cumene/PhCl	S18
5. Computed frontier molecular orbitals of 4a and 2d	S25
6. Experimental and computed UV-vis spectra of 4a and 2d	S26
7. Computed UV-vis spectra of 2d - and 6 -derived radicals	S27
8. Spectral characteristics and thermal stability of 6	S28
9. Cross-over experiment of 2d with 6	S29
10. EPR spectral data of 2d and 6	S30
11. Hammett plots for 1 and 3 at 37, 70, 100 °C	S31
12. QMD concentration dependences of inhibition rate, time of inhibition, or stoichiometry	S32
13. UV-vis spectra and corresponding Van't Hoff plots for 2	S35
14. Comparison of experimental BDEs to DFT and dispersion-corrected DFT values	S38
15. Extinction coefficient determinations for 2d , 4a , and 5b	S39
16. Characterization data for synthesized compounds	S43
17. Computational studies	S59
18. Computed structures of 1d , 5a , 3d	S64
19. Cartesian coordinates	S65
20. References and notes	S200

Co-autoxidation kinetic experiments in hexadecene/PhCl




Figure S1. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μM) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 5 μM **1a** (magenta), **1b** (green), **1c** (cyan), **1d** (red), **1e** (blue).




Figure S2. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μM) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 5 μM **1f** (magenta), **1g** (green), **1h** (cyan), **1i** (blue), **1j** (red).




Figure S3. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by t BuOO t Bu (87 mM) in chlorobenzene at 70 °C (dashed black trace) and inhibited by 5 μ M **1a** (magenta), **1b** (green), **1c** (red), **1d** (blue), **1e** (cyan).




Figure S4. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by t BuOO t Bu (87 mM) in chlorobenzene at 70 °C (dashed black trace) and inhibited by 5 μ M **1f** (magenta), **1g** (green), **1h** (blue), **1i** (cyan), **1j** (red).




Figure S5. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by dicumyl peroxide (1 mM) in chlorobenzene at 100 °C (dashed black trace) and inhibited by 5 μ M **1a** (magenta), **1c** (cyan), **1e** (red), **1e** (green), **1g** (blue).




Figure S6. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 0.5 (red), 1 (blue), 2 (cyan), 3 (magenta) μ M **2a**.




Figure S7. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 0.5 (red), 1 (blue), 2 (cyan), 3 (magenta) μ M **2d**.




Figure S8. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 0.5 (red), 1 (blue), 2 (cyan), 3 (magenta), 4 (green) μ M **2g**.




Figure S9. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 70 °C (dashed black trace) and inhibited by 0.5 (red), 1 (blue), 2 (cyan), 3 (magenta), 4 (green) μ M **2d**.




Figure S10. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by $^t\text{BuOO}^t\text{Bu}$ (87 mM) in chlorobenzene at 70 °C (dashed black trace) and inhibited by 1 μ M **2a** (green), **2b** (magenta), **2c** (blue), **2d** (cyan), **2e** (red).




Figure S11. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by $^t\text{BuOO}^t\text{Bu}$ (87 mM) in chlorobenzene at 70 °C (dashed black trace) and inhibited by 1 μ M **2f** (blue), **2g** (cyan), **2h** (magenta), **2i** (red), **2j** (green).




Figure S12. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by $^t\text{BuOO}^t\text{Bu}$ (87 mM) in chlorobenzene at 70 °C (dashed black trace) and inhibited by 5 μ M **2a** (red), **2b** (blue), **2c** (cyan), **2d** (magenta), **2e** (green).




Figure S13. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by t BuOO t Bu (87 mM) in chlorobenzene at 70 °C (dashed black trace) and inhibited by 5 μ M **2f** (magenta), **2g** (green), **2h** (cyan), **2i** (blue), **2j** (red).




Figure S14. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by dicumyl peroxide (1 mM) in chlorobenzene at 100 °C (dashed black trace) and inhibited by 5 μ M **2a** (green), **2c** (magenta), **2d** (blue), **2e** (cyan), **2f** (red), **2g** (dark red).




Figure S15. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 5 μ M **3a** (magenta), **3b** (green), **3c** (red), **3d** (cyan), **3e** (blue).




Figure S16. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by t BuOO t Bu (87 mM) in chlorobenzene at 70 °C (dashed black trace) and inhibited by 5 μ M **3a** (magenta), **3b** (green), **3c** (red), **3d** (cyan), **3e** (blue).




Figure S17. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by dicumyl peroxide (1 mM) in chlorobenzene at 100 °C (dashed black trace) and inhibited by 5 μ M **3a** (magenta), **3c** (red), **3d** (blue), **3e** (cyan).




Figure S18. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 5 (red), 10 (blue), 20 (cyan), 30 (magenta), 40 (green), 50 (grey) μ M **4a**.




Figure S19. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by t BuOO t Bu (87 mM) in chlorobenzene at 70 °C (dashed black trace) and inhibited by 5 (red), 10 (blue), 20 (cyan), 30 (magenta) μ M **4a**.




Figure S20. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 50 (red), 100 (blue), 500 (cyan), 1000 (magenta) μ M **4b**.




Figure S21. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by t BuOO t Bu (87 mM) in chlorobenzene at 70 °C (dashed black trace) and inhibited by 10 (red), 50 (blue), 100 (cyan), 500 (magenta) μ M **4b**.




Figure S22. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by **5a** at 5 μ M (red) or 10 μ M (cyan), **5b** at 5 μ M (blue or 10 μ M (magenta), **2e** at 5 μ M (grey).




Figure S23. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 5 (red), 10 (blue), 50 (cyan), 100 (magenta) μ M **6**.

Table S1. Inhibition rate constants for **2d** and **2d-d₁₂** (1 μ M) in hexadecene/PhCl initiated by AIBN (6 mM) at 37 °C.

Inhibitor	k_{inh}	n	DKIE
2d	$(4.4 \pm 0.3) \times 10^6 \text{ M}^{-1}\text{s}^{-1}$	1.7 ± 0.1	
2d-d₁₂	$(4.3 \pm 0.1) \times 10^6 \text{ M}^{-1}\text{s}^{-1}$	1.8 ± 0.1	$k_H/k_D = 1.0 \pm 0.1$

Co-autoxidation kinetic experiments in dioxane/PhCl




Figure S24. Co-autoxidations of 1,4-dioxane (2.9 M) and PBD-BODIPY (10 μM) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 0.5 (red), 1 (blue), 2 (cyan), 3 (magenta) μM **2d**.




Figure S25. Co-autoxidations of 1,4-dioxane (2.9 M) and PBD-BODIPY (10 μM) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 5 (red), 10 (blue), 20 (cyan), 30 (magenta) μM **4a**.

Co-autoxidation kinetic experiments in cumene/PhCl




Figure S26. Co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 1 (red), 2 (blue), 5 (cyan), 10 (magenta), 20 (green), 30 (grey), 40 (violet), 50 (orange) μ M **2d**.




Figure S27. Co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by the intermediate QM formed subsequent to substitution of the QMD 1 (red), 2 (blue), 5 (cyan), 10 (magenta), 20 (green), 30 (grey), 40 (violet), 50 (orange) μ M **2d**. The data are transposed to the uninhibited trace.

Table S2. Second order rate constants (k_{inh}) and stoichiometries (n) for the second phase of inhibition by **2d** in the co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C.

AO	[AO], μ M	k_{inh} , $M^{-1}\cdot s^{-1}$ (37 °C)	n (37 °C)	k_{inh}^{avg} , $M^{-1}\cdot s^{-1}$	n
2d	20	$(1.0 \pm 0.1) \times 10^4$	0.53 ± 0.05	$(8 \pm 1) \times 10^3$	0.50 ± 0.02
	30	$(8.3 \pm 0.9) \times 10^3$	0.49 ± 0.02		
	40	$(6.5 \pm 0.2) \times 10^3$	0.51 ± 0.01		
	50	$(7.0 \pm 0.9) \times 10^3$	0.48 ± 0.04		




Figure S28. Co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 5 μ M **4a** (cyan), 5 μ M **4a-H₂O** (blue), 5 μ M **4b** (red), 5 μ M **5a** (magenta), 5 μ M **5b** (green).




Figure S29. Co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (dashed black trace) and inhibited by 5 μ M (cyan) or 10 μ M (magenta) **4a**, 5 μ M (red) or 10 μ M (blue) **6**.

Table S3. Second order rate constants (k_{inh}) and stoichiometries (n) for **6**-inhibited co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C.

AO	[AO], μ M	Cumene, 37 °C	
		k_{inh} , $M^{-1}\cdot s^{-1}$	n
diMe-QMD	5	$(2.8 \pm 0.1) \times 10^3$	2.1 ± 0.1
	10	$(2.2 \pm 0.2) \times 10^3$	1.7 ± 0.1
QM-Me	5	$(7.2 \pm 0.3) \times 10^3$	2.2 ± 0.1
	10	$(6.7 \pm 0.3) \times 10^3$	2.0 ± 0.2

Scanning kinetics experiments in hexadecene/PhCl and cumene/PhCl




Figure S30. Co-autoxidations of 1-hexadecene (2.9 M) and PBD-BODIPY (10 µM) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (A) inhibited by 5 µM **2d** (B) or 10 µM **4a** (C). Autoxidations of hexadecene (2.9 M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (D) and inhibited by 5 µM **2d** (E) or 10 µM **4a** (F).




Figure S31. Abs vs time traces derived from the spectra in Figure S30. The co-autoxidations are monitored at 588 nm (uninhibited, green; 5 μ M **2d**, magenta; 10 μ M **4a**, cyan). The autoxidation inhibited by **2d** is monitored at 330 nm (red, E1), 300 nm (black, E2), 404 nm (violet, E3). The autoxidation inhibited by **4a** is monitored at 305 nm (blue).




Figure S32. Co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (A) inhibited by 5 μ M **6** (B) or 10 μ M **6** (C). Autoxidations of cumene (3.6 M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (D) and inhibited by 5 μ M **6** (E) or 10 μ M **6** (F).




Figure S33. Abs vs time traces derived from the spectra in Figure S32. The co-autoxidations are monitored at 571 nm (uninhibited, green (A); 5 μM **6**, red (B); 10 μM **6**, yellow (C)). The autoxidation inhibited by **6** is monitored at 320 nm (5 μM **6** teal (E), 10 μM **6** blue (F)).




Figure S34. Co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 µM) initiated by AIBN (6 mM) in chlorobenzene at 37 °C inhibited by 20 µM **4a** (A), 10 µM **2d** (C), 10 µM **5b**. Autoxidations of cumene (3.6 M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C (D) and inhibited by 20 µM **4a** µM (D), 10 µM **2d** (E), 10 µM **5b** (F).




Figure S35. Abs vs time traces derived from the spectra in Figure S34. The co-autoxidations are monitored at 571 nm (20 μM **4a**, magenta; 10 μM **2d**, red; 10 μM **5b**, cyan). The autoxidation inhibited by **4a** is monitored at 305 nm (grey). The autoxidation inhibited by **2d** is monitored at 330 nm (black, E1), 305 nm (blue, E2). The autoxidation inhibited by **5b** is monitored at 320 nm (violet).




Figure S36. Co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 μM) initiated by AIBN (6 mM) in chlorobenzene at 37 °C inhibited by 10 μM **2d**. The red trace corresponds to the QMD chromophore at 330 nm (left axis); the blue trace corresponds to the QM chromophore at 305 nm (left axis); the black trace corresponds to the STY-BODIPY chromophore at 571 nm (right axis).




Figure S37. Co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C inhibited by 20 μ M **4a**. The green trace corresponds to the QM chromophore at 305 nm (left axis); the black trace corresponds to the STY-BODIPY chromophore at 571 nm (right axis).




Figure S38. Co-autoxidations of cumene (3.6 M) and STY-BODIPY (10 μ M) initiated by AIBN (6 mM) in chlorobenzene at 37 °C inhibited by 10 μ M **5b**. The orange trace corresponds to the QM chromophore at 320 nm (left axis); the black trace corresponds to the STY-BODIPY chromophore at 571 nm (right axis).

Computed frontier molecular orbitals of 4a and 2d




Figure S39. Computed (B3LYP/CBSB7) frontier molecular orbitals for **2d**.




Figure S40. Computed (B3LYP/CBSB7) frontier molecular orbitals for **4a**.

Experimental and computed UV-vis spectra of **4a and **2d****




Figure S41. Comparison of computed (B3LYP/CBSB7) UV-visible spectra of **4a**, **2d** (meso, (S,S)) to experimental spectra (hexadecene/PhCl).

Computed UV-vis spectra of 2d- and 6-derived radicals




Figure S42. Comparison of computed (B3LYP/CBSB7) UV-visible spectra of **2d**- and **6**-derived radicals.

Spectral characteristics and thermal stability of 6




Figure S43. Plots of Abs vs wavelength for **6** in hexadecane (A, 20–100 °C) or PhCl₂ (B-D, 10–80 °C). Plots C and D are expanded sections of B. Solid lines refer to spectra collected while increasing temperature and the broken line refers to a spectrum recorded after cooling the sample down to 20 °C from 80 °C.

Cross-over experiment of **2d with **6****




Figure S44. Plots of Abs vs wavelength for **2d** (50 μM), **6** (50 μM), and a combination of **2d** (50 μM) and **6** (50 μM) (broken lines). The scans were collected in PhCl_2 at 10 (violet), 20 (blue), 30 (green), 40 (yellow), 50 (orange), 60 (red) $^{\circ}\text{C}$. The chromophore depicted in the black box is expanded in the plot on the right.




Figure S45. (Left) Plot of Abs vs wavelength for **2d** (prominent absorbance at 404 nm) or **6** (overlaid featureless spectra at bottom). The scans were collected in PhCl_2 at 20 (violet), 40 (blue), 60 (green), 40 (orange, dashed), 20 (red, dashed) $^{\circ}\text{C}$. (Right) Plot of Abs vs wavelength for **2d+6** where the solid traces represent spectra collected while increasing temperature and the dashed lines represent spectra collected while decreasing temperature according to the aforementioned colour scheme. The data shown in both plots were performed as part of the same experiment in a thermostated multi-cell changer.

EPR spectral data for **2d** and **6**




Figure S46. Experimental (black, left) and fitted (red, right) EPR spectra of **2d**-derived radicals in benzene at 20 °C.




Figure S47. Experimental (black) and calculated (B3LYP/TZVP, red) hyperfine coupling constants for **2d**-derived radicals.

Hammett plots for 1 and 3 at 37, 70, 100 °C




Figure S48. Hammett plot of $\log(k_{inh})$ for the stilbenoid phenol (**1**)-inhibited co-autoxidation of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) vs σ^+ in PhCl at 37 (■), 70 (□), and 100 (▲) °C. The data (not including X = 4-OH (●,○) which contains additional phenolic moieties) are fitted to a linear regressions computing $\rho^+ = -0.18 \pm 0.03$, $r^2 = 0.8850$ (37 °C, ■); $\rho^+ = -0.22 \pm 0.02$, $r^2 = 0.9695$ (70 °C, □); and $\rho^+ = -0.072 \pm 0.006$, $r^2 = 0.9801$ (37 °C, ▲), respectively.




Figure S49. Hammett plot of $\log(k_{inh})$ for the Quad A (**3**)-inhibited co-autoxidation of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) vs σ^+ in PhCl at 37 (■), 70 (□), and 100 (▲) °C. The data (not including X = 4-OH (●,○) which contains additional phenolic moieties) exhibit little dependence on the nature of the substituent.

QMD concentration dependences of inhibition rate, time of inhibition, or stoichiometry




Figure S50. Rate (□) and time (■) of inhibition vs [2d] for the QMD-inhibited co-autoxidation of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μM) in chlorobenzene at 37 °C.




Figure S51. Rate (□) and time (■) of inhibition vs [2a] for the QMD-inhibited co-autoxidation of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μM) in chlorobenzene at 37 °C.




Figure S52. Rate (□) and time (■) of inhibition vs [2g] for the QMD-inhibited co-autoxidation of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) in chlorobenzene at 37 °C.




Figure S53. Rate (□) and time (■) of inhibition vs [2d] for the QMD-inhibited co-autoxidation of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μ M) in chlorobenzene at 70 °C.




Figure S54. Rate (□) and time (■) of inhibition vs [2d] for the QMD-inhibited co-autoxidation of 1,4-dioxane (2.9 M) and PBD-BODIPY (10 μM) in chlorobenzene at 37 °C.




Figure S55. Stoichiometry (n) vs [4a] for the QM-inhibited co-autoxidation of 1-hexadecene (2.9 M) and PBD-BODIPY (10 μM) in chlorobenzene at 37 °C.

UV-vis spectra and corresponding Van't Hoff plots for 2




Figure S56. (Left) Absorbance vs wavelength (nm) for **2a** at different temperatures (20–70 °C) in 1,2-dichlorobenzene. (Right) Van't Hoff plot used to determine $\Delta H_{\text{C-C}}$ for **2a** at $\lambda_{\text{max}} = 412 \text{ nm}$ ($\Delta H = 14.3 \pm 0.1$, $r^2 = 0.9997$).




Figure S57. (Left) Absorbance vs wavelength (nm) for **2b** at different temperatures (20–70 °C) in 1,2-dichlorobenzene. (Right) Van't Hoff plot used to determine $\Delta H_{\text{C-C}}$ for **2b** at $\lambda_{\text{max}} = 438 \text{ nm}$ ($\Delta H = 13.8 \pm 0.2$, $r^2 = 0.9994$).




Figure S58. (Left) Absorbance vs wavelength (nm) for **2c** at different temperatures (20–70 °C) in 1,2-dichlorobenzene. (Right) Van't Hoff plot used to determine $\Delta H_{\text{C-C}}$ for **2c** at $\lambda_{\text{max}} = 460 \text{ nm}$ ($\Delta H = 13.5 \pm 0.2$, $r^2 = 0.9995$).




Figure S59. (Left) Absorbance vs wavelength (nm) for **2d** at different temperatures (20–70 °C) in 1,2-dichlorobenzene. (Right) Van't Hoff plot used to determine $\Delta H_{\text{C-C}}$ for **2d** at $\lambda_{\text{max}} = 404 \text{ nm}$ ($\Delta H = 15.9 \pm 0.2$, $r^2 = 0.9994$).




Figure S60. (Left) Absorbance vs wavelength (nm) for **2f** at different temperatures (20–70 °C) in 1,2-dichlorobenzene. (Right) Van't Hoff plot used to determine $\Delta H_{\text{C-C}}$ for **2f** at $\lambda_{\text{max}} = 395 \text{ nm}$ ($\Delta H = 15.2 \pm 0.2$, $r^2 = 0.9990$).




Figure S61. (Left) Absorbance vs wavelength (nm) for **2g** at different temperatures (20–70 °C) in 1,2-dichlorobenzene. (Right) Van't Hoff plot used to determine $\Delta H_{\text{C-C}}$ for **2g** at $\lambda_{\text{max}} = 397 \text{ nm}$ ($\Delta H = 15.3 \pm 0.2$, $r^2 = 0.9996$).




Figure S62. (Left) Absorbance vs wavelength (nm) for **2h** at different temperatures (20–80 °C) in 1,2-dichlorobenzene. (Right) Van't Hoff plot used to determine $\Delta H_{\text{C-C}}$ for **2h** at $\lambda_{\text{max}} = 395$ nm (C, $\Delta H = 17.9 \pm 0.2$, $r^2 = 0.9992$).




Figure S63. (Left) Absorbance vs wavelength (nm) for **2i** at different temperatures (20–80 °C) in 1,2-dichlorobenzene. (Right) Van't Hoff plot for **2i** at $\lambda_{\text{max}} = 402$ nm.





Figure S64. (Left) Absorbance vs wavelength (nm) for **2j** at different temperatures (20–80 °C) in 1,2-dichlorobenzene. (Right) Van't Hoff plot for **2j** at $\lambda_{\text{max}} = 384$ nm.

Comparison of experimental BDEs to DFT and dispersion-corrected DFT values

Table S4. Summary of computationally ($R = H$) and experimentally ($R = {^t}Bu$) determined bond dissociation enthalpies ($\text{kcal}\cdot\text{mol}^{-1}$) associated with substituted quinone methide dimers. The experimental ΔH_{exp} values are the average of triplicate measurements. The computed ΔH_{DFT} values were determined using B3LYP/CBSB7 and the ΔH_{GD3} values were similarly determined including dispersion correction (GD3).

Compound	X	σ^+	ΔH_{DFT}	ΔH_{GD3}	ΔH_{exp}	λ, nm
diAr-QMD	4-NO ₂	0.79	1.0	13.0		
	4-CF ₃	0.61	2.0	14.6	16.0 ± 0.3	397
	4-CO ₂ H	0.42	1.8	14.0		
	2-CF ₃				17.9 ± 0.3	395
	3-CF ₃				15.3 ± 0.4	395
	3,5-diOBr ^a	0.20			17.0 ± 0.7	414
	4-Cl	0.11	1.6	13.7		
	H	0.00	2.5	14.4	15.7 ± 0.3	404
	4-SH	-0.03	0.7	12.9		
	4-CH ₃	-0.31	1.9	14.6		
	4-SCH ₃	-0.60	0.5	13.6	13.5 ± 0.3	460
	4-OCH ₃	-0.78	0.9	12.6		
	4-OH	-0.78	0.8	12.5		
	4-OBn	-0.83			14.1 ± 0.3	438
diMe-QMD	3,4-dioxyl	-0.84	0.0	14.4	14.0 ± 0.3	412
	4-NH ₂	-1.3	-0.9	11.2		
	NA		14.7	22.0		>19



^a M. H. Keylor, B. S. Matsuura, M. Griesser, J.-P. R. Chauvin, R. A. Harding, M. S. Kirillova, X. Zhu, O. J. Fischer, D. A. Pratt, C. R. J. Stephenson, *Science*, 2016, **354**, 1260.




Figure S65. A) Plots of $\Delta H_{\text{C-C}}$ vs σ^+ for experimental (□), DFT (■), and dispersion-corrected DFT (●) C–C values for substituted QMDs. The relationship between $\Delta H_{\text{C-C}}$ and σ^+ exhibits little sensitivity to electron-withdrawing substituents ($\rho^+_{\text{C-C}} \sim 0$ for $\sigma^+ > 0$); electron-donating substituents exhibit $\rho^+_{\text{C-C}} = 1.9 \pm 0.5$ (DFT), 1.4 ± 0.9 (dispersion-corrected DFT), 1.4 ± 0.7 (experiment). B) Plots of $\log(k_{\text{inh}})$ vs σ^+ for 2a-j at 37 (■), 70 (□), and 100 (●) °C. C) Plots of $\log(k_{\text{inh}})$ vs $\Delta H_{\text{C-C}}$ at 37 (■), 70 (□), and 100 (●) °C. The relationship between $\Delta H_{\text{C-C}}$ and σ^+ is reflected in $\log(k_{\text{inh}})$ vs σ^+ (at 70 and 100 °C) and depicted in C.

Extinction coefficient determinations for 2d, 4a, and 5b




Figure S66. Spectrophotometric titration of **4a** in PBS buffer ($\text{pH} = 7.4$) at 37°C . The inset spectrum shows the difference between two spectra/concentrations. Due to interferences caused by hydration under these conditions, an approximate extinction coefficient was determined: $\epsilon_{310\text{nm}} = 8000 \pm 500 \text{ M}^{-1}\text{cm}^{-1}$.




Figure S67. Spectrophotometric titration of **4a** in PBS buffer ($\text{pH} = 7.4$) containing liposomes at 37°C . The inset spectrum shows the difference between two spectra/concentrations – the shape is similar to that observed in organic solution. Under these conditions, **4a** is not sensitive to hydration, suggesting it is sequestered within the liposome. The extinction coefficient was determined: $\epsilon_{302\text{nm}} = 24420 \pm 80 \text{ M}^{-1}\text{cm}^{-1}$.




Figure S68. Spectrophotometric titration of **2d** in PBS buffer ($\text{pH} = 7.4$) at 37°C . The inset spectrum shows the difference between two spectra/concentrations. The extinction coefficient was determined: $\epsilon_{353\text{nm}} = 15300 \pm 300 \text{ M}^{-1}\text{cm}^{-1}$.




Figure S69. Spectrophotometric titration of **2d** in PBS buffer ($\text{pH} = 7.4$) containing liposomes at 37°C . The inset spectrum shows the difference between two spectra/concentrations – the shape is dissimilar to that observed in organic solution. Importantly, no spectral features associated with dissociated radical monomers is observed. The extinction coefficient was determined: $\epsilon_{340\text{nm}} = 29000 \pm 1000 \text{ M}^{-1}\text{cm}^{-1}$.




Figure S70. Determination of extinction coefficients for **4a** (PBS buffer, $\epsilon_{310\text{nm}} = 8000 \pm 500 \text{ M}^{-1}\text{cm}^{-1}$, $r^2 = 0.9916$, ■; PBS buffer containing liposomes, $\epsilon_{302\text{nm}} = 24420 \pm 80 \text{ M}^{-1}\text{cm}^{-1}$, $r^2 = 1.000$, □) and **2d** (PBS buffer, $\epsilon_{302\text{nm}} = 24420 \pm 80 \text{ M}^{-1}\text{cm}^{-1}$, $r^2 = 0.9988$, ■; PBS buffer containing liposomes, $\epsilon_{340\text{nm}} = 29000 \pm 1000 \text{ M}^{-1}\text{cm}^{-1}$, $r^2 = 0.9966$, □) at 37 °C.




Figure S71. Determination of extinction coefficients for **2d** in 2.9 M hexadecene in chlorobenzene at 37 °C; $\epsilon_{330\text{nm}} = 40200 \pm 100 \text{ M}^{-1}\text{cm}^{-1}$, $r^2 = 1.000$.




Figure S72. Determination of extinction coefficients for **4a** in 2.9 M hexadecene in chlorobenzene at 37 °C; $\epsilon_{205\text{nm}} = 26500 \pm 100 \text{ M}^{-1}\text{cm}^{-1}$, $r^2 = 0.9999$.





Figure S73. Determination of extinction coefficients for **5b** in 2.9 M hexadecene in chlorobenzene at 37 °C; $\epsilon_{317\text{nm}} = 28170 \pm 60 \text{ M}^{-1}\text{cm}^{-1}$, $r^2 = 1.000$.

Characterization data for synthesized compounds



(S2) 4-((1*S*,2*S*)-6-(benzyloxy)-2-(4-(benzyloxy)phenyl)-3-((*E*)-3,5-di-*tert*-butyl-4-hydroxybenzylidene)-2,3-dihydro-1H-inden-1-yl)-2,6-di-*tert*-butylphenol


¹H NMR (500 MHz, Chloroform-*d*) δ 7.43 – 7.27 (m, 12H), 7.16 (d, *J* = 9.1 Hz, 1H), 7.14 (s, 2H), 7.01 (s, 2H), 6.98 (s, 1H), 6.87 (d, *J* = 8.9 Hz, 2H), 6.77 (m, 2H), 5.04 (s, 2H), 5.01 (s, 2H), 5.01 (s, 1H), 4.97 (s, 1H), 4.12 (s, 1H), 4.04 (s, 1H), 1.34 (s, 18H), 1.29 (s, 18H).

¹³C NMR (176 MHz, Chloroform-*d*) δ 158.27, 158.05, 152.37, 152.33, 138.22, 137.43, 137.32, 137.20, 136.74, 135.58, 135.55, 134.49, 134.05, 128.70, 128.65, 128.06, 127.97, 127.56, 127.52, 127.17, 124.18, 123.96, 123.05, 116.37, 114.67, 112.94, 70.13, 70.03, 53.62, 50.27, 34.52, 34.47, 30.46, 30.45.


IR (Neat): 3634, 3589, 2957, 2870, 1647, 1594, 1507, 1434, 1237, 1158, 1136, 1029, 734, 697 cm⁻¹;


HRMS (ESI) *m/z* calculated for C₅₈H₆₆O₄⁺ ([M]⁺) 826.4956, found 826.4952.

¹H NMR, 500 MHz, Chloroform-*d*, Compound S2



¹³C NMR, 176 MHz, Chloroform-*d*, Compound S2





(3b) (2*S*,3*S*)-1-((*E*)-3,5-di-*tert*-butyl-4-hydroxybenzylidene)-3-(3,5-di-*tert*-butyl-4-hydroxyphenyl)-2-(4-hydroxyphenyl)-2,3-dihydro-1*H*-inden-5-ol


¹H NMR (700 MHz, Chloroform-*d*) δ 7.31 (d, *J* = 8.3 Hz, 2H), 7.12 (s, 2H), 7.12 (d, *J* = 8.1 Hz, 1H), 7.00 (s, 2H), 6.95 (s, 1H), 6.71 (d, *J* = 8.7 Hz, 2H), 6.63 (dd, *J* = 8.1, 2.8 Hz, 1H), 6.58 (d, *J* = 2.5 Hz, 1H), 5.01 (s, 1H), 4.97 (s, 1H), 4.60 (s, 1H), 4.52 (s, 1H), 4.08 (s, 1H), 4.00 (s, 1H), 1.33 (s, 18H), 1.29 (s, 18H).

¹³C NMR (176 MHz, Chloroform-*d*) δ 154.79, 154.67, 152.38, 138.41, 137.24, 136.65, 135.60, 135.59, 134.47, 133.95, 127.86, 127.81, 127.36, 124.13, 123.91, 123.00, 116.67, 115.14, 113.55, 53.52, 50.30, 34.51, 34.46, 30.43, 30.41.


IR (Neat): 3628, 2959, 1656, 1595, 1558, 1507, 1459, 1361, 1244, 1197, 1024, 878, 836, 668 cm⁻¹;


HRMS (ESI) *m/z* calculated for C₄₄H₅₅O₄⁺ ([M+H]⁺) 647.4021, found 647.4029.

¹H NMR, 700 MHz, Chloroform-*d*, Compound **3b**




¹³C NMR, 176 MHz, Chloroform-*d*, Compound **3b**






(S4) (E)-2,6-di-tert-butyl-4-(prop-1-en-1-yl)phenol¹


¹H NMR (500 MHz, Chloroform-d) δ 7.15 (s, 2H), 6.35 (dq, J = 15.6, 1.7 Hz, 1H), 6.06 (dq, J = 15.7, 6.6 Hz, 1H), 5.14 (s, 1H), 1.85 (dd, J = 6.6, 1.7 Hz, 3H), 1.44 (s, 18H).





(6) 2,6-di-tert-butyl-4-(4-(3,5-di-tert-butyl-4-hydroxycyclohexa-2,5-dien-1-ylidene)-2,3-dimethylbutylidene)cyclohexa-2,5-dien-1-one

Electrochemical setup: Two pieces of 0.25×2 -inch RVC panel (0.25 inch thickness) were cut. To each, a hole was made near one end, and copper wire was placed through the hole and wrapped around the top of each electrode. One end of the wire was left free in to connect to the alligator clips. These electrodes were carefully placed into the reaction vial along with the reference electrode (Ag/AgCl in 3 M KCl) and a divider (see image). The alligator clips were connected such that the reference (white) and working (green) electrodes were adjacent to each other, while the counter (red) electrode was opposite the divider. Care was taken to ensure the copper wire was not submerged in solvent, nor the active components of the alligator clips touching each other.




^1H NMR (500 MHz, Chloroform-*d*) δ 7.22 (d, $J = 2.4$ Hz, 1H, major diastereomer), 7.19 (d, $J = 2.4$ Hz, 1H, minor diastereomer), 6.84 (d, $J = 2.4$ Hz, 1H, minor diastereomer), 6.80 (d, $J = 2.4$ Hz, 1H, diastereomer), 6.10 (d, $J = 10.1$ Hz, 1H, major + minor diastereomers overlapped), 3.02 (ddd, $J = 9.7, 8.0, 5.2$ Hz, 1H, major diastereomer), 2.98 – 2.91 (m, 1H, minor diastereomer), 1.31 (s, 9H), 1.27 (s, 9H), 1.19 (d, $J = 6.2$ Hz, 3H).¹

^{13}C NMR (176 MHz, Chloroform-*d*) δ 152.22, 152.21, 145.37, 145.10, 137.79, 137.16, 136.19, 135.45, 134.56, 132.58, 127.44, 126.93, 126.40, 124.26, 124.01, 122.45, 116.78, 115.01, 113.50, 53.72, 50.45, 34.50, 34.45, 30.48, 30.45.


HRMS (ESI) m/z calculated for $\text{C}_{34}\text{H}_{51}\text{O}_2$ ($[\text{M}+\text{H}]^+$) 491.3884, found 491.3879


¹ The methyl and *tert*-butyl signals for the minor diastereomer are obscured by the signals for the major diastereomer.

¹H NMR, 500 MHz, Chloroform-d, Compound 6



¹³C NMR, 176 MHz, Chloroform-d, Compound 6





(S6) 2,6-di-*tert*-butyl-4-(1-hydroxy-2-(phenyl-*d*₅)ethyl-2,*2-d*₂)phenol²


¹H-NMR (400 MHz; CDCl₃): δ 7.13 (s, 2H), 5.18 (s, 1H), 4.81 (s, 1H), 1.86 (d, *J* = 2.3 Hz, 1H), 1.44 (s, 18H).


¹³C NMR (101 MHz; CDCl₃): δ 153.4, 135.9, 134.5, 122.9, 75.9, 34.5, 30.4.

HRMS (EI, [M-H₂O]⁺): m/z calcd for C₂₂H₂₁O₁D₇ 315.25795, found 315.25837.

¹H NMR, 400 MHz, Chloroform-*d*, Compound S6

¹³C NMR, 101 MHz, Chloroform-*d*, Compound S6






(1d-d₆) (E)-2,6-di-tert-butyl-4-(2-(phenyl-d₅)vinyl-2-d)phenol

¹H-NMR (400 MHz; CDCl₃): δ 7.35 (s, 2H), 7.07 (s, 1H), 5.28 (s, 1H), 1.48 (s, 18H).


¹³C NMR (101 MHz; CDCl₃): δ 154.0, 136.3, 129.6, 128.8, 123.6, 34.5, 30.4.


HRMS (EI, [M+]): m/z calcd for C₂₂H₂₃OD₆ 314.25168, found 314.25172.

¹H NMR, 400 MHz, Chloroform-d, Compound **1d-d₆**



¹³C NMR, 101 MHz, Chloroform-*d*, Compound **1d-d₆**






(2d-d₁₂) 4,4'-(2,3-bis(phenyl-d₅)butane-1,4-diylidene-2,3-d₂)bis(2,6-di-tert-butylcyclohexa-2,5-dien-1-one)²

¹H-NMR (600 MHz; CDCl₃): δ 7.15 (d, *J* = 2.4 Hz, 2H), 7.12 (d, *J* = 2.4 Hz, 2H), β-H's of quinone methides: 6.81 (minor diastereomer, d, *J* = 2.4 Hz, 2H), 6.69 (major diastereomer, d, *J* = 2.4 Hz, 2H), δ-H's of quinone methides: 6.49 (minor diastereomer, s, 2H), 6.38 (major diasteromer, s, 2H), ³Bu signals: 1.25 (s, 18 H), 1.24 (s, 18H), 1.23 (s, 18 H), 1.21 (s, 18 H).


¹³C NMR (151 MHz; CDCl₃): δ 186.6, 186.5, 149.1, 148.9, 147.6, 147.3, 145.4, 144.9, 140.9, 140.3, 134.7, 132.7, 132.0, 126.1, 125.9, 35.5, 35.0, 34.9, 29.6, 29.5.


HRMS (ESI, [M+Na]⁺): m/z calcd for C₄₄H₄₂O₂D₁₂Na 649.4775, found 649.4774.

¹H NMR, 600 MHz, Chloroform-d, Compound **2d-d₁₂**



¹³C NMR, 151 MHz, Chloroform-*d*, Compound **2d-d₁₂**






(4a) 2,6-di-tert-butyl-4-ethylidenecyclohexa-2,5-dien-1-one³


¹H NMR (300 MHz; CDCl₃): δ 7.30 (d, J = 2.3 Hz, 1H), 6.85 (d, J = 2.3 Hz, 1H), 6.41 (q, J = 7.6 Hz, 1H), 2.13 (d, J = 7.8 Hz, 3H), 1.33 (s, 9H), 1.29 (s, 9H).

³C NMR (151 MHz; CDCl₃): δ 186.8, 148.1, 146.4, 142.4, 134.8, 132.7, 125.7, 34.7, 29.47, 29.43, 14.9.

HRMS (EI, [M]⁺): m/z calculated for C₁₆H₂₄O 232.1827; found 232.1807.

¹H NMR, 300 MHz, Chloroform-*d*, Compound 4a







(4a-H₂O) 2,6-di-tert-butyl-4-(1-hydroxyethyl)phenol⁴

¹H NMR (300 MHz; CDCl₃): δ 7.22 (s, 2H), 5.21 (s, 1H), 4.84 (q, J = 6.5 Hz, 1H), 1.81 (bs, 1H), 1.52 (d, J = 6.5 Hz, 3H), 1.48 (s, 18H).

¹³C NMR (101 MHz; CDCl₃): δ 153.2, 136.3, 135.9, 122.3, 70.9, 34.4, 30.3, 24.9.

¹H NMR, 300 MHz, Chloroform-d, Compound **4a-H₂O**






(4b) 4-benzylidene-2,6-di-tert-butylcyclohexa-2,5-dien-1-one⁵

¹H NMR (300 MHz; CDCl₃): δ 7.54 (d, J = 2.3 Hz, 1H), 7.47 (m, 4H), 7.42 (m, 1H), 7.20 (s, 1H), 7.03 (d, J = 2.3 Hz, 1H), 1.35 (s, 9H), 1.32 (s, 9H).


¹³C NMR (101 MHz; CDCl₃): δ 186.6, 149.4, 147.8, 142.4, 135.9, 135.1, 132.0, 130.3, 129.0, 128.8, 127.8, 35.4, 35.0, 29.53, 29.50.

HRMS (EI): calculated for C₂₁H₂₆O 294.1984; found 294.1967.

¹H NMR, 300 MHz, Chloroform-*d*, Compound **4b**



Computational Studies⁶⁻¹⁰



Scheme S1. O–H and C–H BDEs for substituted trans-4-hydroxystilbenes and their corresponding quinone-methide tautomers, respectively

Table S5. Summary of computed (CBS-QB3) O–H and C–H BDEs for substituted trans-4-hydroxystilbenes and their corresponding quinone-methide tautomers, respectively.

Substituent	σ^+ ^a	CBS-QB3		
		ΔH_{O-H} , kcal·mol ⁻¹	ΔH_{C-H} , kcal·mol ⁻¹	$\Delta\Delta H$, kcal·mol ⁻¹
4-NMe ₂	-1.7	80.4	65.9	14.5
4-NH ₂	-1.3	80.8	66.4	14.4
3,4-dioxyl	-0.84	81.6	66.8	14.8
4-OH	-0.78	81.7	67.2	14.5
4-OMe	-0.78	81.6	67.1	14.5
4-SMe	-0.60	82.1	67.4	14.7
4-CH ₃	-0.31	82.1	67.7	14.4
4-SH	-0.03	82.2	67.6	14.6
H	0	82.4	67.9	14.5
4-Cl	0.11	82.9	68.0	14.9
4-CO ₂ H	0.42	82.8	67.9	14.9
4-CF ₃	0.61	83.2	68.3	14.9
4-NO ₂	0.79	83.5	68.2	15.3

^a Substituent constants are taken from Hansch, C.; Leo, A.; Taft, R. W. *Chem. Rev.* **1991**, *91*, 165–195. Those that did not appear there were estimated based on similar substituents (e.g. σ^+ for 3,4-dioxyl (-0.84) is derived from the sum of σ^+ for 4-OCH₂O (-0.68) and σ for 3-OCH₂O (-0.16)).

Table S6. Summary of computed O–H BDEs for substituted trans-4-hydroxystilbenes and the corresponding radical stabilization enthalpy (RSE), molecule stabilization enthalpy (MSE), and total stabilization effect (TSE).

Substituent	σ^+	B3LYP/CBSB7			CBS-QB3			
		ΔH_{O-H} , kcal·mol ⁻¹	RSE, kcal·mol ⁻¹	MSE, kcal·mol ⁻¹	TSE, kcal·mol ⁻¹	ΔH_{O-H} , kcal·mol ⁻¹	RSE, kcal·mol ⁻¹	MSE, kcal·mol ⁻¹
4-NMe ₂	-1.7	74.6	-2.04	0.30	-2.34	80.4	-1.96	0.02
4-NH ₂	-1.3	76.1	-1.65	0.27	-1.92	80.8	-1.48	0.11
3,4-dioxyl	-0.84	76.1	-0.72	0.11	-0.82	81.6	-0.83	-0.01
4-OH	-0.78	76.0	-0.72	0.14	-0.86	81.7	-0.73	0.00
4-OMe	-0.78	75.9	-0.87	0.15	-1.02	81.6	-0.81	0.02
4-SMe	-0.60	76.2	-0.64	0.06	-0.71	82.1	-0.28	0.00
4-CH ₃	-0.31	76.5	-0.35	0.06	-0.41	82.1	-0.29	0.11
4-SH	-0.03	76.6	-0.29	0.01	-0.30	82.2	-0.11	0.11
H	0	76.9	0.00	0.00	0.00	82.4	0.00	0.00
4-Cl	0.11	77.4	0.40	-0.10	0.50	82.9	0.51	0.03
4-CO ₂ H	0.42	77.9	0.76	-0.23	0.99	82.8	0.37	-0.07
4-CF ₃	0.61	78.1	0.97	-0.24	1.21	83.2	0.84	0.01
4-NO ₂	0.79	78.8	1.46	-0.43	1.89	83.5	1.04	-0.10




Figure S74. Correlation of computed O–H (■) and C–H (□) BDEs with σ and σ^+ for substituted trans-4-hydroxystilbenes and their corresponding quinone-methide tautomers. The relationships between BDE and σ or σ^+ for O–H are $p_{O-H} = 1.9 \pm 0.1$, $r^2 = 0.9584$ and $p^+_{O-H} = 1.20 \pm 0.07$, $r^2 = 0.9658$; those for C–H are $p_{C-H} = 1.4 \pm 0.2$, $r^2 = 0.8566$ and $p^+_{C-H} = 0.93 \pm 0.08$, $r^2 = 0.9243$. Note: the C–H BDE data may contain two relationships for electron-donating and electron-withdrawing groups. If the $\sigma^{(+)} > 0$ points are not included in the fit, the slopes are the same within error for O–H and C–H $p_{O-H} = 2.4 \pm 0.2$ and $p_{C-H} = 2.4 \pm 0.3$; $p^+_{O-H} = 1.2 \pm 0.2$ and $p^+_{C-H} = 1.1 \pm 0.1$.




Figure S75. Correlation of computed ΔH_{C-C} values with ΔH_{O-H} or ΔH_{C-H} for the corresponding trans-4-hydroxystilbene or quinone methide. The relationships between ΔH_{C-C} and ΔH_{O-H} exhibit $\text{gradient}_{\text{DFT}} (\blacksquare) = 1.0 \pm 0.2$, $r^2 = 0.6174$ and $\text{gradient}_{\text{CBS}} (\square) = 0.7 \pm 0.2$, $r^2 = 0.4499$. The relationships between ΔH_{C-C} and ΔH_{C-H} exhibit $\text{gradient}_{\text{DFT}} (\blacksquare) = 1.3 \pm 0.2$, $r^2 = 0.8610$; $\text{gradient}_{\text{CBS}} (\square) = 1.4 \pm 0.2$, $r^2 = 0.7936$. Note: only the ΔH_{t4hs} and $\Delta H_{qm-t4hs}$ values are CBS-QB3; in both cases, ΔH_{dimer} values are DFT.




Figure S76. Correlation of DFT-calculated (B3LYP/CBSB7) radical (■) and molecule (□) stabilization enthalpies in substituted trans-4-hydroxystilbenes with σ and σ^+ . These relationships exhibit $p_{RSE} = 2.1 \pm 0.1$, $r^2 = 0.9529$ and $p_{MSE} = -0.44 \pm 0.03$, $r^2 = 0.9539$ as well as $p^+_{RSE} = 1.33 \pm 0.07$, $r^2 = 0.9696$ and $p^+_{MSE} = -0.27 \pm 0.02$, $r^2 = 0.9154$.




Figure S77. Correlation of CBS QB3-calculated radical (■) and molecule (□) stabilization enthalpies in substituted trans-4-hydroxystilbenes with σ and σ^+ . These relationships exhibit $\rho_{\text{RSE}} = 1.7 \pm 0.1$, $r^2 = 0.9364$ and $\rho_{\text{MSE}} = -0.11 \pm 0.04$, $r^2 = 0.3825$ as well as $\rho^+_{\text{RSE}} = 1.16 \pm 0.06$, $r^2 = 0.9685$ and $\rho^+_{\text{MSE}} = -0.04 \pm 0.02$, $r^2 = 0.1805$.




Figure S78. Correlation of B3LYP/CBSB7 (■)- and CBS QB3 (□)-calculated total stabilization effect in substituted trans-4-hydroxystilbenes with σ and σ^+ . These relationships exhibit $\rho_{\text{B3LYP}} = 2.6 \pm 0.2$, $r^2 = 0.9591$ and $\rho_{\text{CBS-QB3}} = 1.8 \pm 0.2$, $r^2 = 0.9332$ as well as $\rho^+_{\text{B3LYP}} = 1.60 \pm 0.09$, $r^2 = 0.9651$ and $\rho^+_{\text{CBS-QB3}} = 1.20 \pm 0.07$, $r^2 = 0.9651$.

Table S7. Summary of ρ^+ values for Y-H (Y = O, C) bond dissociation

Y	ρ^+_{RSE}	ρ^+_{MSE}	ρ^+_{TSE}
O (phenols) ^a	4.5 ± 0.2	-1.6 ± 0.2	6.1 ± 0.2
C (toluenes) ^a	<i>b</i>	-0.8 ± 0.1	<i>b</i>
O,C (trans-4-hydroxystilbenes)	1.16 ± 0.06	-0.04 ± 0.02	1.20 ± 0.07

^a Data from Pratt, D. A.; Dilabio, G. A.; Valgimigli, L.; Franco Pedulli, G.; Ingold, K. U. *J. Am. Chem. Soc.* **2002**, *124*, 11085–11092.

^b Not a single linear correlation; the data have a very small sensitivity to σ^+ .

Table S8. Summary of enthalpies (ΔH^\ddagger) and free energies (ΔG^\ddagger) of activation and corresponding computed second order rate constants (k_{add}) at 37 °C for the addition of alkyl peroxy radical (ROO[•]) to or hydrogen atom transfer (HAT) from **4a** (R = H) in the gas phase.

ROO [•]	B3LYP/CBSB7			CBS-QB3		
	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)
R = Me	2.4	13.0	1×10^5	-0.8	9.7	2×10^7
R = Et	2.5	13.2	7×10^4	-1.4	9.3	4×10^7
R = ⁱ Pr	3.0	13.7	4×10^4	-1.6	9.0	7×10^7
R = ^t Bu	4.8	15.9	1×10^3	-0.3	10.7	4×10^6

Table S9. Summary of enthalpies (ΔH^\ddagger) and free energies (ΔG^\ddagger) of activation and corresponding computed second order rate constants (k_{add}) at 37 °C for the addition of alkyl peroxy radical (ROO[•]) to **4a** (R = H) in the presence of a self-consistent reaction field (SCRF) for chlorobenzene.

ROO [•]	DFT (SCRF = PhCl)			CBS-QB3 (SCRF = PhCl)		
	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)
R = Me	4.0	14.5	1×10^4	0.7	11.1	2×10^6
R = Et						
R = ⁱ Pr						
R = ^t Bu	6.3	17.2	1×10^2	1.2	12.1	5×10^5

Table S10. Summary of enthalpies (ΔH , ΔH^\ddagger) and free energies (ΔG , ΔG^\ddagger) and corresponding computed second order rate constants (k_{add}) at 37 °C for the addition of methyl peroxy radical to **4** (R = H or ^tBu) in the gas phase.

QM	B3LYP/CBSB7				CBS-QB3					
	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)	ΔH , kcal·mol ⁻¹	ΔG , kcal·mol ⁻¹	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)	ΔH , kcal·mol ⁻¹	ΔG , kcal·mol ⁻¹
4d	1.7	11.8	8×10^5	-19.0	-8.5	-2.5	7.6	7×10^8	-29.9	-19.5
4a	2.4	13.0	1×10^5	-19.3	-8.5	-0.8	9.8	2×10^7	-28.2	-17.4
4a-d	2.3	12.9	1×10^5	ND	ND	-0.9	9.7	3×10^7	ND	ND
^t Bu ₂ - 4a	2.5	14.1	2×10^4	-19.6	-7.9	1.6	10.0	2×10^7	-28.9	-17.3
4 (Y=Z=H)	3.1	14.2	2×10^4	-19.3	-8.6	1.2	12.3	3×10^5	-26.0	-15.3
4b	5.6	17.3	1×10^2	-14.7	-2.5	2.8	14.6	9×10^3	-26.1	-14.0
4e	7.0	19.7	2×10^0	-9.1	3.5	ND	ND	ND	ND	ND
4 (Y=Z=CN)	10.5	22.4	3×10^{-2}	-4.9	7.0	3.4	15.2	3×10^3	-16.9	-5.0

Table S11. Summary of enthalpies (ΔH^\ddagger) and free energies (ΔG^\ddagger) of activation and corresponding computed second order rate constants (k_{add}) at 37 °C for the addition of methyl peroxy radical to **4a** in the gas phase or presence of a self-consistent reaction field (SCRF) for chlorobenzene.

QM	B3LYP/CBSB7			CBS-QB3			DKIE	
	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)	k_H/k_D , DFT (37 °C)	k_H/k_D , CBS (37 °C)
4a	2.4	13.0	1×10^5	-0.8	9.8	2×10^7	1	1
4a-d	2.3	12.9	1×10^5	-0.9	9.7	3×10^7		

Table S12. Summary of enthalpies (ΔH , ΔH^\ddagger) and free energies (ΔG , ΔG^\ddagger) and corresponding computed second order rate constants (k_{HAT}) at 37 °C for HAT from **4a** or **4e** (R = H) in the gas phase.

QM	B3LYP/CBSB7				CBS-QB3				DKIE			
	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{HAT} , M ⁻¹ ·s ⁻¹ (37 °C)	ΔH , kcal·mol ⁻¹	ΔG , kcal·mol ⁻¹	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{HAT} , M ⁻¹ ·s ⁻¹ (37 °C)	ΔH , kcal·mol ⁻¹	ΔG , kcal·mol ⁻¹	k_H/k_D DFT (37 °C)	k_H/k_D CBS (37 °C)
4a	7.7	18.2	20	-8.0	-8.9	6.8	17.3	100	-13.3	-14.2	4	5
4a-d	8.6	19.1	5			7.7	18.2	20				
tBu₂-4a	7.7	19.0	6	-8.1	-8.2	6.0	17.4	90	-13.6	-13.7		
4c	9.2	20.9	0.3	-13.7	-13.3	7.5	19.1	6	-15.7	-15.4	6	6
4c-d	10.3	21.9	0.05			8.5	20.2	1				

Table S13. Summary of enthalpies (ΔH^\ddagger) and free energies (ΔG^\ddagger) of activation and corresponding computed second order rate constants (k_{add}) at 37 °C for the addition of methyl peroxy radical to **6** (R = H) or **4a** (R = H) in the gas phase determined using DFT, dispersion-corrected DFT (GD3), or CBS-QB3.

QMD	B3LYP/CBSB7			B3LYP/CBSB7 + GD3			CBS-QB3		
	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)
6-meso-extended	6.1	18.0	3×10^1	-0.7	12.1	5×10^5	1.2	13.0	1×10^5
6-meso-compressed	4.9	17.0	2×10^2	-2.2	9.9	2×10^7	0.5	12.5	2×10^5
6-(S,S)-extended	5.5	17.6	6×10^1	-1.3	11.4	2×10^6			
6-(S,S)-compressed	5.8	17.5	7×10^1	-2.8	11.0	3×10^6			
4a	2.4	13.0	1×10^5	-2.6	8.4	2×10^8	-0.8	9.8	2×10^7

Table S14. Summary of enthalpies (ΔH , ΔH^\ddagger) and free energies (ΔG , ΔG^\ddagger) and corresponding computed second order rate constant for addition (k_{add}) at 37 °C for the addition of methyl peroxy radical to **2d** (R = H) along with those of the subsequent 5-exo-trig cyclization in the gas phase determined using DFT.

QMD	Addition					Cyclization				
	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	k_{add} , M ⁻¹ ·s ⁻¹ (37 °C)	ΔH , kcal·mol ⁻¹	ΔG , kcal·mol ⁻¹	ΔH^\ddagger , kcal·mol ⁻¹	ΔG^\ddagger , kcal·mol ⁻¹	ΔH , kcal·mol ⁻¹	ΔG , kcal·mol ⁻¹	
2d-meso-extended	3.0	16.0	9×10^2	-17.7	-4.6	-2.9	13.4	-16.0	0.2	

Computed structures of 1d, 5a, 3d




Figure S79. Computed (B3LYP/CBSB7) structure of **1d** ($R = H$). The stilbenoid C=C is twisted away from planarity with the phenol by 3° ; the resorcinol Ph is twisted away from planarity with the C=C by 4° .




Figure S80. Computed (B3LYP/CBSB7) structure of **5a** ($R = H$). The stilbenoid C=C is twisted away from planarity with the phenol by 36° ; the resorcinol Ph on the left is twisted away from planarity with the C=C by 43° .




Figure S81. Computed (B3LYP/CBSB7) structure of **3c** ($R = H$). The stilbenoid C=C is twisted away from planarity with the phenol by 17° ; the resorcinol Ph is twisted away from planarity with the phenol by 32° .

Cartesian Coordinates

Computational Data⁶

Optimized Gaussian Structures: DFT (B3LYP/CBSB7),⁷ Dispersion-Corrected DFT,⁸ and CBS-QB3⁹ (Hartree)

Peroxyls

Methyl peroxy radical



DFT Enthalpy = -190.224254 DFT Free Energy = -190.254744

CBS-QB3 Enthalpy = -189.954731 CBS-QB3 Free Energy = -189.985243

0 2
C 1.09605900 -0.18318300 0.00000000
H 1.87467700 0.57860700 -0.00001500
H 1.14885000 -0.80070400 0.89699800
H 1.14883700 -0.80072700 -0.89698300
O -0.15733600 0.54388600 0.00000000
O -1.18625300 -0.27864500 0.00000000

SCRF = (CPCM, solvent=chlorobenzene)

DFT Enthalpy = -190.228253 DFT Free Energy = -190.258769

CBS-QB3 Enthalpy = -189.958560 CBS-QB3 Free Energy = -189.989099

0 2
C 1.10140100 -0.18287500 -0.00000100
H 1.87355100 0.58411900 -0.00001400
H 1.15391300 -0.79719200 0.89828500
H 1.15390500 -0.79721400 -0.89827200
O -0.15898600 0.54103200 -0.00000400
O -1.18973600 -0.27759000 0.00000400

EmpiricalDispersion = GD3

DFT Enthalpy = -190.226031 DFT Free Energy = -190.256454

0 2
C 1.09634800 -0.18305800 -0.00000100
H 1.87629900 0.57778900 -0.00001300
H 1.14811500 -0.80135800 0.89699600
H 1.14810700 -0.80138000 -0.89698300
O -0.15820200 0.54476300 -0.00000400
O -1.18562400 -0.27935100 0.00000500

Ethyl peroxy radical




DFT Enthalpy = -229.525047 DFT Free Energy = -229.559316

CBS-QB3 Enthalpy = -229.184415 CBS-QB3 Free Energy = -229.21873

0 2

C	0.41524900	0.53851500	-0.00001400
H	0.26541900	1.15279000	-0.89016500
H	0.26538500	1.15280500	0.89011900
O	-0.63451900	-0.47984700	-0.00002700
O	-1.83540100	0.05936100	0.00002300
C	1.74626600	-0.18275900	0.00001500
H	2.55953100	0.54693100	0.00001500
H	1.84995200	-0.81156800	0.88656800
H	1.84997800	-0.81159700	-0.88651300

iso-Propyl peroxy radical



DFT Enthalpy = -268.826494 DFT Free Energy = -268.863611

CBS-QB3 Enthalpy = -268.416419 CBS-QB3 Free Energy = -268.453609

0 2

C	0.37278500	0.02197100	0.34197000
H	0.15576800	-0.03594900	1.41139300
O	-0.77878600	-0.62632700	-0.32204500
O	-1.92887100	-0.16111500	0.11640800
C	1.57370700	-0.83104600	-0.02521500
H	2.46921700	-0.44101800	0.46409000
H	1.42922100	-1.86530900	0.29285200
H	1.74007300	-0.81943700	-1.10524600
C	0.45774800	1.47017600	-0.11018300
H	-0.47743400	1.98595600	0.11139900
H	1.26899100	1.97992100	0.41590100
H	0.64998000	1.52876100	-1.18473400

tert-Butyl peroxy radical



DFT Enthalpy = -308.126181 DFT Free Energy = -308.165984

CBS-QB3 Enthalpy = -307.648937 CBS-QB3 Free Energy = -307.688842

0 2

C	-0.36949300	0.00000100	0.04891200
---	-------------	------------	------------

O 0.83360400 -0.00002300 -0.85136200
O 1.97204300 -0.00000500 -0.19656400
C -1.52418900 -0.00004200 -0.94505200
H -2.47632300 -0.00005300 -0.40935000
H -1.48664100 0.88630900 -1.58199600
H -1.48660200 -0.88642400 -1.58195300
C -0.31660600 -1.26908600 0.89261800
H 0.59155400 -1.28174100 1.49633200
H -1.18150300 -1.31095200 1.55926700
H -0.32709600 -2.15672400 0.25591900
C -0.31662200 1.26915200 0.89252700
H -0.32708500 2.15673900 0.25575700
H -1.18154000 1.31107700 1.55914500
H 0.59152000 1.28184700 1.49626700

SCRF = (CPCM, solvent=chlorobenzene)

DFT Enthalpy = -308.129982 DFT Free Energy = -308.169855

CBS-QB3 Enthalpy = -307.652638 CBS-QB3 Free Energy = -307.692613

0 2
C -0.37344100 0.00000000 0.05037600
O 0.84233100 -0.00000100 -0.84559300
O 1.97955200 0.00000000 -0.19015800
C -1.51752800 0.00001700 -0.95472400
H -2.47181500 0.00001800 -0.42382400
H -1.47697400 0.88790600 -1.58937300
H -1.47698500 -0.88785900 -1.58939100
C -0.32475800 -1.27003600 0.89138700
H 0.57153300 -1.28050500 1.51280800
H -1.20054100 -1.31346900 1.54273800
H -0.32426600 -2.15669000 0.25335800
C -0.32474100 1.27002000 0.89141100
H -0.32423700 2.15668600 0.25339800
H -1.20052300 1.31345200 1.54276300
H 0.57155100 1.28046500 1.51283200

Hydroperoxides

Methyl hydroperoxide

H₃COOH

DFT Enthalpy = -190.850939 DFT Free Energy = -190.881812


CBS-QB3 Enthalpy = -190.589542 CBS-QB3 Free Energy = -190.620447

0 1
C 1.12961700 -0.22363900 0.02672600
H 1.97292100 0.47126800 0.02466400

H	1.14400500	-0.82582200	0.94203100
H	1.18954700	-0.87767200	-0.84877800
O	-0.01619300	0.60684200	-0.03138300
O	-1.16412600	-0.28550800	-0.09072600
H	-1.64161900	0.00339000	0.69859800

Quinone methides

α,α -Dimethyl quinone methide (**4e**, R = H)




DFT Enthalpy = -424.108921 DFT Free Energy = -424.151520

CBS-QB3 Enthalpy = -423.391518 CBS-QB3 Free Energy = -423.434243

0 1

C	0.00000100	0.17926000	-1.23662900
C	0.00000000	1.52702400	-1.24480700
C	-0.00000300	2.31428500	0.00000000
C	0.00000000	1.52702400	1.24480700
C	0.00000100	0.17926000	1.23662900
H	0.00000200	-0.35460400	-2.17948100
H	0.00000000	2.09303400	-2.16946000
H	0.00000000	2.09303400	2.16946000
H	0.00000200	-0.35460400	2.17948100
C	0.00000100	-0.59228000	0.00000000
C	0.00000100	-1.96065900	0.00000000
O	-0.00000100	3.54079700	0.00000000
C	0.00000000	-2.75520000	1.28672600
H	-0.87967600	-2.53271700	1.89870200
H	0.00000900	-3.82674000	1.08859500
H	0.87966400	-2.53270300	1.89871400
C	0.00000000	-2.75520000	-1.28672600
H	-0.87967600	-2.53271700	-1.89870200
H	0.87966400	-2.53270300	-1.89871400
H	0.00000900	-3.82674000	-1.08859500

α -Methyl quinone methide (**4a**, R = H)




DFT Enthalpy = -384.812984 DFT Free Energy = -384.853432

CBS-QB3 Enthalpy = -384.164138 CBS-QB3 Free Energy = -384.204694

0 1

C	0.06246500	1.40583900	0.00000200
C	1.39290500	1.20302600	-0.00000800
C	1.96685100	-0.15496000	-0.00002000
C	0.99162900	-1.26487900	-0.00000800
C	-0.33688800	-1.04709100	0.00000100
H	-0.34182600	2.41390400	0.00000700
H	2.10129200	2.02338400	-0.00000900
H	1.41007300	-2.26499600	-0.00001000
H	-1.02375900	-1.88641800	0.00000600
C	-0.88995100	0.30150000	0.00000500
C	-2.22323300	0.55261000	0.00001400
H	-2.52735100	1.59612500	0.00001800
O	3.17541300	-0.35564300	-0.00001600
C	-3.32510000	-0.46618100	0.00002100
H	-3.27537300	-1.11591500	0.88015200
H	-4.30305800	0.01580800	0.00001400
H	-3.27536800	-1.11593300	-0.88009600

α -Methyl quinone methide (**4a-d**, R = H)



DFT Enthalpy = -384.815982 DFT Free Energy = -384.856616

CBS-QB3 Enthalpy = -384.167103 CBS-QB3 Free Energy = -384.207848

0 1

C	0.06246500	1.40583900	0.00000200
C	1.39290500	1.20302600	-0.00000800
C	1.96685100	-0.15496000	-0.00002000
C	0.99162900	-1.26487900	-0.00000800
C	-0.33688800	-1.04709100	0.00000100
H	-0.34182600	2.41390400	0.00000700
H	2.10129200	2.02338400	-0.00000900
H	1.41007300	-2.26499600	-0.00001000
H	-1.02375900	-1.88641800	0.00000600
C	-0.88995100	0.30150000	0.00000500
C	-2.22323300	0.55261000	0.00001400
H	-2.52735100	1.59612500	0.00001800
O	3.17541300	-0.35564300	-0.00001600
C	-3.32510000	-0.46618100	0.00002100
H(Iso=2)	-3.27537300	-1.11591500	0.88015200
H	-4.30305800	0.01580800	0.00001400
H	-3.27536800	-1.11593300	-0.88009600

SCRF = (CPCM, solvent=chlorobenzene)

DFT Enthalpy = -384.820767 DFT Free Energy = -384.861163

CBS-QB3 Enthalpy = -384.171431 CBS-QB3 Free Energy = -384.211935

0 1

C	0.05918200	1.40374000	0.00000200
C	1.39221100	1.20081600	-0.00000600
C	1.96303900	-0.15314500	-0.00001300
C	0.99458900	-1.26252400	-0.00001000
C	-0.33652200	-1.04703800	-0.00000200
H	-0.34390200	2.41172800	0.00000800
H	2.09569700	2.02568500	-0.00000800
H	1.40930200	-2.26436600	-0.00001600
H	-1.02072900	-1.88795500	-0.00000100
C	-0.88923200	0.29921000	0.00000500
C	-2.22498400	0.55072000	0.00001500
H	-2.52721300	1.59463400	0.00002100
O	3.17961700	-0.35321100	-0.00002100
C	-3.32571200	-0.46530000	0.00002200
H	-3.27169200	-1.11552200	0.87927700
H	-4.30216300	0.01817500	-0.00000100
H	-3.27166900	-1.11556300	-0.87920000


EmpiricalDispersion = GD3

DFT Enthalpy = -384.823760 DFT Free Energy = -384.864167

0 1

C	0.06425500	1.40925300	0.00000300
C	1.39412900	1.20277200	-0.00000800
C	1.96463900	-0.15695200	-0.00002500
C	0.98691300	-1.26498200	-0.00000900
C	-0.34097700	-1.04397700	0.00000100
H	-0.33625500	2.41889300	0.00001000
H	2.10608800	2.01986300	-0.00000700
H	1.40476800	-2.26521200	-0.00000900
H	-1.02954400	-1.88183700	0.00000800
C	-0.89043000	0.30651900	0.00000500
C	-2.22350400	0.55661000	0.00001500
H	-2.53289400	1.59858100	0.00001900
O	3.17265600	-0.36036200	-0.00001400
C	-3.31764100	-0.47064900	0.00002100
H	-3.25851000	-1.11986200	0.88000500
H	-4.30069600	0.00079700	0.00001000
H	-3.25850000	-1.11988600	-0.87994400

Quinone methide




DFT Enthalpy = -345.513500 DFT Free Energy = -345.551382

CBS-QB3 Enthalpy = -344.935618 CBS-QB3 Free Energy = -344.973592

0 1

C	-0.64007800	-1.24671400	0.00001200
C	0.70423200	-1.25335500	0.00000600
C	1.48719700	0.00000000	-0.00000300
C	0.70423300	1.25335500	0.00000600
C	-0.64007800	1.24671400	0.00001200
H	-1.20029400	-2.17667900	0.00002100
H	1.27722800	-2.17344100	0.00000800
H	1.27722700	2.17344100	0.00000800
H	-1.20029400	2.17667900	0.00002100
C	-1.40088400	0.00000000	0.00000500
C	-2.74981200	0.00000000	-0.00001800
H	-3.31508000	0.92474500	-0.00002600
H	-3.31508000	-0.92474500	-0.00002600
O	2.71092900	0.00000000	-0.00001500

α -Phenyl quinone methide (**4b**, R = H)




DFT Enthalpy = -576.539362 DFT Free Energy = -576.589007

CBS-QB3 Enthalpy = -575.554316 CBS-QB3 Free Energy = -575.604141

0 1

C	1.17033800	-0.79111800	-0.32834700
C	2.43725600	-1.24459400	-0.40444400
C	3.59858200	-0.38895500	-0.09501600
C	3.28480100	1.00919600	0.24711700
C	2.01446500	1.45268900	0.30497400
H	0.34836500	-1.43920700	-0.60437800
H	2.66296700	-2.25681200	-0.72039100
H	4.13012800	1.65722600	0.44788100
H	1.80554200	2.48671100	0.56320600
C	0.87285200	0.57905300	0.06519500
C	-0.38517700	1.09710900	0.19030700
O	4.74863200	-0.81064700	-0.14222700
C	-1.68687600	0.43948500	0.11025300
C	-2.77885900	1.17629700	-0.38676200
C	-1.92396100	-0.87474600	0.55480400
C	-4.04150500	0.60722000	-0.48872400
H	-2.62177300	2.19984000	-0.71011500
C	-3.19184000	-1.43757000	0.46370500
H	-1.12283500	-1.43870600	1.01453100
C	-4.25227700	-0.70532800	-0.06778000
H	-4.86404600	1.18882300	-0.88896800
H	-3.35597700	-2.44750700	0.82185800
H	-5.23908900	-1.14821700	-0.13748100
H	-0.43913000	2.17060100	0.35999000

α,α -Dicyano quinone methide




DFT Enthalpy = -530.029824 DFT Free Energy = -530.076761

CBS-QB3 Enthalpy = -529.168150 CBS-QB3 Free Energy = -529.215233

0 1

C	0.00000000	0.52836500	-1.25060000
C	0.00000000	1.87319200	-1.25587000
C	0.00000200	2.65453700	0.00000000
C	0.00000000	1.87319200	1.25587000
C	0.00000000	0.52836500	1.25060000
H	-0.00000100	-0.03070600	-2.17910700
H	-0.00000100	2.44376900	-2.17693000
H	-0.00000100	2.44376900	2.17693000
H	-0.00000100	-0.03070600	2.17910700
C	0.00000000	-0.21582000	0.00000000
C	0.00000000	-1.59367200	0.00000000
O	-0.00000200	3.87520100	0.00000000
C	0.00000000	-2.35080300	1.20913300
C	0.00000000	-2.35080300	-1.20913300
N	0.00000000	-2.96479000	-2.18813400
N	0.00000000	-2.96479000	2.18813400

α,α -Diphenyl quinone methide (**4f**, R = H)



DFT Enthalpy = -807.559158 DFT Free Energy = -807.619831


CBS-QB3 Enthalpy = -806.175841 CBS-QB3 Free Energy = -806.236785

0 1

C	-1.95826300	-1.18546000	0.35132900
C	-3.30725700	-1.18699400	0.36645100
C	-4.09557000	0.00000200	-0.00000400
C	-3.30725200	1.18699600	-0.36645400
C	-1.95825800	1.18545900	-0.35131800
H	-1.41850400	-2.07070500	0.66270700
H	-3.87058700	-2.06152100	0.67201200
H	-3.87057500	2.06152400	-0.67202400
H	-1.41849200	2.07070200	-0.66269200
C	-1.18691500	0.00000000	0.00001200
C	0.19450700	0.00000100	0.00002000

O	-5.32297700	0.00000300	-0.00000900
C	0.98400300	-1.25609300	0.03640900
C	2.07370500	-1.38646100	0.91415700
C	0.69344500	-2.32501800	-0.82774700
C	2.82154200	-2.55744100	0.95134700
H	2.32073100	-0.56746000	1.57925400
C	1.45491300	-3.48962600	-0.80146500
H	-0.11965800	-2.22750000	-1.53704400
C	2.51606600	-3.61294200	0.09263200
H	3.64676100	-2.64599100	1.64881500
H	1.22165700	-4.29865900	-1.48434100
H	3.10643200	-4.52182700	0.11538000
C	0.98400200	1.25609500	-0.03639100
C	0.69345600	2.32503000	0.82775600
C	2.07369500	1.38645000	-0.91415100
C	1.45492700	3.48963500	0.80145400
H	-0.11964000	2.22752100	1.53706300
C	2.82153600	2.55742700	-0.95136200
H	2.32071300	0.56744000	-1.57924100
C	2.51607100	3.61293800	-0.09265500
H	1.22168100	4.29867700	1.48432400
H	3.64674800	2.64596800	-1.64883900
H	3.10644000	4.52182200	-0.11541700

2,6-di-tert-butyl- α -methyl quinone methide (**4a**, R = ^tBu)



DFT Enthalpy = -699.173329 DFT Free Energy = -699.238444


CBS-QB3 Enthalpy = -697.982229 CBS-QB3 Free Energy = -698.047672

01

C	-1.04626800	1.49194700	0.00000000
C	-1.35061900	0.17559200	0.00000100
C	-0.22943800	-0.81236000	0.00000300
C	1.17950100	-0.30392300	0.00000000
C	1.38999100	1.03182800	-0.00000100
H	-1.83224900	2.23736000	-0.00000100
H	2.40065600	1.41394000	-0.00000200
C	0.31303200	2.00248200	0.00000000
C	0.51242900	3.34684800	0.00000100
H	-0.37926400	3.97087500	0.00000100
O	-0.45732600	-2.02149300	0.00000800
C	-2.79980900	-0.33972800	-0.00000100
C	-3.05833800	-1.19189500	1.26672600
H	-4.09876500	-1.53143600	1.27635800

H -2.40912300 -2.06467500 1.29487200
 H -2.89051500 -0.60037600 2.17196500
 C -3.81563300 0.81869400 -0.00000600
 H -3.71907700 1.45083900 0.88761400
 H -3.71907000 1.45083700 -0.88762800
 H -4.82800800 0.40696300 -0.00000900
 C -3.05833300 -1.19190100 -1.26672500
 H -2.40911800 -2.06468200 -1.29486300
 H -4.09876000 -1.53144100 -1.27636000
 H -2.89050500 -0.60038700 -2.17196600
 C 2.33476500 -1.31957100 -0.00000100
 C 2.25943300 -2.20687200 1.26706400
 H 1.33431900 -2.77882600 1.29445700
 H 3.10163900 -2.90570300 1.27715600
 H 2.32091400 -1.59507700 2.17230500
 C 3.70867200 -0.62196500 -0.00000600
 H 4.49489000 -1.38100900 -0.00000700
 H 3.85487300 0.00021700 -0.88796200
 H 3.85487900 0.00022000 0.88794600
 C 2.25942600 -2.20687600 -1.26706300
 H 1.33431200 -2.77883200 -1.29444800
 H 2.32090100 -1.59508500 -2.17230600
 H 3.10163200 -2.90570700 -1.27715600
 C 1.80299300 4.09657200 0.00000100
 H 1.85999700 4.75280700 0.87646400
 H 2.68322600 3.45508100 0.00000200
 H 1.85999800 4.75280700 -0.87646100

Truncated dimer (**4c**, R = H)



DFT Enthalpy = -655.123649 DFT Free Energy = -655.181436


CBS-QB3 Enthalpy = -654.002976 CBS-QB3 Free Energy = -654.060994

0 1

C -2.28497800 0.40886900 -1.38146900
 C -3.55270400 -0.03922500 -1.32815500
 C -4.13529300 -0.56092000 -0.07890600
 C -3.23865900 -0.55847700 1.09408900
 C -1.97179800 -0.10764000 1.02679200
 H -1.87418700 0.78842400 -2.31241000
 H -4.20081500 -0.03800300 -2.19697400
 H -3.66131800 -0.94226000 2.01572400
 H -1.34982200 -0.12439600 1.91411400
 C -1.40780200 0.40947300 -0.21456200
 C -0.14133100 0.88393400 -0.33638800

H	0.15649000	1.24391200	-1.31988600
O	-5.28793700	-0.97120500	-0.01361300
C	0.93072100	0.98559600	0.71399400
C	2.15417900	0.17948500	0.27509100
C	2.43091400	-1.05007100	0.87987500
C	3.00520900	0.62664700	-0.74224100
C	3.53098300	-1.81010100	0.48913600
H	1.77888600	-1.41666800	1.66618900
C	4.10408800	-0.13185400	-1.13742500
H	2.81702700	1.57620900	-1.23132600
C	4.37188000	-1.35298100	-0.52222200
H	3.72971200	-2.75869500	0.97523300
H	4.75316900	0.23292500	-1.92573000
H	5.22845900	-1.94234200	-0.82872500
C	1.25966000	2.46665200	1.00604200
H	1.57784500	2.99577200	0.10458500
H	0.38007500	2.98079300	1.40032500
H	2.06455800	2.53733300	1.74154700
H	0.57301500	0.54030300	1.64432900

Truncated dimer (**4c**, R = H)



DFT Enthalpy = -655.127050 DFT Free Energy = -655.185001

CBS-QB3 Enthalpy = -654.006339 CBS-QB3 Free Energy = -654.064525


0 1

C	2.28497800	0.40886900	1.38146900
C	3.55270400	-0.03922500	1.32815500
C	4.13529300	-0.56092000	0.07890600
C	3.23865900	-0.55847700	-1.09408900
C	1.97179800	-0.10764000	-1.02679200
H	1.87418700	0.78842400	2.31241000
H	4.20081500	-0.03800300	2.19697400
H	3.66131800	-0.94226000	-2.01572400
H	1.34982200	-0.12439600	-1.91411400
C	1.40780200	0.40947300	0.21456200
C	0.14133100	0.88393400	0.33638800
H	-0.15649000	1.24391200	1.31988600
O	5.28793700	-0.97120500	0.01361300
C	-0.93072100	0.98559600	-0.71399400
C	-2.15417900	0.17948500	-0.27509100
C	-2.43091400	-1.05007100	-0.87987500
C	-3.00520900	0.62664700	0.74224100
C	-3.53098300	-1.81010100	-0.48913600
H	-1.77888600	-1.41666800	-1.66618900
C	-4.10408800	-0.13185400	1.13742500

H	-2.81702700	1.57620900	1.23132600
C	-4.37188000	-1.35298100	0.52222200
H	-3.72971200	-2.75869500	-0.97523300
H	-4.75316900	0.23292500	1.92573000
H	-5.22845900	-1.94234200	0.82872500
C	-1.25966000	2.46665200	-1.00604200
H	-1.57784500	2.99577200	-0.10458500
H	-0.38007500	2.98079300	-1.40032500
H	-2.06455800	2.53733300	-1.74154700
H(Iso=2)	-0.57301500	0.54030300	-1.64432900

Quinone methide dimers

QMD, X = H, meso



DFT Enthalpy = -1230.464931 DFT Free Energy = -1230.552410

0 1

C	-0.16007500	-1.95808200	-0.05828200
C	-0.18053100	-2.80837900	-1.16703500
C	-0.77030700	-4.06843200	-1.09246200
C	-1.34683400	-4.50005300	0.09874100
C	-1.32806700	-3.66391600	1.21337500
C	-0.73842200	-2.40570700	1.13529500
H	0.26933400	-2.48304200	-2.09949800
H	-0.77847300	-4.71110300	-1.96553700
H	-1.80716600	-5.47935800	0.15946400
H	-1.77463300	-3.99137000	2.14536800
H	-0.73320700	-1.77221400	2.01584800
C	0.50093300	-0.58286000	-0.16181700
H	0.82277500	-0.45661700	-1.19703200
C	-0.50093400	0.58289300	0.16182300
H	-0.82278300	0.45664300	1.19703500
C	0.16007500	1.95811500	0.05830000
C	0.18048600	2.80842200	1.16704700
C	0.73846300	2.40573200	-1.13525900
C	0.77026000	4.06847600	1.09248500
H	-0.26941200	2.48309100	2.09949600
C	1.32810700	3.66394300	-1.21332900
H	0.73328500	1.77223100	-2.01580700
C	1.34682900	4.50008900	-0.09870100
H	0.77839100	4.71115500	1.96555500

H	1.77470600	3.99139100	-2.14530700
H	1.80715900	5.47939600	-0.15941500
C	-1.69521100	0.52606900	-0.75062900
H	-1.45744500	0.52549300	-1.81261600
C	1.69521700	-0.52602800	0.75062700
H	1.45745800	-0.52541400	1.81261500
C	-3.01166800	0.50954500	-0.42147900
C	-3.51468100	0.51923900	0.94692300
C	-4.01071600	0.48445600	-1.48582300
C	-4.83349200	0.50625500	1.21557600
H	-2.80296100	0.54122400	1.76351300
C	-5.33173700	0.46846600	-1.23178300
H	-3.64720100	0.47807100	-2.50908400
C	-5.85250200	0.47752500	0.14709400
H	-5.21122200	0.51491300	2.23169200
H	-6.07048600	0.44877500	-2.02464400
C	3.01167200	-0.50953700	0.42146700
C	3.51467400	-0.51928700	-0.94693800
C	4.01072800	-0.48443200	1.48580300
C	4.83348400	-0.50633800	-1.21560200
H	2.80294800	-0.54128900	-1.76352200
C	5.33174700	-0.46847800	1.23175300
H	3.64722000	-0.47800500	2.50906600
C	5.85250300	-0.47759200	-0.14712700
H	5.21120600	-0.51503900	-2.23172000
H	6.07050200	-0.44877400	2.02460800
O	-7.05171400	0.46192500	0.39572800
O	7.05171300	-0.46202400	-0.39577100


EmpiricalDispersion = GD3

DFT Enthalpy = -1230.521430 DFT Free Energy = -1230.606669

0 1			
C	-0.72538000	-1.58864400	0.20580100
C	-1.45804700	-2.10546800	-0.86509300
C	-2.46206600	-3.04758400	-0.65647200
C	-2.74348500	-3.49442700	0.63187500
C	-2.01094300	-2.99599500	1.70742300
C	-1.01231000	-2.04963800	1.49576300
H	-1.25472300	-1.75225200	-1.87031400
H	-3.02864800	-3.42576400	-1.49948800
H	-3.52750200	-4.22404300	0.79707300
H	-2.22011200	-3.34109100	2.71366000
H	-0.46225400	-1.66540800	2.34747200
C	0.29686600	-0.48766100	-0.03854400
H	0.50730700	-0.46181400	-1.10822200
C	-0.31500800	0.92710800	0.34791400
H	-0.71324300	0.82270200	1.35942900
C	0.75325700	2.01018400	0.37465600

C 0.97274300 2.75046500 1.53759900
 C 1.54666800 2.27461400 -0.74738600
 C 1.96546800 3.72798200 1.58498300
 H 0.36243900 2.56086600 2.41474500
 C 2.53976300 3.24712800 -0.70380200
 H 1.40321100 1.70548500 -1.65960000
 C 2.75313800 3.97752600 0.46474200
 H 2.12270200 4.29190000 2.49745100
 H 3.15289100 3.43003700 -1.57877000
 H 3.52914000 4.73328800 0.50037000
 C -1.41485000 1.28494700 -0.60784600
 H -1.07721700 1.73745000 -1.53726200
 C 1.56890100 -0.71000900 0.72251200
 H 1.48192200 -0.63105300 1.80320200
 C -2.74730900 1.06972600 -0.47157100
 C -3.35514600 0.44878200 0.69892800
 C -3.64447700 1.43600800 -1.56386300
 C -4.67366100 0.18711200 0.75356900
 H -2.71896500 0.16959600 1.52831400
 C -4.96467100 1.18169800 -1.52071500
 H -3.20465800 1.91783300 -2.43221700
 C -5.58656600 0.52271100 -0.35645500
 H -5.12768900 -0.28904700 1.61472300
 H -5.63059400 1.44350500 -2.33473200
 C 2.80511800 -0.95773100 0.22431400
 C 3.10057600 -1.07666400 -1.19838700
 C 3.93035300 -1.09974400 1.14291700
 C 4.35188000 -1.29186500 -1.64430400
 H 2.28617300 -0.99569300 -1.90836600
 C 5.18668300 -1.31205700 0.71115100
 H 3.72043200 -1.01789800 2.20522700
 C 5.50111900 -1.42009800 -0.72505200
 H 4.57808500 -1.38246200 -2.70051600
 H 6.02313000 -1.40988100 1.39322200
 O -6.78456400 0.27110100 -0.31164400
 O 6.64037300 -1.60443800 -1.13502400

QMD X = H (S,S)



DFT Enthalpy = -1230.462734 DFT Free Energy = -1230.549154

0 1
C -0.16007500 -1.95808200 -0.05828200

C	-0.18053100	-2.80837900	-1.16703500
C	-0.77030700	-4.06843200	-1.09246200
C	-1.34683400	-4.50005300	0.09874100
C	-1.32806700	-3.66391600	1.21337500
C	-0.73842200	-2.40570700	1.13529500
H	0.26933400	-2.48304200	-2.09949800
H	-0.77847300	-4.71110300	-1.96553700
H	-1.80716600	-5.47935800	0.15946400
H	-1.77463300	-3.99137000	2.14536800
H	-0.73320700	-1.77221400	2.01584800
C	0.50093300	-0.58286000	-0.16181700
H	0.82277500	-0.45661700	-1.19703200
C	-0.50093400	0.58289300	0.16182300
H	-0.82278300	0.45664300	1.19703500
C	0.16007500	1.95811500	0.05830000
C	0.18048600	2.80842200	1.16704700
C	0.73846300	2.40573200	-1.13525900
C	0.77026000	4.06847600	1.09248500
H	-0.26941200	2.48309100	2.09949600
C	1.32810700	3.66394300	-1.21332900
H	0.73328500	1.77223100	-2.01580700
C	1.34682900	4.50008900	-0.09870100
H	0.77839100	4.71115500	1.96555500
H	1.77470600	3.99139100	-2.14530700
H	1.80715900	5.47939600	-0.15941500
C	-1.69521100	0.52606900	-0.75062900
H	-1.45744500	0.52549300	-1.81261600
C	1.69521700	-0.52602800	0.75062700
H	1.45745800	-0.52541400	1.81261500
C	-3.01166800	0.50954500	-0.42147900
C	-3.51468100	0.51923900	0.94692300
C	-4.01071600	0.48445600	-1.48582300
C	-4.83349200	0.50625500	1.21557600
H	-2.80296100	0.54122400	1.76351300
C	-5.33173700	0.46846600	-1.23178300
H	-3.64720100	0.47807100	-2.50908400
C	-5.85250200	0.47752500	0.14709400
H	-5.21122200	0.51491300	2.23169200
H	-6.07048600	0.44877500	-2.02464400
C	3.01167200	-0.50953700	0.42146700
C	3.51467400	-0.51928700	-0.94693800
C	4.01072800	-0.48443200	1.48580300
C	4.83348400	-0.50633800	-1.21560200
H	2.80294800	-0.54128900	-1.76352200
C	5.33174700	-0.46847800	1.23175300
H	3.64722000	-0.47800500	2.50906600
C	5.85250300	-0.47759200	-0.14712700
H	5.21120600	-0.51503900	-2.23172000
H	6.07050200	-0.44877400	2.02460800
O	-7.05171400	0.46192500	0.39572800
O	7.05171300	-0.46202400	-0.39577100

EmpiricalDispersion = GD3


DFT Enthalpy = -1230.521697 DFT Free Energy = -1230.605089

0 1

C 1.01281400 -1.65005800 0.80957900
C 1.39091500 -1.98158300 2.11554800
C 2.55795800 -2.69818600 2.36589100
C 3.37016300 -3.09921600 1.30703000
C 3.00133200 -2.78287400 0.00232600
C 1.83371200 -2.06515800 -0.24373100
H 0.76422500 -1.67181500 2.94641400
H 2.83084800 -2.94473700 3.38575500
H 4.28191500 -3.65332900 1.49713600
H 3.62957500 -3.08380600 -0.82794600
H 1.58540400 -1.80908500 -1.26574600
C -0.21509800 -0.77638800 0.60980500
H -0.83066200 -0.87465000 1.50518700
C 0.21509600 0.77639400 0.60979900
C 1.03028500 1.13378700 -0.59126200
H 0.47448400 1.36078900 -1.49588800
C -1.03028500 -1.13379000 -0.59125500
H -0.47448100 -1.36079800 -1.49587900
C 2.38403000 1.16224500 -0.68613300
C 3.28618900 0.84669200 0.41623300
C 3.00170200 1.49266200 -1.96763200
C 4.62155100 0.83588300 0.25361000
H 2.86285800 0.58597600 1.37792400
C 4.33522100 1.48474600 -2.14322000
H 2.33991200 1.74370400 -2.79161300
C 5.25693500 1.14631000 -1.04168900
H 5.29465800 0.58736200 1.06571500
H 4.79446600 1.72364900 -3.09539600
C -2.38403000 -1.16225200 -0.68613000
C -3.28619300 -0.84669000 0.41623100
C -3.00169600 -1.49267600 -1.96762900
C -4.62155500 -0.83588700 0.25360400
H -2.86286500 -0.58596300 1.37792000
C -4.33521500 -1.48476600 -2.14322100
H -2.33990400 -1.74371800 -2.79160700
C -5.25693400 -1.14633800 -1.04169100
H -5.29466400 -0.58735600 1.06570400
H -4.79445700 -1.72367000 -3.09539800
O 6.47217800 1.12260500 -1.19241500
O -6.47217600 -1.12261100 -1.19242800
C -1.01281500 1.65006700 0.80956800
C -1.39091300 1.98160300 2.11553600
C -1.83371700 2.06515900 -0.24374300
C -2.55795500 2.69820800 2.36587600

H	-0.76422200	1.67184000	2.94640300
C	-3.00133600	2.78287700	0.00231200
H	-1.58541300	1.80907700	-1.26575600
C	-3.37016300	3.09923000	1.30701400
H	-2.83084200	2.94476700	3.38573900
H	-3.62958200	3.08380300	-0.82796000
H	-4.28191400	3.65334600	1.49711900
H	0.83066000	0.87466100	1.50518100

QMD X = NO₂ meso



DFT Enthalpy = -1639.562414 DFT Free Energy = -1639.663424

0 1

C	-1.45069000	-1.31661200	-0.09681000
C	-2.02889100	-1.90445100	-1.22674300
C	-3.31697200	-2.42574300	-1.18669400
C	-4.02591800	-2.35651000	0.00499800
C	-3.48224500	-1.78348400	1.14880400
C	-2.19464700	-1.26750100	1.08963400
H	-1.46677600	-1.95863500	-2.15225700
H	-3.77549900	-2.88038500	-2.05369600
H	-4.06828300	-1.75082400	2.05654800
H	-1.77188800	-0.82466400	1.98388100
C	-0.02675500	-0.76709100	-0.16800800
H	0.31347800	-0.88665500	-1.19786300
C	0.02676300	0.76710100	0.16800500
H	-0.31346900	0.88666300	1.19786100
C	1.45069800	1.31662100	0.09680800
C	2.02889000	1.90447800	1.22673700
C	2.19466400	1.26749400	-1.08963000
C	3.31697100	2.42576900	1.18669000
H	1.46676800	1.95867600	2.15224600
C	3.48226300	1.78347700	-1.14879700
H	1.77191200	0.82464300	-1.98387400
C	4.02592700	2.35651900	-0.00499600
H	3.77549200	2.88042400	2.05368900
H	4.06830700	1.75080300	-2.05653700
C	-0.86693300	1.55104600	-0.75634800
H	-0.68255600	1.39003100	-1.81660600
C	0.86694200	-1.55103600	0.75634600
H	0.68257700	-1.39000700	1.81660400
C	-1.83745800	2.44170600	-0.43284800

C	-2.20777300	2.79180500	0.93456500
C	-2.57202800	3.11149400	-1.50414000
C	-3.17595400	3.68825400	1.19625500
H	-1.68290400	2.31858400	1.75601500
C	-3.54344000	4.00752000	-1.25700400
H	-2.30381600	2.85825000	-2.52536300
C	-3.92539300	4.37122900	0.12052000
H	-3.45333900	3.95338100	2.21003300
H	-4.08676300	4.50260000	-2.05333900
C	1.83745700	-2.44170700	0.43284500
C	2.20775400	-2.79182500	-0.93456800
C	2.57203400	-3.11148700	1.50413700
C	3.17592500	-3.68828400	-1.19625800
H	1.68287800	-2.31861000	-1.75601700
C	3.54343700	-4.00752300	1.25700100
H	2.30383500	-2.85823000	2.52536100
C	3.92537200	-4.37125100	-0.12052200
H	3.45329700	-3.95342500	-2.21003600
H	4.08676500	-4.50259700	2.05333700
O	-4.80495900	5.18568300	0.36326800
O	4.80493000	-5.18571300	-0.36327100
N	5.39779100	2.91009200	-0.06006600
N	-5.39778100	-2.91008500	0.06007200
O	-5.85000200	-3.39879400	-0.96549400
O	-5.98988500	-2.84342100	1.12785300
O	5.85000300	3.39881500	0.96549700
O	5.98990300	2.84341300	-1.12784200


EmpiricalDispersion = GD3

DFT Enthalpy = -1639.626443 DFT Free Energy = -1639.725639

0 1			
C	1.38267900	1.15025100	0.03192100
C	2.24686900	1.24163300	-1.06321400
C	3.57488200	1.61617800	-0.90083300
C	4.03262000	1.90541800	0.37785700
C	3.19847700	1.83920000	1.48750500
C	1.87506800	1.46059500	1.30588700
H	1.88368700	0.99786500	-2.05467500
H	4.25557700	1.67946100	-1.73804300
H	3.59409100	2.07611900	2.46511700
H	1.22844400	1.40140600	2.17280800
C	-0.03460700	0.63688000	-0.16880500
H	-0.26096300	0.69954100	-1.23338900
C	-0.10919900	-0.90036800	0.23118000
H	0.29953200	-0.97612400	1.24075900
C	-1.54773500	-1.38992900	0.27303000
C	-2.06244800	-1.94974900	1.44519600
C	-2.38263000	-1.28041100	-0.84629700

C	-3.38086400	-2.38661800	1.51169200
H	-1.42697200	-2.04680800	2.31826800
C	-3.70112900	-1.70934500	-0.79924000
H	-2.00930000	-0.84119500	-1.76385400
C	-4.18216700	-2.25761100	0.38505700
H	-3.79322300	-2.81969600	2.41219400
H	-4.35965500	-1.62230100	-1.65190000
C	0.70667600	-1.72474800	-0.72301700
H	0.20227900	-1.97748600	-1.65251100
C	-1.05017900	1.41454300	0.61454200
H	-0.97425500	1.32256500	1.69502200
C	1.99131300	-2.13511900	-0.58109800
C	2.81048100	-1.85526800	0.59346600
C	2.62996200	-2.86798200	-1.67221000
C	4.10499700	-2.21478500	0.65236100
H	2.36414400	-1.32703300	1.42592100
C	3.92207300	-3.23633300	-1.62500500
H	2.02254200	-3.09993300	-2.54201800
C	4.77055600	-2.93086400	-0.45618900
H	4.72236000	-1.99881700	1.51656200
H	4.40070900	-3.77126700	-2.43681200
C	-2.06633000	2.17054200	0.13263600
C	-2.32063100	2.38427700	-1.28837200
C	-2.98899100	2.80670000	1.07002500
C	-3.36310600	3.11873000	-1.71568700
H	-1.64461000	1.94535300	-2.01254600
C	-4.03669400	3.54107000	0.65699200
H	-2.80489900	2.65866000	2.12988200
C	-4.31169400	3.75513500	-0.77662100
H	-3.55751100	3.28372600	-2.76910400
H	-4.72553400	4.00698800	1.35163500
O	5.94882400	-3.25355900	-0.40324500
O	-5.26128600	4.41793300	-1.16959800
O	-5.98934200	-3.17183500	1.50848800
O	-6.26176700	-2.61116300	-0.57014300
N	-5.58980800	-2.71645600	0.44603900
O	5.83323400	2.49083400	1.71067400
O	6.14446700	2.39596300	-0.43508400
N	5.44995500	2.29523600	0.56558700

QMD X = CF₃ meso



DFT Enthalpy = -1904.723641 DFT Free Energy = -1904.832210

0 1

C -1.70687800 0.96347900 0.11093300
C -2.39601200 1.40703200 1.24244200
C -3.76887800 1.62871300 1.20612600
C -4.47486000 1.40906900 0.02593900
C -3.80201300 0.96907000 -1.11362000
C -2.43086400 0.75028100 -1.06795100
H -1.85605000 1.58138400 2.16673600
H -4.29066800 1.96328800 2.09369300
H -4.35194900 0.78998900 -2.02881800
H -1.92820800 0.40807300 -1.96544400
C -0.19604300 0.74037600 0.17432100
H 0.11342600 0.92472900 1.20443400
C 0.19604400 -0.74037600 -0.17432100
H -0.11342600 -0.92472900 -1.20443300
C 1.70687800 -0.96347900 -0.11093200
C 2.39601200 -1.40703300 -1.24244200
C 2.43086500 -0.75028000 1.06795000
C 3.76887700 -1.62871400 -1.20612600
H 1.85604900 -1.58138600 -2.16673500
C 3.80201400 -0.96906900 1.11362000
H 1.92820900 -0.40807100 1.96544400
C 4.47486100 -1.40906900 -0.02594000
H 4.29066700 -1.96329000 -2.09369300
H 4.35195100 -0.78998700 2.02881700
C -0.49834400 -1.70888700 0.74528900
H -0.34753800 -1.51962900 1.80626800
C 0.49834400 1.70888700 -0.74528800
H 0.34754000 1.51962800 -1.80626700
C -1.25016800 -2.78980500 0.41873500
C -1.54340400 -3.20205900 -0.94958700
C -1.81057900 -3.61452200 1.48653800
C -2.29108600 -4.28860600 -1.21512300
H -1.14212900 -2.61708100 -1.76864800
C -2.56154100 -4.70145500 1.23561900
H -1.59788600 -3.31679700 2.50887400
C -2.86359900 -5.12913900 -0.14295100
H -2.50990400 -4.59992200 -2.23014600
H -2.97623400 -5.31100500 2.02998800
C 1.25016900 2.78980500 -0.41873300
C 1.54340200 3.20206000 0.94958900
C 1.81058100 3.61452200 -1.48653600
C 2.29108300 4.28860700 1.21512600
H 1.14212800 2.61708100 1.76865000
C 2.56154200 4.70145500 -1.23561700
H 1.59789000 3.31679600 -2.50887200
C 2.86359500 5.12914100 0.14295300
H 2.50990200 4.59992200 2.23014800
H 2.97623600 5.31100500 -2.02998600
O -3.54387300 -6.11605600 -0.38910400
O 3.54387300 6.11605600 0.38910700

C	-5.95009500	1.69740000	-0.03719900
C	5.95009600	-1.69740000	0.03719700
F	-6.54871300	1.53866100	1.16218300
F	-6.19194300	2.97007300	-0.42927400
F	-6.58479100	0.89266200	-0.91582100
F	6.54871400	-1.53864800	-1.16218300
F	6.19194300	-2.97007900	0.42925600
F	6.58479000	-0.89267200	0.91582800

EmpiricalDispersion = GD3


DFT Enthalpy = -1904.790730 DFT Free Energy = -1904.895801

O 1

C	-1.47726400	1.06448300	0.01361300
C	-2.36319900	1.02898800	1.09235700
C	-3.72891500	1.21252900	0.90432100
C	-3.34715900	1.53468900	-1.45676200
C	-1.98617900	1.34126900	-1.26102600
H	-1.98763300	0.81936100	2.08726000
H	-4.41047400	1.15728500	1.74306300
H	-3.73449700	1.74237200	-2.44637800
H	-1.32358800	1.38983100	-2.11676700
C	-0.01925400	0.68730000	0.22268400
H	0.19359700	0.75697500	1.28969200
C	0.19682100	-0.83596300	-0.19558000
H	-0.21643800	-0.93724400	-1.20134300
C	1.67436700	-1.18762600	-0.25928000
C	2.22874200	-1.67769900	-1.44271700
C	2.51009000	-1.01050000	0.84938600
C	3.58435000	-1.98190000	-1.52505200
H	1.59640300	-1.82187400	-2.31198600
C	3.86383700	-1.30790900	0.77631100
H	2.10858300	-0.61721600	1.77626300
H	4.00782900	-2.35380400	-2.44924900
H	4.50719100	-1.14902900	1.63229400
C	-0.52867400	-1.74170800	0.75743100
H	0.02200100	-1.98114300	1.66393000
C	0.92768900	1.56008000	-0.54426100
H	0.86782000	1.47318000	-1.62614800
C	-1.78902000	-2.23217500	0.65000700
C	-2.67110000	-1.97531600	-0.48315500
C	-2.34399400	-3.01306900	1.75322300
C	-3.95769400	-2.36719900	-0.48034900
H	-2.28274200	-1.42407200	-1.32934300
C	-3.62501500	-3.42154600	1.76435600
H	-1.68560100	-3.24090700	2.58635700
C	-4.54434400	-3.11493300	0.65051800
H	-4.62726400	-2.14680200	-1.30296900
H	-4.04401400	-3.98768400	2.58801600

C 1.86996000 2.39852000 -0.04824200
 C 2.09686200 2.61776100 1.37609000
 C 2.73790900 3.12389200 -0.97210100
 C 3.06837800 3.43647700 1.81809100
 H 1.45847600 2.11202000 2.09074400
 C 3.71480500 3.94308300 -0.54437000
 H 2.57403300 2.97147200 -2.03467800
 C 3.96262500 4.16387000 0.89271100
 H 3.24168800 3.60564500 2.87457000
 H 4.36409400 4.47508200 -1.22964100
 O -5.71701500 -3.46360100 0.66008000
 O 4.84956900 4.90231000 1.29902500
 C 4.40255800 -1.79393000 -0.41492400
 C -4.22197600 1.45118600 -0.37461700
 C 5.85819300 -2.16583900 -0.47859300
 C -5.70263200 1.53769000 -0.61753400
 F 6.06147900 -3.44162000 -0.07281100
 F 6.61520500 -1.37899600 0.31581100
 F 6.35110300 -2.07127800 -1.73248500
 F -6.19698200 0.34828500 -1.03850700
 F -6.38607500 1.87867100 0.49333200
 F -6.00411900 2.44270000 -1.57553400

QMD X = CO₂H meso



DFT Enthalpy = -1607.689151 DFT Free Energy = -1607.790880

0 1

C -1.49002900 -1.27401500 -0.08494300
 C -2.09648400 -1.83968200 -1.21021600
 C -3.40105400 -2.31856100 -1.15751200
 C -4.12417500 -2.24251400 0.03519000
 C -3.52512200 -1.68279300 1.16786200
 C -2.22388800 -1.20600800 1.10683700
 H -1.54254700 -1.90821500 -2.14034300
 H -3.86074400 -2.75165800 -2.03599200
 H -4.09721800 -1.63091400 2.08577600
 H -1.78005000 -0.77881100 1.99911300
 C -0.05107200 -0.76620600 -0.16676500
 H 0.28043600 -0.89752600 -1.19810900
 C 0.05107000 0.76620500 0.16676500
 H -0.28043700 0.89752500 1.19811000
 C 1.49002700 1.27401300 0.08494200

C 2.09648400 1.83967600 1.21021600
 C 2.22388300 1.20600900 -1.10684000
 C 3.40105400 2.31855400 1.15751000
 H 1.54255000 1.90820600 2.14034300
 C 3.52511700 1.68279300 -1.16786600
 H 1.78004200 0.77881600 -1.99911700
 C 4.12417300 2.24251100 -0.03519400
 H 3.86074800 2.75164800 2.03599000
 H 4.09721100 1.63091700 -2.08578200
 C -0.82340500 1.57321000 -0.75466800
 H -0.64387000 1.40845200 -1.81516300
 C 0.82340100 -1.57321100 0.75466900
 H 0.64386200 -1.40845500 1.81516400
 C -1.76979600 2.48998300 -0.43143300
 C -2.13289300 2.84807400 0.93513700
 C -2.48308500 3.18179600 -1.50214800
 C -3.07582800 3.77168100 1.19656200
 H -1.62423800 2.35697700 1.75614700
 C -3.42904400 4.10527300 -1.25522000
 H -2.22039600 2.92254000 -2.52336000
 C -3.80304600 4.47770700 0.12159200
 H -3.34803800 4.04165000 2.21050600
 H -3.95642400 4.61697300 -2.05187300
 C 1.76979500 -2.48998100 0.43143600
 C 2.13289900 -2.84806800 -0.93513400
 C 2.48308200 -3.18179500 1.50215200
 C 3.07583600 -3.77167200 -1.19655700
 H 1.62424500 -2.35697100 -1.75614400
 C 3.42904400 -4.10526900 1.25522500
 H 2.22038900 -2.92254200 2.52336300
 C 3.80305200 -4.47769900 -0.12158600
 H 3.34805100 -4.04163800 -2.21050100
 H 3.95642200 -4.61697000 2.05187900
 O -4.66007200 5.31741300 0.36360500
 O 4.66008100 -5.31740300 -0.36359700
 C -5.52124500 -2.73978300 0.15484900
 C 5.52124300 2.73977800 -0.15485500
 O -5.99898100 -3.24994600 -1.00586100
 H -6.90382100 -3.54181400 -0.82257400
 O 5.99898300 3.24993200 1.00585700
 H 6.90382400 3.54179800 0.82256900
 O 6.18047100 2.70495700 -1.16554400
 O -6.18047700 -2.70495700 1.16553600

EmpiricalDispersion = GD3

DFT Enthalpy = -1607.754984 DFT Free Energy = -1607.854570


0 1

C 1.39371700 1.13773300 0.03441800

C	2.26708600	1.20325400	-1.05438800
C	3.60507200	1.53611000	-0.88082800
C	4.09147800	1.82097600	0.39722900
C	3.22020500	1.78572000	1.48943400
C	1.88731500	1.44634700	1.30862700
H	1.90242100	0.96297900	-2.04675000
H	4.27721500	1.56220200	-1.72795600
H	3.61113200	2.01480800	2.47296500
H	1.23458200	1.40793000	2.17274200
C	-0.02688500	0.63636900	-0.17070500
H	-0.25005100	0.69232200	-1.23639400
C	-0.11926700	-0.90123600	0.24034100
H	0.27839300	-0.97046100	1.25491900
C	-1.56433800	-1.37095200	0.26808500
C	-2.12130100	-1.85858100	1.45209200
C	-2.37051000	-1.30131900	-0.87526900
C	-3.45172300	-2.26173800	1.50325200
H	-1.50870200	-1.92271800	2.34500900
C	-3.69723100	-1.70019800	-0.83330900
H	-1.96470100	-0.91676900	-1.80422800
C	-4.24810300	-2.18275700	0.35853400
H	-3.87558000	-2.63613900	2.42557200
H	-4.32869000	-1.63992000	-1.71080600
C	0.70328400	-1.73462800	-0.69831700
H	0.20395600	-2.00430100	-1.62564200
C	-1.03935800	1.42371700	0.60472900
H	-0.94546700	1.36298600	1.68587200
C	1.99419200	-2.12547900	-0.55355700
C	2.81050300	-1.82208000	0.61607700
C	2.64696600	-2.84568100	-1.64387400
C	4.11906500	-2.12962700	0.66248400
H	2.35148700	-1.31300800	1.45311300
C	3.95381900	-3.16129600	-1.60943200
H	2.03998500	-3.10575300	-2.50609900
C	4.80374500	-2.80920700	-0.45539300
H	4.73421300	-1.88860000	1.52157000
H	4.44452400	-3.68068600	-2.42425100
C	-2.07192500	2.15614300	0.12054800
C	-2.35650000	2.32636400	-1.29987500
C	-2.98140800	2.81142300	1.05662500
C	-3.41217300	3.04218100	-1.72745200
H	-1.69437300	1.86659700	-2.02365700
C	-4.04176300	3.52786700	0.64338900
H	-2.77622500	2.69410300	2.11650300
C	-4.34550400	3.70031600	-0.78949400
H	-3.62945400	3.17294800	-2.78122300
H	-4.72026500	4.00893200	1.33800700
O	5.99994800	-3.06732500	-0.42356000
O	-5.30694500	4.34788800	-1.18192600
O	-6.39733700	-2.56186600	-0.61830900
O	5.98740900	2.37478500	1.74378000

C	-5.67761700	-2.59514400	0.35036600
C	5.52076400	2.14713400	0.65346100
O	6.26608400	2.15856000	-0.47653900
H	7.17471500	2.35665800	-0.20770600
O	-6.10788800	-3.02322700	1.56255100
H	-7.03891400	-3.26500300	1.45368300

QMD X = Cl meso



DFT Enthalpy = -2149.726820 DFT Free Energy = -2149.820898

0 1

C	-1.08128400	1.63750100	0.09668100
C	-1.48966700	2.36657000	1.21625900
C	-2.60830700	3.19441500	1.17427400
C	-3.32885600	3.29810400	-0.00958200
C	-2.94451600	2.58831600	-1.14304400
C	-1.82454300	1.76625900	-1.08216800
H	-0.92802700	2.29227600	2.14137300
H	-2.91706800	3.75251100	2.04861700
H	-3.51543200	2.67881100	-2.05795700
H	-1.53633100	1.22237700	-1.97488800
C	0.16064300	0.74946800	0.17067400
H	0.51559000	0.77886200	1.20238600
C	-0.16063800	-0.74947500	-0.17067400
H	-0.51558700	-0.77886800	-1.20238500
C	1.08128900	-1.63750800	-0.09668400
C	1.48966300	-2.36658500	-1.21626000
C	1.82455600	-1.76625900	1.08216000
C	2.60830200	-3.19443100	-1.17427800
H	0.92801600	-2.29229600	-2.14137100
C	2.94452800	-2.58831700	1.14303400
H	1.53635100	-1.22237100	1.97487800
C	3.32885900	-3.29811300	0.00957400
H	2.91705600	-3.75253300	-2.04862000
H	3.51545100	-2.67880700	2.05794400
C	-1.22425600	-1.28983400	0.74672300
H	-1.00598300	-1.18704000	1.80798100
C	1.22426300	1.28982600	-0.74672100
H	1.00599700	1.18702200	-1.80797900
C	-2.38628700	-1.90962200	0.42053900
C	-2.83354500	-2.14613700	-0.94738900
C	-3.26259600	-2.38524800	1.48782900

C	-3.99446800	-2.77253100	-1.21307000
H	-2.20842700	-1.81028500	-1.76622600
C	-4.42670100	-3.01042200	1.23685700
H	-2.93900600	-2.21478100	2.51025800
C	-4.88894200	-3.25646300	-0.14137700
H	-4.32975400	-2.95196600	-2.22821900
H	-5.07493200	-3.36145500	2.03132600
C	2.38628900	1.90962200	-0.42053500
C	2.83353600	2.14615200	0.94739500
C	3.26260300	2.38524500	-1.48782200
C	3.99445400	2.77255400	1.21307900
H	2.20841200	1.81030500	1.76623000
C	4.42670300	3.01042600	-1.23684700
H	2.93902000	2.21476800	-2.51025200
C	4.88893400	3.25647800	0.14138700
H	4.32973100	2.95200100	2.22822900
H	5.07493700	3.36145700	-2.03131400
O	-5.94477600	-3.82477300	-0.38758300
O	5.94476100	3.82480100	0.38759600
Cl	-4.73943900	4.33678300	-0.07735400
Cl	4.73944200	-4.33679300	0.07734200

EmpiricalDispersion = GD3


DFT Enthalpy = -2149.787653 DFT Free Energy = -2149.880061

0 1

C	-1.24792300	1.26026000	-0.08474000
C	-2.12062300	1.43934700	0.99071700
C	-3.40405400	1.94339800	0.80545000
C	-2.96552700	2.13175000	-1.56669300
C	-1.68838300	1.62059800	-1.36277400
H	-1.80517300	1.15998900	1.98969600
H	-4.07909600	2.06385000	1.64242400
H	-3.30120000	2.40679800	-2.55806900
H	-1.03888300	1.49745800	-2.22157300
C	0.10366700	0.59865300	0.13741600
H	0.31969700	0.63849200	1.20558500
C	0.02967500	-0.93776800	-0.26372200
H	-0.39063900	-0.97109600	-1.27117700
C	1.41072700	-1.57216100	-0.31361600
C	1.85242100	-2.20613700	-1.47575000
C	2.27258400	-1.52751200	0.78767000
C	3.12054100	-2.77733100	-1.55001900
H	1.19969800	-2.25825200	-2.34065700
C	3.54225100	-2.08903100	0.73227000
H	1.96391800	-1.03315500	1.70192700
H	3.45707800	-3.26646800	-2.45478800
H	4.20861700	-2.04024000	1.58341700
C	-0.86067300	-1.67478400	0.69413500

H -0.37304700 -1.99046500 1.61353700
 C 1.20627200 1.26710300 -0.62790600
 H 1.15107200 1.16188500 -1.70857500
 C -2.18533300 -1.93956900 0.57124200
 C -2.98789900 -1.55708200 -0.58489600
 C -2.88376700 -2.60657300 1.66709100
 C -4.31649900 -1.76392800 -0.62121100
 H -2.49932000 -1.07112300 -1.41916600
 C -4.21075800 -2.82341600 1.64169100
 H -2.29137200 -2.91623400 2.52308800
 C -5.03986700 -2.40839500 0.49343900
 H -4.92056600 -1.46441500 -1.46960700
 H -4.73284300 -3.30863500 2.45807900
 C 2.27110200 1.94285900 -0.13132900
 C 2.50529800 2.15996700 1.29181500
 C 3.26939900 2.48000500 -1.05150800
 C 3.59614400 2.80974900 1.73664500
 H 1.77414000 1.79409200 2.00291700
 C 4.36600200 3.12879900 -0.62084100
 H 3.10184600 2.32844700 -2.11365300
 C 4.62146700 3.34321900 0.81556600
 H 3.77565700 2.97643400 2.79251600
 H 5.11104900 3.52021100 -1.30344900
 O -6.24986700 -2.59025600 0.46339900
 O 5.61686300 3.92614800 1.22475200
 C 3.95728200 -2.71152000 -0.44216000
 C -3.81890100 2.28169000 -0.47771200
 Cl 5.55973000 -3.41936800 -0.52379600
 Cl -5.43822100 2.90243600 -0.72910300

QMD = SH meso



DFT Enthalpy = -2026.894544 DFT Free Energy = -2026.992770

0 1

C -1.10218900 -1.62455300 -0.09853900
 C -1.51297900 -2.36244500 -1.21082200
 C -2.63958800 -3.17764600 -1.16721400
 C -3.38744800 -3.27860300 0.00798800
 C -2.98374100 -2.54897500 1.13171000
 C -1.85789300 -1.73808500 1.07417600
 H -0.94533300 -2.30394500 -2.13384100
 H -2.93066600 -3.73240800 -2.05158000

H	-3.55130200	-2.61450600	2.05306300
H	-1.57273300	-1.18909200	1.96507800
C	0.14955900	-0.75109400	-0.17177700
H	0.50486300	-0.78432300	-1.20339900
C	-0.14956000	0.75109300	0.17177700
H	-0.50486300	0.78432100	1.20340000
C	1.10218800	1.62455200	0.09853800
C	1.51298100	2.36244100	1.21082100
C	1.85788900	1.73808600	-1.07417900
C	2.63959000	3.17764200	1.16721200
H	0.94533700	2.30394000	2.13384100
C	2.98373700	2.54897500	-1.13171500
H	1.57272700	1.18909500	-1.96508200
C	3.38744700	3.27860100	-0.00799200
H	2.93067100	3.73240200	2.05157800
H	3.55129500	2.61450800	-2.05306900
C	-1.20425800	1.30773500	-0.74560300
H	-0.98563200	1.20243900	-1.80661100
C	1.20425600	-1.30773700	0.74560400
H	0.98562700	-1.20244400	1.80661200
C	-2.35612000	1.94809900	-0.42170600
C	-2.80302200	2.18975800	0.94493300
C	-3.22024300	2.44216800	-1.48983500
C	-3.95292800	2.83746800	1.20881700
H	-2.18696100	1.83927100	1.76447200
C	-4.37330100	3.08886300	-1.24078200
H	-2.89697700	2.26797100	-2.51178700
C	-4.83477700	3.34091000	0.13625400
H	-4.28788400	3.02014700	2.22353500
H	-5.01240600	3.45379200	-2.03644300
C	2.35611900	-1.94809900	0.42170800
C	2.80302500	-2.18975500	-0.94493000
C	3.22024000	-2.44216900	1.48983800
C	3.95293300	-2.83746300	-1.20881200
H	2.18696500	-1.83926700	-1.76447000
C	4.37330000	-3.08886300	1.24078700
H	2.89697200	-2.26797500	2.51179000
C	4.83477900	-3.34090600	-0.13624900
H	4.28789100	-3.02013800	-2.22353000
H	5.01240300	-3.45379300	2.03644800
O	-5.88061900	3.92924800	0.38063700
O	5.88062300	-3.92924300	-0.38063100
S	-4.84194700	-4.29476000	0.15533000
H	-4.82173800	-4.78596000	-1.09349400
S	4.84194600	4.29475900	-0.15533500
H	4.82174100	4.78595500	1.09348900

EmpiricalDispersion = GD3


DFT Enthalpy = -2026.956673 DFT Free Energy = -2027.053239

0 1

C -1.25046300 1.24598400 -0.08861000
C -2.13657700 1.40971100 0.97838100
C -3.42395200 1.89421600 0.78311400
C -2.97644700 2.09180900 -1.57591100
C -1.69068700 1.60798000 -1.36576900
H -1.82478100 1.13443800 1.97993200
H -4.09077700 2.00237800 1.63074600
H -3.29122100 2.35059400 -2.58017200
H -1.03437300 1.50012100 -2.22190000
C 0.10278500 0.59152600 0.13829900
H 0.31496700 0.62986800 1.20743200
C 0.04129100 -0.94549800 -0.26757200
H -0.37940600 -0.97761200 -1.27515000
C 1.42675000 -1.56830700 -0.31969000
C 1.87960500 -2.19310100 -1.48171400
C 2.29095500 -1.52285900 0.77987300
C 3.15325000 -2.74957200 -1.55632300
H 1.22941200 -2.24836600 -2.34883100
C 3.56349600 -2.07252200 0.72020900
H 1.97847500 -1.03665900 1.69759200
H 3.47479600 -3.22471400 -2.47578300
H 4.21454600 -2.01328200 1.58500800
C -0.84431300 -1.69125100 0.68736800
H -0.35078700 -2.01861500 1.59953700
C 1.20500100 1.26591200 -0.62163500
H 1.15703600 1.15653500 -1.70227700
C -2.17141700 -1.94959800 0.57304600
C -2.98292100 -1.54814700 -0.56989700
C -2.86409800 -2.62191600 1.66884000
C -4.31485900 -1.73564900 -0.59085100
H -2.49865000 -1.05845300 -1.40428200
C -4.19424000 -2.82148700 1.65777100
H -2.26519400 -2.94841700 2.51404000
C -5.03262600 -2.38111400 0.52602800
H -4.92568800 -1.41575400 -1.42683000
H -4.71223800 -3.30925900 2.47530600
C 2.26066900 1.95417500 -0.12204600
C 2.48551600 2.17802600 1.30110700
C 3.25782500 2.49861300 -1.03838700
C 3.56677900 2.84181300 1.74940600
H 1.75514600 1.80515900 2.00933400
C 4.34498100 3.16137700 -0.60430100
H 3.09784600 2.34098900 -2.10086700
C 4.59039900 3.38410200 0.83229900
H 3.73904900 3.01330900 2.80574000
H 5.08939300 3.55838700 -1.28443100
O -6.24610700 -2.54438600 0.51142600
O 5.57720600 3.98046900 1.24437500
C 4.00909800 -2.69256600 -0.45383600
C -3.86123700 2.23088800 -0.50164300

S	5.65847200	-3.36631700	-0.46234600
S	-5.54113300	2.78940300	-0.69297900
H	5.62052800	-3.87395800	-1.70433200
H	-5.43168300	3.20001900	-1.96633600

QMD X = CH₃ meso



DFT Enthalpy = -1309.062703 DFT Free Energy = -1309.159928

0 1

C	0.53530500	-1.88906800	0.08760700
C	0.71115100	-2.71265600	1.20081500
C	1.53285900	-3.83577100	1.14176000
C	2.20540900	-4.17752200	-0.03331800
C	2.02006600	-3.35636300	-1.15126400
C	1.20116000	-2.23469800	-1.09402200
H	0.19839500	-2.47790400	2.12822100
H	1.65029000	-4.45582400	2.02459300
H	2.52476200	-3.59908700	-2.08096100
H	1.08328000	-1.62797300	-1.98573300
C	-0.37871100	-0.66662700	0.17030200
H	-0.72273300	-0.58997900	1.20334900
C	0.37871100	0.66663500	-0.17030500
H	0.72273800	0.58998300	-1.20334900
C	-0.53530700	1.88907500	-0.08761800
C	-0.71113700	2.71266600	-1.20082500
C	-1.20117800	2.23470100	1.09400300
C	-1.53284500	3.83578100	-1.14177800
H	-0.19836900	2.47791700	-2.12822600
C	-2.02008400	3.35636600	1.15123800
H	-1.08331000	1.62797300	1.98571300
C	-2.20541100	4.17752900	0.03329200
H	-1.65026400	4.45583700	-2.02461000
H	-2.52479300	3.59908600	2.08092900
C	1.55748300	0.85540300	0.74410100
H	1.31782100	0.83257500	1.80547400
C	-1.55748800	-0.85539000	-0.74409700
H	-1.31783500	-0.83254700	-1.80547200
C	2.85555100	1.08132700	0.41819500
C	3.35649200	1.15477800	-0.94880800
C	3.83453400	1.26934300	1.48453300

C 4.65607200 1.38400800 -1.21445500
 H 2.65858500 1.02343000 -1.76702100
 C 5.13678500 1.49639100 1.23360400
 H 3.47218300 1.21820100 2.50696500
 C 5.65553700 1.57127600 -0.14384600
 H 5.03182600 1.44035300 -2.22980400
 H 5.86087600 1.63428800 2.02827100
 C -2.85555300 -1.08132400 -0.41818400
 C -3.35648200 -1.15479600 0.94882100
 C -3.83454300 -1.26933200 -1.48451700
 C -4.65606000 -1.38403400 1.21447700
 H -2.65857000 -1.02345500 1.76703100
 C -5.13679200 -1.49638900 -1.23358100
 H -3.47220100 -1.21817400 -2.50695100
 C -5.65553200 -1.57129400 0.14387300
 H -5.03180500 -1.44039400 2.22982700
 H -5.86088800 -1.63427800 -2.02824300
 O 6.83834300 1.77473400 -0.38959700
 O -6.83833600 -1.77475900 0.38963000
 C 3.12013500 -5.37610700 -0.09414300
 H 2.89878700 -6.08723500 0.70426300
 H 3.02856100 -5.89935200 -1.04920200
 H 4.16776300 -5.07496100 0.01299700
 C -3.12013600 5.37611500 0.09411000
 H -3.02853700 5.89938400 1.04915400
 H -2.89880800 6.08722400 -0.70431800
 H -4.16776600 5.07496700 -0.01299500

EmpiricalDispersion = GD3


DFT Enthalpy = -1309.125970 DFT Free Energy = -1309.217690

0 1

C 1.21035700 -1.24908900 -0.03979000
 C 2.06147500 -1.35424600 1.06567700
 C 3.34992500 -1.85438800 0.93641100
 C 2.96346500 -2.24488400 -1.39209900
 C 1.67607500 -1.72786700 -1.26755800
 H 1.72441400 -0.99753100 2.03324700
 H 4.00100600 -1.88420600 1.80372900
 H 3.30491300 -2.59230200 -2.36171900
 H 1.04722100 -1.67918500 -2.14951900
 C -0.11138900 -0.51306900 0.10676900
 H -0.36347800 -0.48707600 1.16734500
 C 0.03634900 1.02020700 -0.35793500
 H 0.38594300 0.98178000 -1.39199500
 C -1.31400500 1.71336900 -0.33516700
 C -1.89770900 2.16474700 -1.51835400
 C -2.03375700 1.87017400 0.85403000
 C -3.16504600 2.74374900 -1.51775600

H	-1.35896800	2.06012500	-2.45480300
C	-3.29814000	2.44538000	0.85364400
H	-1.61322300	1.52621500	1.79328000
H	-3.59570800	3.08436800	-2.45371000
H	-3.83929700	2.54501800	1.78895100
C	1.04801700	1.70497900	0.50711400
H	0.66717100	2.09828700	1.44630700
C	-1.22770800	-1.14134500	-0.66651200
H	-1.06707000	-1.20690000	-1.73960700
C	2.39067900	1.74591600	0.31226500
C	3.04418200	1.23654000	-0.88541900
C	3.26210900	2.17606700	1.40129300
C	4.36416100	0.98338800	-0.91144900
H	2.43898600	1.02108400	-1.75589900
C	4.58281400	1.91513500	1.39333700
H	2.79829800	2.65459600	2.25890300
C	5.21861500	1.20526900	0.26717700
H	4.85023400	0.56578400	-1.78496400
H	5.22833100	2.17227200	2.22503100
C	-2.42334800	-1.58212800	-0.20263000
C	-2.81803400	-1.54641100	1.20011100
C	-3.40423600	-2.10812400	-1.14669300
C	-4.03359500	-1.95990900	1.60306700
H	-2.10925600	-1.17643100	1.93050900
C	-4.62460100	-2.52058700	-0.75864400
H	-3.11788700	-2.14757600	-2.19352700
C	-5.04256600	-2.47138200	0.65421800
H	-4.33296100	-1.93426300	2.64453200
H	-5.35586700	-2.90254800	-1.46140700
O	6.38139500	0.81499200	0.31078700
O	-6.15484700	-2.83035600	1.02147500
C	-3.89124200	2.88790900	-0.33428200
C	3.83631700	-2.28630300	-0.30273200
C	-5.28297800	3.47016800	-0.33125900
H	-5.44018900	4.12199700	0.53188800
H	-5.47606800	4.05158500	-1.23518000
H	-6.03472500	2.67538200	-0.28105500
C	5.27317200	-2.71747300	-0.44908600
H	5.55729000	-3.42933000	0.33071900
H	5.45723300	-3.18378600	-1.41906500
H	5.93513900	-1.84920700	-0.35657600

QMD X = SMe meso



DFT Enthalpy = -2105.479594 DFT Free Energy = -2105.584340

0 1
C -1.62232500 -1.10970000 0.01792800
C -2.33024000 -1.67834000 -1.04024500
C -3.67552500 -2.02272300 -0.91970900
C -4.35121500 -1.80679500 0.28356200
C -3.64616200 -1.23957100 1.35624400
C -2.30875900 -0.90132800 1.22235200
H -1.82785900 -1.86121800 -1.98483100
H -4.18196200 -2.45795300 -1.77068800
H -4.15279800 -1.06316700 2.29869900
H -1.79842000 -0.46769600 2.07571500
C -0.14374300 -0.75884300 -0.13976500
H 0.12484300 -0.95466800 -1.17956800
C 0.14374000 0.75884200 0.13976600
H -0.12484400 0.95466600 1.17956900
C 1.62232200 1.10969900 -0.01793000
C 2.33024200 1.67833200 1.04024400
C 2.30875200 0.90133300 -1.22235700
C 3.67552600 2.02271500 0.91970400
H 1.82786300 1.86120600 1.98483300
C 3.64615500 1.23957500 -1.35625200
H 1.79841000 0.46770600 -2.07572100
C 4.35121200 1.80679300 -0.28357000
H 4.18196700 2.45794000 1.77068400
H 4.15278700 1.06317600 -2.29871000
C -0.67759900 1.63201500 -0.76903200
H -0.56196100 1.41922800 -1.83016900
C 0.67759300 -1.63201700 0.76903500
H 0.56194900 -1.41923200 1.83017200
C -1.50049900 2.66024800 -0.44064100
C -1.76590700 3.09312100 0.92587600
C -2.17231100 3.40150100 -1.50374700
C -2.58693000 4.12554900 1.19393300
H -1.28406000 2.56759500 1.74173600
C -2.99728600 4.43366600 -1.25034700
H -1.98164300 3.08786500 -2.52578800
C -3.27177400 4.88209200 0.12654400
H -2.78594200 4.45071300 2.20877900
H -3.49452300 4.98141600 -2.04249700

C	1.50049800	-2.66024600	0.44064600
C	1.76591500	-3.09311600	-0.92587000
C	2.17230500	-3.40150000	1.50375400
C	2.58694200	-4.12554100	-1.19392400
H	1.28407100	-2.56758900	-1.74173100
C	2.99728400	-4.43366300	1.25035700
H	1.98162900	-3.08786800	2.52579500
C	3.27178500	-4.88208200	-0.12653300
H	2.78596100	-4.45070300	-2.20877000
H	3.49451600	-4.98141400	2.04250900
O	-4.01850600	5.82084900	0.37450700
O	4.01851500	-5.82084100	-0.37449400
S	-6.05783600	-2.19889700	0.57367500
S	6.05783200	2.19889400	-0.57368600
C	-6.61442600	-2.89446900	-1.00881000
H	-6.06686700	-3.80346400	-1.26055300
H	-7.66506700	-3.14513000	-0.85949400
H	-6.53711400	-2.16395900	-1.81495100
C	6.61442800	2.89445600	1.00880100
H	7.66506900	3.14511700	0.85948300
H	6.06687200	3.80345100	1.26055200
H	6.53711900	2.16394200	1.81493800


EmpiricalDispersion = GD3

DFT Enthalpy = -2105.548399 DFT Free Energy = -2105.647832

0 1			
C	-1.53844500	1.14288800	0.25044000
C	-2.39576100	1.03564200	1.35088200
C	-3.73506700	1.38166700	1.26069600
C	-3.41300000	1.99681000	-1.04503600
C	-2.07181000	1.63734000	-0.94158900
H	-2.01484400	0.64625000	2.28882900
H	-4.37842300	1.26435900	2.12558600
H	-3.78020400	2.37340200	-1.98992700
H	-1.44665300	1.73356600	-1.82264000
C	-0.11800200	0.62231500	0.34394500
H	0.12765100	0.48101100	1.39726800
C	-0.01422500	-0.83893500	-0.33655800
H	-0.47249200	-0.73897600	-1.32239200
C	1.44238100	-1.22205700	-0.52936200
C	2.00343300	-1.23011400	-1.81015100
C	2.29921400	-1.41346100	0.55562100
C	3.37281300	-1.35834600	-1.99728700
H	1.36332600	-1.09301200	-2.67597500
C	3.67305000	-1.54294000	0.38345300
H	1.90647100	-1.40793900	1.56681700
H	3.78351100	-1.32324400	-3.00030500
H	4.30251100	-1.65027600	1.25615900

C	-0.77264700	-1.82964100	0.48974800
H	-0.21536600	-2.26087500	1.31744800
C	0.89948400	1.51214900	-0.29828300
H	0.71562900	1.75338300	-1.34191900
C	-2.07296300	-2.19941500	0.36556900
C	-2.96680300	-1.69648600	-0.67040700
C	-2.65058700	-3.11704600	1.34341500
C	-4.27417800	-2.01265300	-0.68980200
H	-2.56718900	-1.02874900	-1.42163800
C	-3.95502600	-3.44578700	1.33214200
H	-1.98793600	-3.52050100	2.10360500
C	-4.87939900	-2.90657200	0.31625000
H	-4.94695600	-1.62276400	-1.44454300
H	-4.38839100	-4.11585100	2.06551800
C	2.09180500	1.90490900	0.21645100
C	2.50636500	1.65235500	1.59061700
C	3.08805000	2.49524700	-0.67036200
C	3.78468200	1.80844900	1.97924800
H	1.76212500	1.32297700	2.30580500
C	4.37708400	2.62391800	-0.30471100
H	2.77139200	2.76229300	-1.67392300
C	4.83893900	2.20247700	1.02729500
H	4.10772400	1.60658300	2.99401900
H	5.13675200	2.99292500	-0.98329100
O	-6.07139100	-3.18776400	0.30380700
O	6.02955500	2.15388100	1.32549000
C	4.23294500	-1.48813000	-0.89710100
C	-4.26700700	1.86092000	0.05465500
C	6.73878400	-1.22523000	0.38402500
H	6.54853300	-2.02885300	1.09661900
H	7.81066600	-1.18116400	0.18704500
H	6.41515400	-0.26216800	0.77992100
C	-6.32207200	2.69585400	-1.68485400
H	-6.08935200	1.86718000	-2.35552200
H	-7.39133000	2.90338700	-1.73655700
H	-5.77329300	3.59163200	-1.97950000
S	5.97362500	-1.56745600	-1.23302000
S	-5.99715900	2.25056400	0.04648500

QMD X = OMe meso



DFT Enthalpy = -1459.502742 DFT Free Energy = -1459.604345

0 1

C	1.14748100	-1.59625800	-0.01679100
C	1.62996000	-2.35864300	1.04468700
C	2.78049900	-3.13993400	0.92754500
C	3.47265500	-3.17120200	-0.28464100
C	2.99717100	-2.41469100	-1.36419600
C	1.85483600	-1.64478700	-1.22799300
H	1.10228900	-2.35078800	1.99307400
H	3.12014100	-3.71234600	1.77999900
H	3.54555400	-2.44896300	-2.29757600
H	1.51303600	-1.07273900	-2.08398200
C	-0.12270600	-0.76198100	0.14222300
H	-0.43925300	-0.85131100	1.18325600
C	0.12260500	0.76211600	-0.14221000
H	0.43924000	0.85142800	-1.18321600
C	-1.14759600	1.59639500	0.01668600
C	-1.62985200	2.35894400	-1.04477700
C	-1.85517300	1.64478400	1.22776400
C	-2.78038500	3.14025900	-0.92774000
H	-1.10200300	2.35120400	-1.99306600
C	-2.99750500	2.41470900	1.36386100
H	-1.51355800	1.07259800	2.08373500
C	-3.47276300	3.17138600	0.28432200
H	-3.11984800	3.71280200	-1.78017800
H	-3.54606200	2.44886800	2.29714300
C	1.19542300	1.30410500	0.76174000
H	1.01658100	1.14656300	1.82379300
C	-1.19561700	-1.30393600	-0.76164000
H	-1.01699300	-1.14617800	-1.82369700
C	2.31987800	1.98840400	0.43001500
C	2.71581700	2.29992700	-0.93765100
C	3.20568200	2.45886500	1.49028000
C	3.84062900	2.98793600	-1.20930300
H	2.08215800	1.96810800	-1.75145400
C	4.33411100	3.14540700	1.23336100
H	2.92012600	2.23324200	2.51348000
C	4.74460500	3.46728500	-0.14491200
H	4.13771800	3.22168900	-2.22537000
H	4.98947000	3.49275100	2.02374900
C	-2.31992800	-1.98843100	-0.42983000
C	-2.71556500	-2.30025800	0.93785400
C	-3.20587900	-2.45880000	-1.49001200
C	-3.84024300	-2.98845000	1.20959500
H	-2.08178000	-1.96852900	1.75159600
C	-4.33417800	-3.14552200	-1.23300400
H	-2.92054700	-2.23295100	-2.51322500
C	-4.74436900	-3.46770400	0.14528800
H	-4.13710500	-3.22243500	2.22567500
H	-4.98964900	-3.49279500	-2.02333000

O 5.76853100 4.09153600 -0.39603200
 O -5.76817400 -4.09212000 0.39649000
 O 4.60108600 -3.89317200 -0.51913200
 O -4.60121100 3.89336500 0.51870400
 C 5.13845500 -4.67757000 0.53801400
 H 6.02615700 -5.15683400 0.12935100
 H 5.42461500 -4.05536100 1.39306400
 H 4.43068600 -5.44665400 0.86635600
 C -5.13835600 4.67792800 -0.53843300
 H -5.42437800 4.05584900 -1.39362300
 H -6.02611800 5.15716600 -0.12986800
 H -4.43050000 5.44703500 -0.86653500

EmpiricalDispersion = GD3


DFT Enthalpy = -1459.568078 DFT Free Energy = -1459.665671

0 1

C -1.27854200 1.25195100 0.02068400
 C -2.13099800 1.44452000 1.11509400
 C -3.41406700 1.93888700 0.95294000
 C -3.04665700 2.09360800 -1.42807800
 C -1.75901200 1.59086300 -1.24420800
 H -1.78911000 1.18254300 2.11063500
 H -4.07842400 2.07457100 1.79713200
 H -3.37941900 2.34220700 -2.42643000
 H -1.13360100 1.45584800 -2.11979000
 C 0.08165200 0.60268700 0.22178600
 H 0.31445000 0.64331700 1.28664900
 C 0.03614700 -0.93446600 -0.18243500
 H -0.36922600 -0.96990500 -1.19616100
 C 1.42847600 -1.54308200 -0.21266000
 C 1.93121000 -2.10960500 -1.37993100
 C 2.25855100 -1.52770200 0.91826800
 C 3.22002900 -2.64351400 -1.44174600
 H 1.31063400 -2.13909800 -2.26988400
 C 3.53869500 -2.05001900 0.87748200
 H 1.90711500 -1.08524400 1.84421500
 H 3.57076400 -3.07299400 -2.37008000
 H 4.18609400 -2.02874400 1.74526200
 C -0.86093200 -1.68148000 0.75884300
 H -0.38649400 -1.99307000 1.68651900
 C 1.16236400 1.28737900 -0.55835900
 H 1.06956900 1.21143700 -1.63903700
 C -2.18107900 -1.96052800 0.61478600
 C -2.96629900 -1.58728800 -0.55484400
 C -2.89227500 -2.63523000 1.69639900
 C -4.29140800 -1.81218300 -0.61644400
 H -2.46806800 -1.09356200 -1.37830500
 C -4.21650100 -2.86796100 1.64634300

H -2.31295400 -2.93671100 2.56427000
 C -5.02860900 -2.46352100 0.48332200
 H -4.88217200 -1.52282100 -1.47779800
 H -4.74792400 -3.35795600 2.45388800
 C 2.24516400 1.95129800 -0.08369400
 C 2.53441000 2.12917500 1.33375200
 C 3.20545100 2.51737900 -1.02527000
 C 3.63889300 2.77310700 1.75434700
 H 1.83516100 1.73478800 2.06122600
 C 4.31512200 3.16085800 -0.61924900
 H 2.99766500 2.39419500 -2.08411500
 C 4.62479000 3.33793400 0.81102400
 H 3.85914200 2.90871200 2.80698500
 H 5.03141700 3.57535200 -1.31900500
 O -6.23692000 -2.65922000 0.42971900
 O 5.63359600 3.91614500 1.19668400
 C 4.03310300 -2.61362400 -0.30706700
 C -3.88724800 2.26332500 -0.32411300
 O 5.30299800 -3.09669700 -0.24385500
 O -5.16141900 2.73260900 -0.38060300
 C 5.87250600 -3.66571400 -1.41614000
 H 5.92869100 -2.93423700 -2.23056800
 H 6.87945100 -3.97201200 -1.13826300
 H 5.30731900 -4.54267900 -1.75250200
 C -5.72231100 3.02848200 -1.65352600
 H -5.74515900 2.14117000 -2.29659800
 H -6.74157000 3.35729700 -1.45921300
 H -5.17313900 3.83168800 -2.15842900

QMD X = OH meso



DFT Enthalpy = -1380.940993 DFT Free Energy = -1381.033355

0 1

C	-0.44988200	-1.91269300	-0.08317700
C	-0.57848700	-2.75417000	-1.18915400
C	-1.34157800	-3.91756500	-1.13197000
C	-1.99287100	-4.26493300	0.05174600
C	-1.87138000	-3.43811800	1.17156600
C	-1.10819400	-2.28208600	1.09784300
H	-0.07541700	-2.50285700	-2.11715100
H	-1.42837000	-4.55331900	-2.00819900
H	-2.38222200	-3.71777200	2.08467000

H	-1.02980800	-1.66044800	1.98331900
C	0.40646300	-0.64979500	-0.16876800
H	0.74677900	-0.56064500	-1.20225400
C	-0.40646500	0.64978600	0.16876700
H	-0.74677700	0.56063800	1.20225300
C	0.44988000	1.91268400	0.08317000
C	0.57849900	2.75415700	1.18914800
C	1.10818000	2.28207900	-1.09785600
C	1.34159100	3.91755200	1.13195900
H	0.07543900	2.50284200	2.11715000
C	1.87136600	3.43811100	-1.17158400
H	1.02978200	1.66044500	-1.98333400
C	1.99287100	4.26492200	-0.05176300
H	1.42839400	4.55330200	2.00819000
H	2.38219800	3.71776800	-2.08469300
C	-1.59332000	0.78634700	-0.74497000
H	-1.35338200	0.76716400	-1.80650700
C	1.59331500	-0.78635900	0.74497200
H	1.35337100	-0.76719100	1.80650900
C	-2.89860700	0.96836000	-0.41994000
C	-3.40162100	1.03017100	0.94677500
C	-3.88338100	1.12018200	-1.48657100
C	-4.70766600	1.21982600	1.21209400
H	-2.70001000	0.92223900	1.76534900
C	-5.19202900	1.30789700	-1.23616200
H	-3.51983200	1.07648100	-2.50895900
C	-5.71241400	1.37392400	0.14109900
H	-5.08502500	1.26678300	2.22731500
H	-5.92020000	1.42007400	-2.03114700
C	2.89860500	-0.96836000	0.41994700
C	3.40162700	-1.03015200	-0.94676600
C	3.88337400	-1.12019000	1.48658200
C	4.70767400	-1.21979700	-1.21208000
H	2.70002000	-0.92221400	-1.76534200
C	5.19202400	-1.30789500	1.23617800
H	3.51981900	-1.07650300	2.50896800
C	5.71241800	-1.37390300	-0.14108100
H	5.08503900	-1.26674000	-2.22729900
H	5.92019200	-1.42007700	2.03116600
O	-6.90036800	1.54518200	0.38643000
O	6.90037400	-1.54515200	-0.38640700
O	2.75457300	5.38781700	-0.17999300
H	2.76499100	5.86660000	0.65531200
O	-2.75457300	-5.38782800	0.17997100
H	-2.76498200	-5.86661300	-0.65533300

EmpiricalDispersion = GD3


DFT Enthalpy = -1381.000264 DFT Free Energy = -1381.091363

0 1

C	0.98621400	-1.45514500	-0.12178100
C	1.79376300	-1.82460000	0.95893700
C	2.94317800	-2.58161400	0.78271900
C	2.51278000	-2.64689800	-1.59011500
C	1.36575600	-1.88336800	-1.39666700
H	1.52841100	-1.49762700	1.95848700
H	3.57247400	-2.85549000	1.62012800
H	2.78812200	-2.97049200	-2.58945100
H	0.77051400	-1.61805800	-2.26314200
C	-0.20931600	-0.54079400	0.09761700
H	-0.43444400	-0.54143100	1.16493700
C	0.14792600	0.95489100	-0.29947300
H	0.55687700	0.91145900	-1.31152900
C	-1.08775500	1.84010400	-0.33203300
C	-1.42736700	2.54160300	-1.48783600
C	-1.92713600	1.96631500	0.78290000
C	-2.56745400	3.34077000	-1.54154300
H	-0.79395900	2.46741600	-2.36579600
C	-3.06597600	2.75555000	0.74612300
H	-1.70018200	1.42672700	1.69600500
H	-2.81282600	3.87804500	-2.45277300
H	-3.72025200	2.84308400	1.60445400
C	1.17327500	1.50257500	0.64873400
H	0.76540800	1.89991900	1.57540300
C	-1.41540700	-0.98593000	-0.67316800
H	-1.33210600	-0.89503300	-1.75351600
C	2.52284900	1.51564900	0.50932300
C	3.22304400	0.99486000	-0.65814200
C	3.34907100	2.04054800	1.59244700
C	4.56672100	0.96258600	-0.71873400
H	2.63997400	0.60166400	-1.48027300
C	4.69330000	2.01676600	1.54305300
H	2.83727200	2.44772800	2.45959000
C	5.41398200	1.46551100	0.38000900
H	5.09234100	0.56260200	-1.57802000
H	5.30802700	2.39704500	2.35058600
C	-2.59239600	-1.45236200	-0.18800300
C	-2.87870700	-1.61810800	1.23165900
C	-3.66120300	-1.80129900	-1.11822700
C	-4.07405400	-2.05969500	1.66458500
H	-2.10235100	-1.38421500	1.95029400
C	-4.86179800	-2.24128700	-0.69974600
H	-3.45723400	-1.68519100	-2.17860400
C	-5.16772500	-2.40323600	0.73321800
H	-4.29273000	-2.18579400	2.71872700
H	-5.65753900	-2.49408500	-1.39067400
O	6.63727200	1.43041400	0.32562700
O	-6.25716000	-2.79759200	1.13055000
C	-3.39317500	3.44973900	-0.42240400
C	3.31164900	-2.99545300	-0.49870400

O	-4.52487800	4.20957000	-0.40113000
H	-4.64932100	4.62894600	-1.25867200
O	4.44974800	-3.73501400	-0.61540400
H	4.60942500	-3.94230200	-1.54179200

QMD X = 3,4-dioxyl meso



DFT Enthalpy = -1607.581059 DFT Free Energy = -1607.680065

0 1

C	-1.14158000	-1.54577800	-0.37646800
C	-1.97125200	-1.76662700	0.74453400
C	-3.11972400	-2.49896200	0.55375600
C	-3.46810500	-3.01977600	-0.68971700
C	-2.67337800	-2.82832500	-1.79642500
C	-1.49863900	-2.07865500	-1.61465000
H	-1.72977800	-1.38247800	1.72743100
H	-2.94230200	-3.23942300	-2.76061400
H	-0.85369700	-1.91111400	-2.46974600
C	0.14741500	-0.73590600	-0.24018400
H	0.59180300	-0.67133700	-1.23479800
C	-0.12490600	0.73313400	0.24713600
H	-0.57257900	0.66742000	1.24018200
C	1.16271900	1.54426300	0.38817200
C	2.00182400	1.75788100	-0.72725500
C	1.50547200	2.09160000	1.62407800
C	3.14091900	2.50440700	-0.53505700
H	1.77655200	1.35437000	-1.70623000
C	2.67405000	2.85011100	1.80865300
H	0.85166900	1.93244100	2.47402300
C	3.47453200	3.04020700	0.70580400
H	2.93675200	3.26470200	2.77305300
C	-1.07060100	1.43356200	-0.68918900
H	-0.74884900	1.45633100	-1.72863600
C	1.09681600	-1.43469800	0.69387300
H	0.78983400	-1.43856900	1.73798500
C	-2.24140100	2.05727500	-0.40198400
C	-2.82316000	2.13478600	0.93244100
C	-2.98721900	2.70118600	-1.47909600
C	-3.99071300	2.76522100	1.15941800
H	-2.29545400	1.67353500	1.75858000
C	-4.15642900	3.33238600	-1.26707400
H	-2.56167200	2.65234600	-2.47701300

C -4.75697700 3.41339400 0.07643000
 H -4.42563800 2.82524000 2.15063100
 H -4.70818800 3.80755600 -2.06994500
 C 2.25473800 -2.07830100 0.39884900
 C 2.81526500 -2.18326600 -0.94282000
 C 3.00714700 -2.71776500 1.47408400
 C 3.96920400 -2.83515900 -1.17813900
 H 2.28212500 -1.72585300 -1.76765000
 C 4.16297300 -3.37025600 1.25370800
 H 2.59772700 -2.64778100 2.47746300
 C 4.74110800 -3.48078200 -0.09753500
 H 4.38833900 -2.91575300 -2.17466000
 H 4.71958400 -3.84236800 2.05501800
 O -5.82296000 3.97973900 0.28567500
 O 5.79365700 -4.06865200 -0.31483300
 O 4.66660600 3.70906000 0.61472300
 O 4.11034600 2.81973000 -1.44988100
 C 5.00204900 3.72235200 -0.77931800
 H 4.86308500 4.73370400 -1.17818600
 H 6.02904700 3.37886700 -0.90845700
 O -4.63891100 -3.72389300 -0.58262600
 O -4.05950500 -2.85915300 1.48355400
 C -5.13030000 -3.45499900 0.73710200
 H -5.96835600 -2.75062500 0.67810900
 H -5.42494800 -4.39091400 1.21180600

EmpiricalDispersion = GD3


DFT Enthalpy = -1607.648314 DFT Free Energy = -1607.741131

0 1

C 1.49036900 1.19673200 -0.44979200
 C 2.24657300 1.05591700 -1.61245200
 C 3.58511700 1.47324100 -1.69105800
 C 3.38429400 2.18551100 0.60800800
 C 2.07160600 1.78590300 0.69444100
 H 1.79738300 0.58759700 -2.48034300
 H 4.16821100 1.35382800 -2.59430900
 H 1.52828100 1.90872900 1.62244200
 C 0.08983600 0.61730700 -0.39351200
 H -0.21061700 0.35646300 -1.40881200
 C 0.08132900 -0.76417900 0.44160600
 H 0.57006800 -0.54202000 1.39163900
 C -1.34860000 -1.18516900 0.73462800
 C -1.85032700 -1.07399100 2.02968900
 C -2.21920900 -1.51092900 -0.32620300
 C -3.21760600 -1.23410500 2.31718400
 H -1.17453100 -0.82285600 2.83948100
 C -3.55752500 -1.63715200 -0.03918200
 H -1.87674400 -1.59085700 -1.34942000

H -3.60474500 -1.13213700 3.32231700
 C 0.85472200 -1.79973600 -0.31115200
 H 0.29555000 -2.32308200 -1.08268500
 C -0.91974000 1.54534800 0.20892700
 H -0.66213100 1.94662100 1.18542400
 C 2.17147600 -2.10698100 -0.19202100
 C 3.06476700 -1.48839600 0.77928400
 C 2.76532600 -3.07976300 -1.10409200
 C 4.38332400 -1.75558500 0.79646700
 H 2.65240300 -0.78431800 1.48926800
 C 4.08242000 -3.35486200 -1.09851200
 H 2.10405000 -3.56981700 -1.81277500
 C 5.00515900 -2.69754000 -0.15395300
 H 5.05280400 -1.29161400 1.51172900
 H 4.52720400 -4.06455300 -1.78632800
 C -2.16703800 1.81584500 -0.25269200
 C -2.68426000 1.33607500 -1.52812500
 C -3.11425100 2.50166000 0.61910500
 C -3.99962900 1.36307500 -1.81088800
 H -1.98734200 0.93306800 -2.25270800
 C -4.43531000 2.51580300 0.35908800
 H -2.72759600 2.94445600 1.53195500
 C -4.98614400 1.84861700 -0.83175200
 H -4.39640900 0.97612600 -2.74170300
 H -5.15336100 2.96226900 1.03667100
 O 6.20951700 -2.92210900 -0.15217600
 O -6.19338000 1.67569500 -0.98690800
 C -4.05380600 -1.49167100 1.25479100
 C 4.13013300 2.03178300 -0.55807100
 O 4.15534600 2.78095400 1.57278700
 O 5.39064000 2.53392700 -0.36768400
 C 5.48991500 2.78288500 1.04018800
 H 6.07018700 1.98007400 1.51237000
 H 5.94395900 3.75970000 1.20514800
 O -5.41278600 -1.64302600 1.24723000
 O -4.58668600 -1.866672100 -0.90718700
 C -5.79383600 -1.67722800 -0.13993900
 H -6.25262700 -0.72396400 -0.42031100
 H -6.45973600 -2.52397200 -0.30761200

QMD X = NH₂ meso



DFT Enthalpy = -1341.177010 DFT Free Energy = -1341.270344

0 1

C	0.40173200	-1.92467800	0.08518500
C	0.47397400	-2.79254800	1.17836100
C	1.19959600	-3.97558200	1.12476300
C	1.88359100	-4.34221900	-0.04389500
C	1.81042500	-3.47818400	-1.14840500
C	1.08216800	-2.29906900	-1.07964900
H	-0.04855800	-2.54138600	2.09610000
H	1.24295700	-4.62154200	1.99579800
H	2.33580700	-3.73435300	-2.06279800
H	1.05032500	-1.66349600	-1.95846500
C	-0.42050000	-0.63943400	0.16873800
H	-0.76053900	-0.54213500	1.20174800
C	0.42050100	0.63942700	-0.16873700
H	0.76053700	0.54213000	-1.20174800
C	-0.40173100	1.92467100	-0.08517900
C	-0.47398600	2.79253800	-1.17835600
C	-1.08215400	2.29906400	1.07966200
C	-1.19960800	3.97557100	-1.12475300
H	0.04853600	2.54137400	-2.09610000
C	-1.81041200	3.47817900	1.14842400
H	-1.05030000	1.66349300	1.95848000
C	-1.88359100	4.34221000	0.04391200
H	-1.24298000	4.62152800	-1.99578900
H	-2.33578400	3.73435000	2.06282200
C	1.60865200	0.74976800	0.74644900
H	1.36793700	0.71566000	1.80755400
C	-1.60864800	-0.74977900	-0.74645200
H	-1.36792800	-0.71568300	-1.80755600
C	2.91584100	0.92856100	0.42496800
C	3.41882200	1.00876800	-0.94015300
C	3.90169400	1.05678800	1.49268900
C	4.72626400	1.19457000	-1.20315800
H	2.71574400	0.91903600	-1.75969600
C	5.21190700	1.23982900	1.24469300
H	3.53861800	0.99764800	2.51450100
C	5.73235100	1.32501100	-0.13094300
H	5.10323900	1.25583500	-2.21782900
H	5.94104800	1.33309800	2.04128300
C	-2.91584000	-0.92856200	-0.42497500
C	-3.41882700	-1.00875200	0.94014400
C	-3.90168800	-1.05679600	-1.49269900
C	-4.72627100	-1.19454600	1.20314400
H	-2.71575300	-0.91901500	1.75969000
C	-5.21190300	-1.23982800	-1.24470800
H	-3.53860600	-0.99766800	-2.51451100
C	-5.73235400	-1.32499300	0.13092600
H	-5.10325200	-1.25579800	2.21781500
H	-5.94104100	-1.33310300	-2.04130100
O	6.92187300	1.49285400	-0.37432200
O	-6.92187800	-1.49282900	0.37430100

N	-2.66058700	5.49411400	0.08794200
H	-2.85074800	5.86389300	1.00702000
H	-2.42201100	6.21336600	-0.57793200
N	2.66058600	-5.49412300	-0.08792000
H	2.42200200	-6.21337700	0.57795000
H	2.85075800	-5.86389900	-1.00699700

EmpiricalDispersion = GD3

DFT Enthalpy = -1341.237922 DFT Free Energy = -1341.330041


0 1

C	0.96684700	-1.41095800	-0.18738800
C	1.81528400	-1.79106500	0.85526400
C	2.96870400	-2.52777200	0.62432900
C	2.45744000	-2.56015700	-1.72738800
C	1.31009100	-1.81936300	-1.48130800
H	1.58318400	-1.48439800	1.86973400
H	3.61698900	-2.78860200	1.45431500
H	2.70151400	-2.85518800	-2.74290100
H	0.68075900	-1.54935100	-2.32238200
C	-0.21827800	-0.49773600	0.07925900
H	-0.41514600	-0.51302100	1.15239600
C	0.13325200	1.00253300	-0.30773700
H	0.55722500	0.96424700	-1.31398500
C	-1.10335600	1.88484800	-0.35540400
C	-1.40294300	2.63204600	-1.49590200
C	-1.98652900	1.97299100	0.72686500
C	-2.53815800	3.43084900	-1.56555000
H	-0.73508200	2.59149600	-2.35078700
C	-3.12418200	2.76366700	0.67225200
H	-1.79700100	1.40024900	1.62868200
H	-2.74723200	3.99436300	-2.46922000
H	-3.79937100	2.79680000	1.52112600
C	1.14275900	1.54892800	0.65767600
H	0.71537000	1.96157200	1.56895900
C	-1.44682200	-0.92938200	-0.66386100
H	-1.41986400	-0.76331200	-1.73804900
C	2.49632500	1.54038000	0.55592600
C	3.22210000	0.99171900	-0.58248900
C	3.29851600	2.05930300	1.65939600
C	4.56582800	0.91835600	-0.59435200
H	2.65761700	0.60348900	-1.41975100
C	4.64260700	1.99651000	1.65776700
H	2.76854500	2.49252500	2.50282200
C	5.38715200	1.40507700	0.52994100
H	5.10763500	0.48675100	-1.42772100
H	5.23964500	2.37034800	2.48157100
C	-2.58095100	-1.47310100	-0.15612400
C	-2.78539700	-1.74676200	1.26031600

C	-3.68461700	-1.79675900	-1.05282900
C	-3.94058500	-2.26228100	1.72103800
H	-1.97891100	-1.53586400	1.95263600
C	-4.84619200	-2.30927200	-0.60597400
H	-3.54225000	-1.59826500	-2.11098900
C	-5.07026700	-2.58051000	0.82489900
H	-4.09791700	-2.47003200	2.77329000
H	-5.66884700	-2.54187200	-1.27207100
O	6.61033200	1.32529400	0.52666200
O	-6.12431700	-3.03997300	1.24919900
C	-3.42298300	3.51042200	-0.47998000
C	3.31730600	-2.92103200	-0.67685200
N	-4.59519100	4.25466700	-0.56351400
H	-5.00743200	4.52873400	0.31547700
H	-4.59567400	5.00262200	-1.24046300
N	4.50662900	-3.59250100	-0.92899500
H	4.92742400	-4.06549800	-0.14402800
H	4.54292700	-4.13437400	-1.77873300

Trans-4-hydroxy stilbenes

trans-4-hydroxystilbene X = H



DFT Enthalpy = -615.853301 DFT Free Energy = -615.908611


CBS-QB3 Enthalpy = -614.799749 CBS-QB3 Free Energy = -614.855267

0 1

C	-1.45801200	0.24162400	0.00318000
C	-2.04035300	-1.03545500	0.07324600
C	-3.41735400	-1.20375100	0.06903200
C	-4.26343200	-0.09241400	-0.00425000
C	-3.71103500	1.18691600	-0.07133400
C	-2.33264700	1.34105000	-0.06629800
H	-1.41240300	-1.91609000	0.13658600
H	-3.84086800	-2.20272800	0.12547200
H	-4.37363100	2.04199700	-0.12618300
H	-1.91591000	2.34157200	-0.11925900
C	-0.01446500	0.47987300	0.00049700
H	0.26054200	1.53148400	-0.01401000
C	0.96628800	-0.44117900	0.00562700
H	0.69489900	-1.49388000	0.00184100
C	2.41058700	-0.19511800	0.00539700
C	3.28384700	-1.29398100	-0.06732800
C	2.98303800	1.08837900	0.07617800
C	4.66452800	-1.12421100	-0.07537600
H	2.86663400	-2.29453300	-0.12017800
C	4.36085000	1.25846400	0.06786000

H	2.34619700	1.96248100	0.14376500
C	5.21164000	0.15433200	-0.00869200
H	5.31296800	-1.99147400	-0.13343800
H	4.77681000	2.25850000	0.12415100
H	6.28684800	0.29190700	-0.01375500
O	-5.62401300	-0.19857500	-0.01127900
H	-5.87086300	-1.12781000	0.03879700

trans-4-hydroxystilbene X = NO₂




DFT Enthalpy = -820.406261 DFT Free Energy = -820.467850

CBS-QB3 Enthalpy = -819.091596 CBS-QB3 Free Energy = -819.153435

0 1

C	-2.68222900	0.22835700	0.00000300
C	-3.29710000	-1.03605100	0.00011700
C	-4.67693800	-1.16670400	0.00011000
C	-5.49261300	-0.02911500	-0.00001100
C	-4.90670000	1.23805600	-0.00012200
C	-3.52583700	1.35476700	-0.00011200
H	-2.69295100	-1.93528000	0.00022000
H	-5.12776000	-2.15495100	0.00020100
H	-5.54690900	2.11150700	-0.00021200
H	-3.08199300	2.34483300	-0.00019900
C	-1.23636700	0.42791800	0.00000000
H	-0.93453900	1.47206100	-0.00003600
C	-0.27720300	-0.51866000	0.00002200
H	-0.57096700	-1.56453400	0.00003000
C	1.16655500	-0.29888000	0.00002000
C	2.02021100	-1.41935900	-0.00006700
C	1.76270800	0.97907000	0.00010500
C	3.39982200	-1.28382200	-0.00008100
H	1.58618400	-2.41302100	-0.00012900
C	3.13808900	1.13014400	0.00009300
H	1.14445300	1.86777200	0.00018900
C	3.94671700	-0.00531900	-0.00000200
H	4.05652600	-2.14247500	-0.00015200
H	3.60066900	2.10721100	0.00016000
O	-6.85224000	-0.09681700	-0.00002400
H	-7.12898400	-1.01921400	0.00006000
N	5.40951800	0.15288000	-0.00001400
O	5.85898600	1.29315100	0.00007600
O	6.09262400	-0.86464500	-0.00011200

trans-4-hydroxystilbene X = CF₃




DFT Enthalpy = -952.984989 DFT Free Energy = -953.050919

CBS-QB3 Enthalpy = -951.552780 CBS-QB3 Free Energy = -951.618979

0 1

C	3.12824600	-0.22885200	-0.00289300
C	3.74944600	1.03195000	0.00259200
C	5.13043500	1.15633100	0.00945100
C	5.94097800	0.01571800	0.01107300
C	5.34895200	-1.24807300	0.00572900
C	3.96697800	-1.35831100	-0.00112200
H	3.14954800	1.93408600	0.00152100
H	5.58547400	2.14276300	0.01359800
H	5.98472400	-2.12485500	0.00705900
H	3.51880300	-2.34648500	-0.00520400
C	1.67953800	-0.42169800	-0.01020600
H	1.37289100	-1.46454300	-0.01382300
C	0.72636500	0.52881200	-0.01259300
H	1.02625200	1.57324400	-0.00880400
C	-0.72195700	0.31993600	-0.01913500
C	-1.56778900	1.44243900	-0.02092400
C	-1.32846800	-0.95078400	-0.02791800
C	-2.95046500	1.31204500	-0.02764900
H	-1.12850100	2.43415000	-0.01915200
C	-2.70675000	-1.08735100	-0.03488600
H	-0.71743300	-1.84486200	-0.03211000
C	-3.52760200	0.04418600	-0.03533600
H	-3.58073400	2.19222700	-0.03487500
H	-3.15305000	-2.07410400	-0.04968900
O	7.30234800	0.07771600	0.01771100
H	7.58120000	0.99935300	0.02092100
C	-5.01885900	-0.11587000	0.01094100
F	-5.43724500	-1.18608300	-0.70286000
F	-5.46910800	-0.30106900	1.27651400
F	-5.66611900	0.96653500	-0.47408400

trans-4-hydroxystilbene X = CO₂H




DFT Enthalpy = -804.467536 DFT Free Energy = -804.529692

CBS-QB3 Enthalpy = -803.163590 CBS-QB3 Free Energy = -803.226004

0 1

C	-2.71215000	0.23082000	0.00000500
C	-3.32177300	-1.03581600	0.00010000
C	-4.70152400	-1.17297600	0.00009100
C	-5.52260900	-0.03990800	-0.00001000
C	-4.94239200	1.22938200	-0.00009900
C	-3.56154300	1.35250500	-0.00009000
H	-2.71337900	-1.93222400	0.00018600
H	-5.14748000	-2.16357900	0.00016700
H	-5.58632500	2.10019700	-0.00017500
H	-3.12242200	2.34472000	-0.00016100
C	-1.26576100	0.43714000	0.00000500
H	-0.96806400	1.48245900	-0.00002300
C	-0.30339500	-0.50509300	0.00002200
H	-0.59417700	-1.55216500	0.00002800
C	1.14137800	-0.28244900	0.00002200
C	1.99740200	-1.39918800	-0.00004800
C	1.73575500	0.99563400	0.00008900
C	3.37735700	-1.25698100	-0.00005800
H	1.56429700	-2.39387400	-0.00009700
C	3.11084900	1.14250600	0.00007800
H	1.11508700	1.88326300	0.00015500
C	3.94919200	0.01913300	0.00000500
H	4.01700500	-2.12976700	-0.00011400
H	3.56489500	2.12578600	0.00013000
O	-6.88345400	-0.11471600	-0.00002200
H	-7.15340300	-1.03900000	0.00004600
O	5.95884500	1.31635000	0.00003300
C	5.41510400	0.23631600	-0.00000200
O	6.12365100	-0.92265500	-0.00009900
H	7.05628200	-0.66378400	-0.00011200

trans-4-hydroxystilbene X = Cl



DFT Enthalpy = -1075.485748 DFT Free Energy = -1075.544928


CBS-QB3 Enthalpy = -1073.962242 CBS-QB3 Free Energy = -1074.021649

0 1

C	2.38336100	-0.23521700	0.00208500
C	2.99141900	1.03132900	0.03876500
C	4.37132700	1.17089700	0.03579600
C	5.19434200	0.04032900	-0.00339100
C	4.61581800	-1.22894500	-0.03846600
C	3.23481800	-1.35436700	-0.03501300
H	2.38196300	1.92644800	0.07264000
H	4.81540500	2.16196800	0.06540200

H	5.26082300	-2.09853400	-0.06776300
H	2.79762400	-2.34711600	-0.06270800
C	0.93600300	-0.44388700	0.00130400
H	0.64049600	-1.49005000	-0.00585400
C	-0.026663300	0.49657400	0.00391800
H	0.26440300	1.54372100	0.00119500
C	-1.47381900	0.27725600	0.00451600
C	-2.32956700	1.39126800	-0.03388900
C	-2.07199800	-0.99581500	0.04268900
C	-3.71304200	1.25497400	-0.03767400
H	-1.90017900	2.38712900	-0.06255100
C	-3.45076500	-1.14864900	0.03924700
H	-1.45577000	-1.88592800	0.07853800
C	-4.26587700	-0.01928200	-0.00148400
H	-4.35548800	2.12554000	-0.06824100
H	-3.89629000	-2.13474900	0.06942100
O	6.55590500	0.11763100	-0.00788600
H	6.82340300	1.04218600	0.01839600
Cl	-6.01152700	-0.21120400	-0.00504800

trans-4-hydroxystilbene X = SH



DFT Enthalpy = -1014.069012 DFT Free Energy = -1014.131124


CBS-QB3 Enthalpy = -1012.552306 CBS-QB3 Free Energy = -1012.614658

0 1

C	-2.39392600	-0.23741000	0.00008600
C	-3.00148600	1.02998000	0.00129300
C	-4.38153000	1.17067300	0.00118500
C	-5.20579500	0.04065100	-0.00011200
C	-4.62825900	-1.22933400	-0.00126100
C	-3.24713200	-1.35591300	-0.00113900
H	-2.39133200	1.92528200	0.00242100
H	-4.82448300	2.16277700	0.00216000
H	-5.27392200	-2.09899900	-0.00223000
H	-2.81103000	-2.34957100	-0.00204900
C	-0.94648000	-0.44741900	0.00006400
H	-0.65160400	-1.49382900	-0.00011700
C	0.01684100	0.49278500	0.00009400
H	-0.27530100	1.53987400	-0.00004800
C	1.46341900	0.27662300	0.00012600
C	2.32100600	1.38981000	-0.00109300
C	2.06745500	-0.99368400	0.00134300
C	3.70242000	1.25272500	-0.00121500
H	1.89190600	2.38650300	-0.00201700
C	3.44565600	-1.14202600	0.00125200

H	1.45405000	-1.88688100	0.00248000
C	4.28180500	-0.01876700	-0.00005400
H	4.33046500	2.13665400	-0.00222500
H	3.87284000	-2.13848100	0.00225700
O	-6.56816400	0.11947000	-0.00026900
H	-6.83345500	1.04497200	0.00059500
S	6.05973000	-0.13037700	-0.00019100
H	6.13753900	-1.47019700	0.00056200

trans-4-hydroxystilbene X = CH₃




DFT Enthalpy = -655.151961 DFT Free Energy = -655.213711

CBS-QB3 Enthalpy = -654.028707 CBS-QB3 Free Energy = -654.090694

0 1

C	1.95252900	-0.23854000	0.00304600
C	2.55100600	1.03238900	0.04372300
C	3.93014000	1.18335400	0.04023000
C	4.76255700	0.06035400	-0.00327500
C	4.19425400	-1.21304900	-0.04198000
C	2.81391800	-1.34984100	-0.03800600
H	1.93413400	1.92227900	0.08163200
H	4.36585900	2.17817100	0.07312100
H	4.84613400	-2.07749400	-0.07446900
H	2.38497000	-2.34614800	-0.06863300
C	0.50602500	-0.45901500	0.00226400
H	0.21807700	-1.50727800	-0.00279400
C	-0.46342800	0.47420600	0.00215200
H	-0.17844300	1.52342700	-0.00351100
C	-1.90993100	0.24795500	0.00306200
C	-2.77291100	1.35347000	-0.03873400
C	-2.50410300	-1.02757600	0.04451200
C	-4.15585500	1.19844600	-0.04235900
H	-2.34918400	2.35232900	-0.07024300
C	-3.88174400	-1.17721400	0.04067300
H	-1.88214800	-1.91428700	0.08293600
C	-4.73972600	-0.06837000	-0.00317100
H	-4.79029400	2.07846800	-0.07617700
H	-4.30608700	-2.17626000	0.07376400
O	6.12480900	0.14958500	-0.00836900
H	6.38246000	1.07675000	0.02064900
C	-6.23753100	-0.25000400	-0.00468000
H	-6.75451400	0.71025000	-0.05551300
H	-6.56421800	-0.85168200	-0.85882800
H	-6.57640800	-0.76459500	0.90027300

trans-4-hydroxystilbene X = SMe




DFT Enthalpy = -1053.361047 DFT Free Energy = -1053.425429

CBS-QB3 Enthalpy = -1051.775411 CBS-QB3 Free Energy = -1051.840056

0 1

C	-2.79426500	0.23834200	0.00216600
C	-3.45498500	-1.00088900	0.05880800
C	-4.83984300	-1.08347500	0.05636800
C	-5.61578100	0.07865800	-0.00186400
C	-4.98515200	1.32185900	-0.05608400
C	-3.59982400	1.39034600	-0.05302800
H	-2.88306000	-1.91971600	0.10905000
H	-5.32415800	-2.05503300	0.10189400
H	-5.59351600	2.21698900	-0.09970500
H	-3.12223700	2.36382300	-0.09592800
C	-1.33909900	0.38688700	-0.00125700
H	-0.99973900	1.41967500	-0.01455400
C	-0.41674200	-0.59367800	0.00406200
H	-0.75422900	-1.62716600	0.00426900
C	1.03775300	-0.44095000	0.00277400
C	1.84689400	-1.59137700	-0.04123600
C	1.69803900	0.79778300	0.04426700
C	3.23019700	-1.51387800	-0.04776200
H	1.37418200	-2.56780500	-0.07240400
C	3.08390200	0.88749000	0.03805300
H	1.12495900	1.71668500	0.08581200
C	3.87237100	-0.26882400	-0.00879900
H	3.81979300	-2.42360700	-0.08314200
H	3.54217400	1.86702000	0.07201900
O	-6.98067200	0.05693800	-0.00661200
H	-7.28408100	-0.85585600	0.03372200
C	6.09636700	1.47503100	0.03657900
H	5.72669800	2.01007600	-0.83900600
H	5.73994200	1.94863400	0.95213500
H	7.18662500	1.49607600	0.02926500
S	5.64831400	-0.28407800	-0.02055100

trans-4-hydroxystilbene X = OMe




DFT Enthalpy = -730.371844 DFT Free Energy = -730.433073

CBS-QB3 Enthalpy = -729.157262 CBS-QB3 Free Energy = -729.218745

0 1

C	2.38208000	-0.23927600	0.00454700
C	3.02839300	1.00482900	0.10274000
C	4.41240900	1.10436800	0.09821900
C	5.20212400	-0.04520400	-0.00265100
C	4.58615600	-1.29321900	-0.09631500
C	3.20155100	-1.37864700	-0.09095300
H	2.44555400	1.91399000	0.19031900
H	4.88502400	2.07961200	0.17716300
H	5.20494900	-2.17908400	-0.17181400
H	2.73568800	-2.35594500	-0.16522200
C	0.92808000	-0.40465500	-0.00140300
H	0.60016600	-1.44114900	-0.02088800
C	-0.00446200	0.56572800	0.00361300
H	0.32350300	1.60246400	-0.00083700
C	-1.45849700	0.40071200	0.00231600
C	-2.27761400	1.54299000	-0.08593500
C	-2.10712400	-0.84023900	0.08632000
C	-3.65886000	1.45447400	-0.09756200
H	-1.81198800	2.52126400	-0.14923800
C	-3.49379200	-0.94705700	0.07559500
H	-1.52490900	-1.75056500	0.16847700
C	-4.28304300	0.20482500	-0.01814400
H	-4.28039600	2.33897600	-0.16725800
H	-3.94698900	-1.92698500	0.14418200
O	6.56733100	-0.00654900	-0.01095300
H	6.85890400	0.90829000	0.05862200
C	-6.33455500	-1.02506100	0.04147200
H	-6.08859800	-1.67563300	-0.80533100
H	-6.11481000	-1.54969900	0.97811600
H	-7.39456200	-0.77864600	0.00857200
O	-5.64590600	0.21476200	-0.03605100

trans-4-hydroxystilbene X = OH




DFT Enthalpy = -691.091308 DFT Free Energy = -691.149348

CBS-QB3 Enthalpy = -689.947992 CBS-QB3 Free Energy = -690.006263

0 1

C	-1.93177700	0.24163900	0.00429400
C	-2.52746300	-1.02975900	0.06643800
C	-3.90634600	-1.18448000	0.06139000
C	-4.74172900	-0.06498700	-0.00457300
C	-4.17645600	1.20888400	-0.06359200
C	-2.79639600	1.34948600	-0.05799700
H	-1.90865900	-1.91728700	0.12407000
H	-4.33933000	-2.17980500	0.11153900
H	-4.83038900	2.07101900	-0.11286500
H	-2.37026500	2.34641900	-0.10483900
C	-0.48566700	0.46573700	0.00258500
H	-0.20063200	1.51497700	-0.00559000
C	0.48566700	-0.46573700	0.00258500
H	0.20063200	-1.51497800	-0.00558800
C	1.93177700	-0.24164000	0.00429500
C	2.79639600	-1.34948600	-0.05799700
C	2.52746300	1.02975900	0.06643900
C	4.17645600	-1.20888400	-0.06359300
H	2.37026500	-2.34641900	-0.10483900
C	3.90634600	1.18448000	0.06139100
H	1.90865900	1.91728700	0.12407100
C	4.74172900	0.06498700	-0.00457300
H	4.83038900	-2.07101900	-0.11286600
H	4.33933000	2.17980500	0.11154000
O	-6.10415300	-0.15800300	-0.01196300
H	-6.35899100	-1.08532200	0.03211200
O	6.10415300	0.15800300	-0.01196200
H	6.35899100	1.08532300	0.03210300

trans-4-hydroxystilbene X = 3,4-dioxyl



DFT Enthalpy = -804.411631 DFT Free Energy = -804.472149


CBS-QB3 Enthalpy = -803.113796 CBS-QB3 Free Energy = -803.174563

0 1

C	-2.50987400	-0.19429000	-0.00346700
C	-3.21054900	1.02372100	-0.02985500
C	-4.59748100	1.06134600	-0.02344000
C	-5.33530800	-0.12620600	0.00877900
C	-4.66459800	-1.34911700	0.03350100
C	-3.27770900	-1.37261300	0.02687700
H	-2.66891300	1.96167800	-0.05807600
H	-5.11301900	2.01757800	-0.04492500

H -5.24344900 -2.26435000 0.05740900
 H -2.76881600 -2.33085900 0.04649900
 C -1.05034300 -0.29592000 -0.00643700
 H -0.67845000 -1.31743700 -0.00612100
 C -0.16073400 0.71416200 -0.00499300
 H -0.53087700 1.73601300 0.00395300
 C 1.29847900 0.60970200 -0.01011100
 C 2.05550700 1.79112800 0.02781300
 C 1.97576900 -0.63614000 -0.05011200
 C 3.45786400 1.79226400 0.03159900
 H 1.53487600 2.74151100 0.05915600
 C 3.34736300 -0.61904800 -0.04239500
 H 1.44412400 -1.57708000 -0.09067200
 C 4.08102800 0.56545300 -0.00201100
 H 4.02673300 2.71260100 0.05657500
 O -6.70047400 -0.14874300 0.01619900
 H -7.03295400 0.75453300 -0.00320600
 O 5.42271500 0.27972000 -0.03758500
 O 4.20945000 -1.68767700 -0.10566400
 C 5.51312100 -1.14160700 0.12171200
 H 5.83307800 -1.37297400 1.14554700
 H 6.20893600 -1.54462400 -0.61450000

trans-4-hydroxystilbene X = NH₂



DFT Enthalpy = -671.208933 DFT Free Energy = -671.267969

CBS-QB3 Enthalpy = -670.076772 CBS-QB3 Free Energy = -670.136046


0 1

C	-1.94206000	0.24275500	-0.00183600
C	-2.53659000	-1.03086000	-0.01164400
C	-3.91552100	-1.18732400	-0.00881200
C	-4.75293900	-0.06778000	0.00358000
C	-4.18945200	1.20799800	0.01267400
C	-2.80938100	1.35043500	0.00973900
H	-1.91656100	-1.91936100	-0.02283200
H	-4.34675800	-2.18474500	-0.01698700
H	-4.84458400	2.07066200	0.02171900
H	-2.38500200	2.34921400	0.01681700
C	-0.49635400	0.46948100	-0.00348200
H	-0.21283400	1.51910300	-0.00580400
C	0.47690800	-0.46096700	-0.00139700
H	0.19152100	-1.51044800	0.00321800
C	1.92140700	-0.23862700	-0.00398200
C	2.78795100	-1.34469800	0.00677900
C	2.52251000	1.03385000	-0.01578400

C	4.16784700	-1.20179700	0.00740400
H	2.36426400	-2.34409600	0.01666400
C	3.89788600	1.18899600	-0.01592000
H	1.90399100	1.92383300	-0.02468300
C	4.75227200	0.07241900	-0.00217300
H	4.80254500	-2.08246200	0.01170500
H	4.32660600	2.18638300	-0.03092700
O	-6.11620100	-0.16301700	0.00677100
H	-6.36806300	-1.09209200	-0.00114200
N	6.13496000	0.23110900	-0.06105300
H	6.67702100	-0.54879500	0.28015500
H	6.48584700	1.11589800	0.27441300

Substituted stilbenes

Stilbene X = H



DFT Enthalpy = -540.615077 DFT Free Energy = -540.667614


CBS-QB3 Enthalpy = -539.651513 CBS-QB3 Free Energy = -539.704237

0 1

C	1.93761300	-0.18703500	0.00572300
C	2.49096500	1.10272900	0.10371800
C	3.86614800	1.29257700	0.09426900
C	4.73156700	0.20216900	-0.01024100
C	4.20304200	-1.08248900	-0.10331100
C	2.82492900	-1.27206100	-0.09392800
H	1.84151100	1.96528200	0.19487800
H	4.26855000	2.29662300	0.17214800
H	4.86371900	-1.93864300	-0.18277500
H	2.42130100	-2.27680400	-0.16730700
C	0.49663800	-0.45331400	0.00485900
H	0.23947500	-1.50929300	-0.00756600
C	-0.49663800	0.45331400	0.00485600
H	-0.23947500	1.50929200	-0.00757600
C	-1.93761300	0.18703500	0.00572100
C	-2.82492900	1.27206100	-0.09392800
C	-2.49096600	-1.10272900	0.10371600
C	-4.20304200	1.08248900	-0.10331000
H	-2.42130100	2.27680400	-0.16730800
C	-3.86614800	-1.29257700	0.09426800
H	-1.84151100	-1.96528200	0.19487400
C	-4.73156700	-0.20216900	-0.01024000
H	-4.86371900	1.93864400	-0.18277300
H	-4.26855100	-2.29662300	0.17214700
H	5.80469700	0.35508200	-0.01588400

H -5.80469700 -0.35508100 -0.01588200

Stilbene X = NO₂




DFT Enthalpy = -745.167348 DFT Free Energy = -745.226989

CBS-QB3 Enthalpy = -743.943193 CBS-QB3 Free Energy = -744.003061

0 1
C 3.15619800 -0.19329300 0.00000300
C 3.75289200 1.08084900 0.00010900
C 5.13364800 1.22005500 0.00009900
C 5.95855700 0.09352100 -0.00001400
C 5.38633400 -1.17569100 -0.00011400
C 4.00254400 -1.31506800 -0.00010400
H 3.13460800 1.97054300 0.00020500
H 5.57245400 2.21150400 0.00018200
H 6.01685600 -2.05753500 -0.00020000
H 3.56310700 -2.30723400 -0.00018400
C 1.70871700 -0.40876000 0.00000300
H 1.41639200 -1.45544100 -0.00002600
C 0.74496800 0.53111000 0.00002000
H 1.03287900 1.57840400 0.00002400
C -0.69902100 0.30322400 0.00001800
C -1.55726200 1.41926900 -0.00006200
C -1.28664500 -0.97792200 0.00009600
C -2.93654300 1.27617500 -0.00007400
H -1.12839800 2.41510600 -0.00012000
C -2.66144600 -1.13670800 0.00008500
H -0.66299400 -1.86279900 0.00017300
C -3.47525900 -0.00533900 -0.00000100
H -3.59813800 2.13103700 -0.00013800
H -3.11894400 -2.11613800 0.00014500
N -4.93869700 -0.17183700 -0.00001300
O -5.38089000 -1.31446900 0.00005100
O -5.62654500 0.84189900 -0.00009100
H 7.03644200 0.20744700 -0.00002000

Stilbene X = CF₃




DFT Enthalpy = -877.746388 DFT Free Energy = -877.809701

CBS-QB3 Enthalpy = -876.404558 CBS-QB3 Free Energy = -876.468118

0 1

C	3.59203900	-0.19818300	-0.00346800
C	4.19789000	1.07032500	-0.05652500
C	5.57961100	1.20144900	-0.04133600
C	6.39743900	0.07192000	0.02562000
C	5.81618200	-1.19212900	0.07587500
C	4.43145300	-1.32310400	0.06049700
H	3.58556100	1.96232800	-0.11433700
H	6.02453500	2.18937200	-0.08381900
H	6.44046900	-2.07707600	0.12669200
H	3.98566000	-2.31170500	0.10013800
C	2.14198100	-0.40418300	-0.01277300
H	1.84235700	-1.44891100	-0.00918500
C	1.18586200	0.54189900	-0.01659100
H	1.48210600	1.58710100	-0.00440900
C	-0.26250000	0.32738900	-0.02546100
C	-1.11163600	1.44508400	0.03448600
C	-0.86234800	-0.94403100	-0.09684500
C	-2.49401400	1.30879600	0.03216900
H	-0.67617200	2.43722000	0.08324400
C	-2.24010200	-1.08651400	-0.09964900
H	-0.24692300	-1.83297000	-0.15784800
C	-3.06501800	0.04015300	-0.03485200
H	-3.12825100	2.18505000	0.07431200
H	-2.68270700	-2.07291100	-0.16387800
C	-4.55577000	-0.12988400	0.01364500
F	-4.97429000	-1.15715900	-0.76019700
F	-4.99289500	-0.39366100	1.26935900
F	-5.21159600	0.97629600	-0.39985400
H	7.47597900	0.17928700	0.03654600

Stilbene X = CO₂H



DFT Enthalpy = -729.228940 DFT Free Energy = -729.289140


CBS-QB3 Enthalpy = -728.015238 CBS-QB3 Free Energy = -728.075672

0 1

C	-3.18770800	-0.19272600	-0.00000600
C	-3.77878200	1.08403000	-0.00010100
C	-5.15897900	1.23057500	-0.00009400
C	-5.99032200	0.10889400	0.00000700
C	-5.42395200	-1.16292600	0.00009900
C	-4.04074700	-1.30941200	0.00009100
H	-3.15580000	1.97048700	-0.00018800

H -5.59220700 2.22460900 -0.00016900
 H -6.05874300 -2.04185400 0.00017600
 H -3.60653700 -2.30392500 0.00016300
 C -1.74055900 -0.41558500 -0.00000400
 H -1.45278800 -1.46351300 0.00001900
 C -0.77278800 0.51955400 -0.00001600
 H -1.05716300 1.56816200 -0.00001700
 C 0.67158200 0.28798600 -0.00001400
 C 1.53298100 1.39987100 0.00005600
 C 1.25692200 -0.99370100 -0.00008200
 C 2.91235000 1.24933800 0.00006600
 H 1.10557000 2.39694500 0.00010600
 C 2.63126500 -1.14895700 -0.00007200
 H 0.63042800 -1.87717400 -0.00014800
 C 3.47557000 -0.03029100 0.00000300
 H 3.55745600 2.11803000 0.00012200
 H 3.07970900 -2.13475500 -0.00012500
 O 5.47691300 -1.34028000 -0.00004500
 C 4.94110300 -0.25662200 0.00000800
 O 5.65592500 0.89775700 0.00008400
 H 6.58741200 0.63460800 0.00008200
 H -7.06765500 0.22839400 0.00001200

Stilbene X = Cl



DFT Enthalpy = -1000.247368 DFT Free Energy = -1000.303341


CBS-QB3 Enthalpy = -998.814058 CBS-QB3 Free Energy = -998.870236

0 1

C 2.86012400 -0.19734500 0.00522900
 C 3.44874500 1.07762900 0.08958400
 C 4.82862200 1.22859100 0.07968600
 C 5.66281400 0.11294900 -0.01209700
 C 5.09893500 -1.15745200 -0.09209000
 C 3.71611500 -1.30821200 -0.08216200
 H 2.82391600 1.95924000 0.16972700
 H 5.25921200 2.22157100 0.14681700
 H 5.73550100 -2.03240900 -0.16177900
 H 3.28455500 -2.30194800 -0.14523600
 C 1.41268900 -0.42335700 0.00593400
 H 1.12700500 -1.47207300 -0.00326300
 C 0.44445600 0.51023600 0.00533200
 H 0.72929900 1.55881000 -0.00736700
 C -1.00168700 0.28146800 0.00773700
 C -1.86356400 1.38759800 -0.07859800
 C -1.59022700 -0.99334000 0.09444300

C	-3.24601600	1.24144900	-0.08563000
H	-1.44038900	2.38432900	-0.14389400
C	-2.96780500	-1.15597600	0.08845500
H	-0.96751700	-1.87607000	0.17371100
C	-3.78996100	-0.03453900	-0.00276900
H	-3.89438800	2.10537000	-0.15421900
H	-3.40712800	-2.14289400	0.15692800
Cl	-5.53348700	-0.23869200	-0.00890700
H	6.73977400	0.23563900	-0.01833300

Stilbene X = SH




DFT Enthalpy = -938.830809 DFT Free Energy = -938.889288

CBS-QB3 Enthalpy = -937.404244 CBS-QB3 Free Energy = -937.462940

0 1

C	-2.87148300	-0.19880300	0.00380400
C	-3.45967100	1.07842300	0.05432700
C	-4.83950600	1.23025700	0.04790000
C	-5.67552900	0.11357900	-0.00739400
C	-5.11247500	-1.15884800	-0.05507000
C	-3.72972500	-1.31043900	-0.04870700
H	-2.83406000	1.96179300	0.10295400
H	-5.26867900	2.22538700	0.08812600
H	-5.74986100	-2.03508100	-0.09699400
H	-3.29941900	-2.30605700	-0.08640500
C	-1.42444300	-0.42633700	0.00447100
H	-1.13984900	-1.47541900	0.00133200
C	-0.45481400	0.50655500	0.00163200
H	-0.74023400	1.55522900	-0.00835900
C	0.99035000	0.28060400	0.00361300
C	1.85449400	1.38731900	-0.04599400
C	1.58474100	-0.99302900	0.05379200
C	3.23480300	1.24060500	-0.04963800
H	1.43179400	2.38595400	-0.08404700
C	2.96170100	-1.15101000	0.05097900
H	0.96475400	-1.88046000	0.09926400
C	3.80519400	-0.03421800	-0.00159200
H	3.86901100	2.11912600	-0.08992400
H	3.38238200	-2.14933300	0.09170600
S	5.58152800	-0.15803300	-0.00731800
H	5.65030000	-1.49759800	0.03815000
H	-6.75243100	0.23703400	-0.01145100

Stilbene X = CH₃




DFT Enthalpy = -579.913835 DFT Free Energy = -579.972399
 CBS-QB3 Enthalpy = -578.880469 CBS-QB3 Free Energy = -578.939248

0 1

C	2.43302000	-0.19398200	0.00564900
C	3.00895300	1.08786900	0.07514100
C	4.38727400	1.25356700	0.06665800
C	5.23420700	0.14638800	-0.00902300
C	4.68339900	-1.13059900	-0.07459600
C	3.30216700	-1.29595400	-0.06618700
H	2.37453100	1.96376200	0.14177500
H	4.80666100	2.25218500	0.12202400
H	5.32920800	-1.99981500	-0.13197800
H	2.88148900	-2.29505500	-0.11799900
C	0.98779000	-0.43551300	0.00639200
H	0.71264900	-1.48705300	0.00353500
C	0.00982100	0.48803100	0.00079700
H	0.28555800	1.53940000	-0.01418200
C	-1.43460200	0.24846000	0.00316800
C	-2.30660900	1.34516700	-0.06668800
C	-2.01607700	-1.03142800	0.07304900
C	-3.68797500	1.17724600	-0.07153500
H	-1.89159700	2.34667000	-0.12019700
C	-3.39215300	-1.19392700	0.06800500
H	-1.38557100	-1.91061400	0.13598300
C	-4.25974400	-0.09398900	-0.00473800
H	-4.33056200	2.05004900	-0.12811400
H	-3.80774000	-2.19557300	0.12354700
C	-5.75567900	-0.28945400	-0.00441900
H	-6.28134300	0.66217800	-0.10378200
H	-6.07216000	-0.93521900	-0.82951900
H	-6.09373700	-0.76273200	0.92316400
H	6.30985500	0.28052700	-0.01430300

Stilbene X = SMe




DFT Enthalpy = -978.122923 DFT Free Energy = -978.184265
 CBS-QB3 Enthalpy = -976.627170 CBS-QB3 Free Energy = -976.688752

0 1

C	-3.26644200	0.23204800	0.00447100
---	-------------	------------	------------

C -3.91673300 -1.01298000 0.08860300
 C -5.30237000 -1.09745600 0.08290300
 C -6.08299200 0.05663900 -0.00436100
 C -5.45817900 1.29829300 -0.08430500
 C -4.06968400 1.38237100 -0.07875700
 H -3.33497800 -1.92396700 0.16458000
 H -5.77956400 -2.06905700 0.14959200
 H -6.05191000 2.20325900 -0.15075200
 H -3.59123800 2.35447500 -0.14194700
 C -1.81002900 0.38821300 0.00099800
 H -1.47379200 1.42183300 -0.01371000
 C -0.88759800 -0.59165200 0.00398600
 H -1.22550100 -1.62477400 -0.00011200
 C 0.56686600 -0.43898100 0.00230000
 C 1.37510600 -1.58893900 -0.06087400
 C 1.22618300 0.79934600 0.06199200
 C 2.75824400 -1.51112900 -0.06964400
 H 0.90207600 -2.56460700 -0.10582300
 C 2.61180600 0.88940300 0.05383500
 H 0.65252700 1.71690400 0.12071200
 C 3.40006600 -0.26635500 -0.01312900
 H 3.34807300 -2.41991200 -0.12028500
 H 3.07034400 1.86811800 0.10262200
 C 5.62399600 1.47665200 0.05508600
 H 5.25273900 2.02578600 -0.81101200
 H 5.27003600 1.93543400 0.97906800
 H 6.71423400 1.49708100 0.04559700
 S 5.17513500 -0.28120300 -0.02935900
 H -7.16465000 -0.01414900 -0.00740800

Stilbene X = OMe



DFT Enthalpy = -655.133861 DFT Free Energy = -655.192407


CBS-QB3 Enthalpy = -654.009061 CBS-QB3 Free Energy = -654.067837

0 1

C 2.85880800 -0.22358700 0.00635200
 C 3.49218900 1.02902800 0.10601200
 C 4.87657400 1.13322600 0.09863800
 C 5.67352400 -0.00822900 -0.00498600
 C 5.06572700 -1.25731700 -0.09932100
 C 3.67851800 -1.36105100 -0.09234200
 H 2.89780000 1.93049500 0.19683200
 H 5.33994600 2.11064400 0.17763700
 H 5.67187800 -2.15308400 -0.17813400
 H 3.21382200 -2.33902800 -0.16707400

C	1.40437700	-0.39981200	0.00250600
H	1.08206000	-1.43797100	-0.01111600
C	0.46932100	0.56773400	0.00156100
H	0.79533800	1.60480700	-0.00858700
C	-0.98406100	0.39978700	0.00054500
C	-1.80471900	1.54093800	-0.08676900
C	-1.62937000	-0.84288700	0.08387600
C	-3.18558600	1.44971300	-0.09754100
H	-1.34071800	2.51993500	-0.14971400
C	-3.01551200	-0.95245500	0.07429400
H	-1.04484500	-1.75185200	0.16407400
C	-3.80694600	0.19841400	-0.01814900
H	-3.80915200	2.33277900	-0.16638600
H	-3.46703600	-1.93313700	0.14228900
C	-5.85626300	-1.03542400	0.04271100
H	-5.61024800	-1.68504700	-0.80466900
H	-5.63492300	-1.55971900	0.97904800
H	-6.91642800	-0.78987200	0.01086100
O	-5.16888500	0.20559500	-0.03505900
H	6.75409100	0.07782500	-0.00891300

Stilbene X = OH




DFT Enthalpy = -615.853301 DFT Free Energy = -615.908611

CBS-QB3 Enthalpy = -614.799749 CBS-QB3 Free Energy = -614.855267

0 1			
C	-1.45801200	0.24162400	0.00318000
C	-2.04035300	-1.03545500	0.07324600
C	-3.41735400	-1.20375100	0.06903200
C	-4.26343200	-0.09241400	-0.00425000
C	-3.71103500	1.18691600	-0.07133400
C	-2.33264700	1.34105000	-0.06629800
H	-1.41240300	-1.91609000	0.13658600
H	-3.84086800	-2.20272800	0.12547200
H	-4.37363100	2.04199700	-0.12618300
H	-1.91591000	2.34157200	-0.11925900
C	-0.01446500	0.47987300	0.00049700
H	0.26054200	1.53148400	-0.01401000
C	0.96628800	-0.44117900	0.00562700
H	0.69489900	-1.49388000	0.00184100
C	2.41058700	-0.19511800	0.00539700
C	3.28384700	-1.29398100	-0.06732800
C	2.98303800	1.08837900	0.07617800
C	4.66452800	-1.12421100	-0.07537600
H	2.86663400	-2.29453300	-0.12017800

C	4.36085000	1.25846400	0.06786000
H	2.34619700	1.96248100	0.14376500
C	5.21164000	0.15433200	-0.00869200
H	5.31296800	-1.99147400	-0.13343800
H	4.77681000	2.25850000	0.12415100
H	6.28684800	0.29190700	-0.01375500
O	-5.62401300	-0.19857500	-0.01127900
H	-5.87086300	-1.12781000	0.03879700

Stilbene X = 3,4-dioxyl




DFT Enthalpy = -729.173580 DFT Free Energy = -729.231647

CBS-QB3 Enthalpy = -727.965550 CBS-QB3 Free Energy = -728.023842

0 1

C	-2.97095200	-0.20495800	-0.00163400
C	-3.66607200	1.01824600	-0.02723800
C	-5.05387500	1.05228200	-0.01946000
C	-5.79239600	-0.13195100	0.01288900
C	-5.12290400	-1.35246700	0.03667500
C	-3.73225400	-1.38598900	0.02905000
H	-3.11792300	1.95252400	-0.05579400
H	-5.56580500	2.00817700	-0.03994700
H	-5.68337700	-2.28048400	0.06101900
H	-3.21901600	-2.34208700	0.04790900
C	-1.50972300	-0.30892900	-0.00588500
H	-1.13747800	-1.33014100	-0.00715600
C	-0.62318000	0.70332900	-0.00347500
H	-0.99685000	1.72363800	0.00665200
C	0.83618000	0.60367800	-0.00909900
C	1.58799400	1.78824100	0.02697900
C	1.51714600	-0.64011700	-0.04786900
C	2.99018700	1.79468200	0.02986500
H	1.06352400	2.73648100	0.05735800
C	2.88850500	-0.61799200	-0.04127800
H	0.98841100	-1.58273700	-0.08648900
C	3.61749100	0.56983200	-0.00281600
H	3.55590300	2.71692500	0.05361500
O	4.95935900	0.28999900	-0.03742200
O	3.75447200	-1.68295600	-0.10297000
C	5.05750600	-1.13191600	0.11627200
H	5.38653200	-1.36494400	1.13660600
H	5.74944200	-1.52902300	-0.62682500
H	-6.87592900	-0.10050800	0.01833700

Stilbene X = NH₂




DFT Enthalpy = -595.971136 DFT Free Energy = -596.026980

CBS-QB3 Enthalpy = -594.928718 CBS-QB3 Free Energy = -594.984778

0 1

C	2.42149100	-0.19533700	0.00341900
C	2.99275600	1.09046700	0.04137700
C	4.37036800	1.26249200	0.03847200
C	5.22384200	0.15845100	-0.00087500
C	4.67840000	-1.12213200	-0.03657500
C	3.29798900	-1.29388300	-0.03389000
H	2.35448600	1.96547900	0.07630200
H	4.78418300	2.26465800	0.06851700
H	5.32826200	-1.98987200	-0.06653700
H	2.88277800	-2.29629200	-0.06238600
C	0.97810000	-0.44409100	0.00197600
H	0.70827900	-1.49715300	0.00034000
C	-0.00498200	0.47581000	-0.00279300
H	0.27014000	1.52776000	-0.01131100
C	-1.44654100	0.23895100	-0.00295000
C	-2.32348000	1.33636900	-0.03742700
C	-2.03418100	-1.03943500	0.03150800
C	-3.70151700	1.17973900	-0.03923300
H	-1.90939900	2.33944400	-0.06273200
C	-3.40753400	-1.20849900	0.02951700
H	-1.40632400	-1.92226200	0.06356600
C	-4.27293400	-0.10033300	-0.00445100
H	-4.34513500	2.05323400	-0.07113300
H	-3.82653900	-2.20979400	0.05195000
N	-5.65213200	-0.27495100	-0.06391400
H	-6.20666200	0.51193500	0.23853900
H	-5.99868800	-1.15150100	0.29625900
H	6.29888300	0.29760300	-0.00241600

QM dimer meso extended conformation



DFT Enthalpy = -847.024559 DFT Free Energy = -847.093800

CBS-QB3 Enthalpy = -845.606924 CBS-QB3 Free Energy = -845.676482

0 1

C 0.53425400 0.06560600 -0.56892800
 H 0.82489800 1.11931500 -0.62145400
 C -0.53425600 -0.06560800 0.56894000
 H -0.82490000 -1.11931700 0.62146700
 C -1.73207900 0.78458500 0.26833000
 H -1.50962400 1.84465600 0.14408800
 C 1.73207900 -0.78458600 -0.26831900
 H 1.50962300 -1.84465600 -0.14407200
 C -3.03668700 0.42135700 0.17032400
 C -3.51568300 -0.94881900 0.31740200
 C -4.04591400 1.44318600 -0.09540200
 C -4.82189200 -1.25591600 0.21133500
 H -2.79516900 -1.73291500 0.51839200
 C -5.35423200 1.14982400 -0.20455000
 H -3.70062400 2.46715300 -0.20417100
 C -5.85040200 -0.23115300 -0.05996700
 H -5.18176000 -2.27269300 0.32030400
 H -6.10060500 1.91048200 -0.40230300
 C 3.03668700 -0.42135800 -0.17031900
 C 3.51568100 0.94881800 -0.31740600
 C 4.04591500 -1.44318500 0.09540800
 C 4.82189100 1.25591500 -0.21134600
 H 2.79516600 1.73291300 -0.51839700
 C 5.35423400 -1.14982200 0.20455000
 H 3.70062600 -2.46715200 0.20418200
 C 5.85040200 0.23115400 0.05996100
 H 5.18175900 2.27269200 -0.32032300
 H 6.10060700 -1.91048000 0.40230200
 O -7.03759700 -0.51446100 -0.15778400
 O 7.03759800 0.51446200 0.15776200
 C -0.04317700 -0.34620300 -1.93957300
 H -0.91426400 0.26117200 -2.19498800
 H 0.70448400 -0.22431300 -2.72588900
 H -0.35720200 -1.39450100 -1.93322000
 C 0.04317600 0.34620300 1.93958300
 H 0.91426000 -0.26117600 2.19500000
 H 0.35720700 1.39449900 1.93322600
 H -0.70448500 0.22431800 2.72590000

EmpiricalDispersion = GD3


DFT Enthalpy = -847.060231 DFT Free Energy = -847.129809

0 1

C 0.47526200 -0.11208800 -0.61389000
 H 0.76871900 0.87636800 -0.97935800
 C -0.47526200 0.11209800 0.61388500
 H -0.76871600 -0.87635800 0.97935500
 C -1.68258600 0.89104500 0.19297400
 H -1.46715200 1.91517100 -0.11185000
 C 1.68258300 -0.89104000 -0.19297900

H 1.46714700 -1.91516600 0.11184200
 C -2.97943700 0.49493300 0.14720500
 C -3.43202100 -0.84392100 0.50937500
 C -4.00385600 1.43773900 -0.29431600
 C -4.72869700 -1.19594800 0.43235200
 H -2.69838600 -1.56719500 0.84492600
 C -5.30327800 1.09909000 -0.37489400
 H -3.67896900 2.43885900 -0.56235700
 C -5.77269100 -0.25279200 -0.01808300
 H -5.07102700 -2.18949900 0.69804300
 H -6.06303400 1.79818000 -0.70433800
 C 2.97943600 -0.49493200 -0.14720800
 C 3.43202500 0.84392100 -0.50937400
 C 4.00385100 -1.43774200 0.29431500
 C 4.72870300 1.19594400 -0.43234800
 H 2.69839300 1.56719800 -0.84492500
 C 5.30327400 -1.09909700 0.37489600
 H 3.67896100 -2.43886200 0.56235300
 C 5.77269200 0.25278300 0.01808800
 H 5.07103600 2.18949500 -0.69803600
 H 6.06302700 -1.79819000 0.70434000
 O -6.95133300 -0.57652700 -0.08891500
 O 6.95133500 0.57651500 0.08892500
 C -0.24129800 -0.86090500 -1.75377700
 H -1.11345100 -0.30343400 -2.10068000
 H 0.43232300 -1.01142600 -2.59985600
 H -0.58636400 -1.84322000 -1.41625700
 C 0.24129700 0.86092000 1.75377100
 H 1.11345300 0.30345300 2.10067400
 H 0.58635900 1.84323500 1.41624800
 H -0.43232300 1.01143900 2.59985000

QMD dimer (S,S)



DFT Enthalpy = -847.023158 DFT Free Energy = -847.092282
 CBS-QB3 Enthalpy = -845.606244 CBS-QB3 Free Energy = -845.675684

0 1

C 0.51976300 -1.11369700 0.59119100
 H 1.12844600 -2.00880800 0.43907600
 C -0.51976300 -1.11369700 -0.59118800
 C -1.40106900 0.09981600 -0.59283400
 H -0.89546900 1.03130800 -0.84291300
 C 1.40107000 0.09981500 0.59283800
 H 0.89547100 1.03130600 0.84292100
 C -2.73717700 0.18286300 -0.36338600
 C -3.58368700 -0.95833200 -0.03089700

C -3.39670100 1.48367500 -0.44891900
 C -4.90335900 -0.81788200 0.19343700
 H -3.13068600 -1.94040000 0.03506700
 C -4.71437500 1.63808800 -0.22700800
 H -2.77755100 2.33940900 -0.70186600
 C -5.57843300 0.49361500 0.11648800
 H -5.53529400 -1.66342600 0.44028200
 H -5.19995700 2.60502700 -0.29041100
 C 2.73717800 0.18286200 0.36338700
 C 3.58368600 -0.95833200 0.03089500
 C 3.39670100 1.48367400 0.44892300
 C 4.90335800 -0.81788200 -0.19344200
 H 3.13068600 -1.94040000 -0.03507000
 C 4.71437500 1.63808800 0.22701000
 H 2.77755300 2.33940700 0.70187400
 C 5.57843200 0.49361500 -0.11649500
 H 5.53529300 -1.66342500 -0.44029000
 H 5.19995700 2.60502600 0.29041500
 O -6.77870300 0.61788800 0.32367500
 O 6.77870300 0.61788800 -0.32367900
 H -1.12844600 -2.00880700 -0.43907400
 C 0.18517900 -1.24902300 -1.95504900
 H -0.54660800 -1.33159000 -2.76156600
 H 0.82270800 -0.38582900 -2.16267100
 H 0.81380600 -2.14350500 -1.97585100
 C -0.18517900 -1.24902600 1.95505100
 H -0.82270800 -0.38583200 2.16267400
 H -0.81380600 -2.14350800 1.97585200
 H 0.54660800 -1.33159300 2.76156900

EmpiricalDispersion = GD3


DFT Enthalpy = -847.059878 DFT Free Energy = -847.128128

0 1

C 0.44268600 -1.23722500 0.65132900
 H 1.08588700 -2.11754100 0.56977600
 C -0.44268500 -1.23722400 -0.65132900
 C -1.28186500 0.00122800 -0.75163600
 H -0.74253300 0.88752900 -1.08199000
 C 1.28186500 0.00122700 0.75163600
 H 0.74253300 0.88752800 1.08199200
 C -2.60220800 0.15321400 -0.47862300
 C -3.46568100 -0.92897700 -0.01714400
 C -3.22202500 1.46673100 -0.63550900
 C -4.76531500 -0.72382400 0.26528400
 H -3.03932700 -1.91753000 0.10304800
 C -4.52001100 1.68500400 -0.35804900
 H -2.59076000 2.27768500 -0.98698800
 C -5.39993100 0.60253500 0.12119200
 H -5.41135500 -1.52282000 0.61047800

H -4.97912400 2.66009600 -0.47164400
 C 2.60220800 0.15321300 0.47862300
 C 3.46568100 -0.92897700 0.01714300
 C 3.22202600 1.46673000 0.63551000
 C 4.76531500 -0.72382400 -0.26528500
 H 3.03932700 -1.91753000 -0.10304900
 C 4.52001100 1.68500300 0.35805000
 H 2.59076000 2.27768400 0.98699100
 C 5.39993100 0.60253500 -0.12119400
 H 5.41135500 -1.52281900 -0.61048000
 H 4.97912400 2.66009500 0.47164600
 O -6.58179100 0.78685000 0.38199300
 O 6.58179000 0.78685000 -0.38199400
 H -1.08588700 -2.11754100 -0.56977700
 C 0.42227100 -1.39411300 -1.91342600
 H -0.20318700 -1.43768600 -2.80776800
 H 1.11693000 -0.55739300 -2.02312700
 H 1.01012000 -2.31456100 -1.86608200
 C -0.42227100 -1.39411400 1.91342600
 H -1.11693000 -0.55739400 2.02312800
 H -1.01012000 -2.31456300 1.86608100
 H 0.20318700 -1.43768800 2.80776800

QM dimer meso compressed conformation



DFT Enthalpy = -847.022697 DFT Free Energy = -847.092051
 CBS-QB3 Enthalpy = -845.605644 CBS-QB3 Free Energy = -845.675314

0 1

C -0.64232500 2.01491100 -0.69332800
 H -0.41344200 1.28494400 -1.47326300
 C 0.63359700 2.07183600 0.22880000
 H 1.41792200 2.51352600 -0.39091700
 C 1.03685300 0.68866500 0.64359700
 H 0.29889300 0.16066500 1.24538000
 C -1.87583000 1.59017900 0.04742200
 H -2.28227100 2.33767500 0.72663400
 C 2.19057300 0.02574700 0.37167000
 C 3.28925500 0.58121600 -0.41177000
 C 2.37212200 -1.33030500 0.88405600

C 4.41230700 -0.12102700 -0.65097300
 H 3.19265000 1.58622200 -0.80577500
 C 3.48915900 -2.04307400 0.65172200
 H 1.56008200 -1.75377700 1.46755000
 C 4.60543900 -1.49302700 -0.13870300
 H 5.23115500 0.28860300 -1.23147700
 H 3.61941500 -3.04950900 1.03235800
 C -2.55654300 0.41783800 -0.03742500
 C -2.16184600 -0.69657900 -0.89333800
 C -3.76089100 0.23098600 0.76838800
 C -2.86926400 -1.84115600 -0.93313300
 H -1.27305700 -0.59406800 -1.50455900
 C -4.47767100 -0.90670500 0.73627500
 H -4.06556200 1.05565900 1.40611900
 C -4.08662800 -2.04138000 -0.12088900
 H -2.57841600 -2.67166900 -1.56625200
 H -5.37092400 -1.04225400 1.33505300
 O 5.62887400 -2.12815900 -0.35920800
 O -4.72775000 -3.08367100 -0.15945000
 C 0.46242300 2.96368600 1.47593800
 H 1.41297800 3.05128800 2.00614000
 H 0.13763300 3.97117300 1.20574400
 H -0.26666000 2.54458100 2.17410100
 C -0.88914500 3.36869200 -1.38909900
 H -1.70666100 3.28406900 -2.10852700
 H -1.15657100 4.15141300 -0.67478700
 H 0.00432400 3.69308800 -1.92951800

EmpiricalDispersion = GD3


DFT Enthalpy = -847.059972 DFT Free Energy = -847.127865

0 1

C -0.64358300 2.21515700 -0.75508300
 H -0.08833100 1.53864800 -1.40927000
 C 0.32631100 2.52835000 0.44923900
 H 1.19333300 3.02511100 0.00152900
 C 0.76525700 1.24186000 1.08886700
 H 0.16917400 0.91260600 1.93704700
 C -1.90007000 1.53916800 -0.29059500
 H -2.66922800 2.20786000 0.09156700
 C 1.75862800 0.41762500 0.67285000
 C 2.60542800 0.70344700 -0.48012800
 C 1.97821000 -0.85420700 1.35400100
 C 3.52662200 -0.17685700 -0.91396400
 H 2.47869800 1.64804500 -0.99694100
 C 2.89652200 -1.74261900 0.93219000
 H 1.35348800 -1.07424300 2.21420700
 C 3.74627500 -1.47576400 -0.24292800
 H 4.15720800 0.02530200 -1.77216400
 H 3.05098600 -2.69314300 1.42908600

C -2.17333100 0.21003300 -0.26447900
 C -1.24564200 -0.82013400 -0.72330900
 C -3.45275900 -0.24866400 0.27138000
 C -1.54253800 -2.12950900 -0.62910000
 H -0.29138600 -0.51616900 -1.13419000
 C -3.76240100 -1.55393400 0.36768300
 H -4.15637900 0.50967800 0.60256500
 C -2.82360600 -2.60524400 -0.06954800
 H -0.85329500 -2.89736500 -0.96071900
 H -4.70877700 -1.89535300 0.77070500
 O 4.58392600 -2.27420600 -0.64237900
 O -3.09004800 -3.79671000 0.02304600
 C -0.27589800 3.47655600 1.49688700
 H 0.45261600 3.67963100 2.28527300
 H -0.56258000 4.43312900 1.05657700
 H -1.16052400 3.03746800 1.96653000
 C -0.97375900 3.47980900 -1.56436300
 H -1.53608600 3.21892200 -2.46396100
 H -1.57912500 4.18371600 -0.98789100
 H -0.05882200 3.99302900 -1.87288500

QM dimer (S,S) compressed conformation



DFT Enthalpy = -847.023464 DFT Free Energy = -847.092929
 CBS-QB3 Enthalpy = -845.606445 CBS-QB3 Free Energy = -845.676227

0 1

C 0.77352200 2.22589000 -0.10587000
 H 1.23736300 2.28772100 0.88356100
 C -0.77352600 2.22589800 0.10585800
 C -1.19946200 0.95836900 0.79139900
 H -0.64010400 0.72200900 1.69599200
 C 1.19944800 0.95835000 -0.79139500
 H 0.64007700 0.72197300 -1.69597700
 C -2.19853300 0.10459400 0.45084000
 C -3.05526400 0.27800700 -0.71730400
 C -2.45724800 -1.06543100 1.28535900
 C -4.03762200 -0.59480100 -1.00886100
 H -2.89416500 1.13701300 -1.35840300
 C -3.43411600 -1.94669200 1.00411900
 H -1.82288000 -1.20596000 2.15543500

C -4.30855000 -1.78098500 -0.17112200
 H -4.67835600 -0.46824100 -1.87415900
 H -3.62248700 -2.81493200 1.62491900
 C 2.19852500 0.10458300 -0.45083500
 C 3.05527200 0.27801800 0.71729500
 C 2.45723100 -1.06545700 -1.28533800
 C 4.03763800 -0.59478100 1.00885100
 H 2.89417900 1.13703400 1.35838100
 C 3.43410600 -1.94671000 -1.00409700
 H 1.82285000 -1.20600200 -2.15540200
 C 4.30855900 -1.78097800 0.17112800
 H 4.67838300 -0.46820600 1.87413800
 H 3.62247000 -2.81495900 -1.62488500
 O -5.20291500 -2.57284200 -0.44053600
 O 5.20292900 -2.57282900 0.44054300
 H -1.23736800 2.28772000 -0.88357400
 C -1.24836300 3.43790700 0.93582700
 H -0.78426400 3.43988600 1.92684400
 H -1.00397400 4.38116600 0.44371700
 H -2.33088800 3.40308500 1.07435900
 C 1.24836800 3.43788700 -0.93585300
 H 0.78427000 3.43985700 -1.92687000
 H 1.00398600 4.38115300 -0.44375400
 H 2.33089300 3.40305500 -1.07438400

EmpiricalDispersion = GD3

DFT Enthalpy = -847.059277 DFT Free Energy = -847.129707


0 1

C 0.76431000 2.43093400 -0.16441800
 H 1.30039500 2.48645800 0.78752500
 C -0.76431000 2.43093400 0.16441800
 C -1.11206700 1.16075800 0.88316900
 H -0.57712600 1.01836100 1.82168900
 C 1.11206700 1.16075800 -0.88316900
 H 0.57712600 1.01836100 -1.82168900
 C -1.97797000 0.18510800 0.51322700
 C -2.76344100 0.22104500 -0.71567400
 C -2.14277600 -0.98996200 1.36433000
 C -3.59614600 -0.78159100 -1.05094700
 H -2.67027500 1.08151600 -1.36785800
 C -2.97052600 -1.99969900 1.04033900
 H -1.56027100 -1.02858800 2.27998900
 C -3.76821000 -1.97685600 -0.19954100
 H -4.18316400 -0.76104900 -1.96200800
 H -3.08810300 -2.87422200 1.66943400
 C 1.97797000 0.18510800 -0.51322700
 C 2.76344100 0.22104500 0.71567400
 C 2.14277600 -0.98996200 -1.36433000
 C 3.59614600 -0.78159100 1.05094700

H 2.67027500 1.08151600 1.36785800
 C 2.97052600 -1.99969900 -1.04033900
 H 1.56027100 -1.02858800 -2.27998900
 C 3.76821000 -1.97685600 0.19954100
 H 4.18316300 -0.76104900 1.96200800
 H 3.08810200 -2.87422200 -1.66943400
 O -4.52624600 -2.88733100 -0.50881700
 O 4.52624600 -2.88733100 0.50881700
 H -1.30039500 2.48645800 -0.78752500
 C -1.17604500 3.64104800 1.02438100
 H -0.62147600 3.65437900 1.96780500
 H -0.98905700 4.58305900 0.50583400
 H -2.24116900 3.59402500 1.26095200
 C 1.17604500 3.64104900 -1.02438100
 H 0.62147600 3.65437900 -1.96780500
 H 0.98905700 4.58305900 -0.50583400
 H 2.24116900 3.59402500 -1.26095200

Tautomerized QMD

Partially-tautomerized QMD




DFT Enthalpy = -1230.483599 DFT Free Energy = -1230.568525

0 1

C 1.45905300 -1.39936500 -1.58563400
 C 2.43271200 -2.19042800 -0.95375900
 C 3.57828900 -2.59632200 -1.63328300
 C 3.78656600 -2.21609200 -2.95684000
 C 2.83860300 -1.41870300 -3.59381000
 C 1.69382000 -1.01272200 -2.91515700
 H 2.28685600 -2.50969700 0.07014900
 H 4.30813100 -3.21693100 -1.12511100
 H 4.68054800 -2.53073900 -3.48308200
 H 2.99597200 -1.09909900 -4.61803500
 H 0.98132400 -0.36378600 -3.41069400
 C 0.33391300 -0.36821300 0.52482000
 H -0.59256600 0.18194200 0.69816400
 C 0.43382800 -1.39237000 1.66882300
 C 0.00155000 -2.71402400 1.51523600
 C 0.89948900 -0.98842300 2.92625300
 C 0.03978700 -3.60712400 2.58486500

H	-0.36137100	-3.04955800	0.55063300
C	0.93965200	-1.88004000	3.99522700
H	1.22964800	0.03418100	3.07243400
C	0.51071500	-3.19485200	3.82860400
H	-0.29802500	-4.62756600	2.44187900
H	1.30511600	-1.54483700	4.95954000
H	0.54250000	-3.89014800	4.65967200
C	1.47530300	0.61933900	0.56044900
H	2.46987100	0.18326900	0.57797700
C	1.39570600	1.97475900	0.54917800
C	0.14449100	2.72425700	0.51333400
C	2.62854100	2.75765000	0.56707000
C	0.12907500	4.07044800	0.49832100
H	-0.79129000	2.17816600	0.49152700
C	2.62581100	4.10307400	0.55470900
H	3.56517000	2.20857700	0.58876000
C	1.36864000	4.87189900	0.51940700
H	-0.79862300	4.63073000	0.47035400
H	3.54270100	4.68112300	0.56742100
C	-2.32030700	-0.61938400	-1.14594600
C	-2.84900400	-0.74307700	0.15253100
C	-3.17643700	-0.11343500	-2.13886700
C	-4.14511900	-0.34485500	0.45060500
H	-2.25877800	-1.19583200	0.93849400
C	-4.47177500	0.29545200	-1.85107000
H	-2.81227300	-0.02682900	-3.15712400
C	-4.96265300	0.18761200	-0.54770600
H	-4.54602000	-0.45401800	1.45093600
H	-5.10374700	0.69360200	-2.63971700
O	1.34992000	6.09710800	0.50829500
O	-6.22465400	0.56594700	-0.19684300
H	-6.68253900	0.90980500	-0.97094000
C	0.21281400	-0.96497800	-0.88394500
C	-0.96209000	-1.02288400	-1.54664600
H	-0.91058500	-1.40001000	-2.56545900

Quad A



DFT Enthalpy = -1230.528876 DFT Free Energy = -1230.611236

0 1

C	1.90704200	1.41367000	-0.89972400
C	3.07977900	2.01891900	-1.33953800
C	1.92591400	2.72594900	-3.34807400
C	0.75394100	2.11650900	-2.91335100
H	3.98055500	1.97530100	-0.73650500
H	1.93948000	3.24890000	-4.29798100
H	-0.14310100	2.17258200	-3.52023200
C	0.74422100	1.45179500	-1.68072600
C	3.08559600	2.67864400	-2.56734900
H	3.99091200	3.16134700	-2.91801400
C	1.68533900	0.64077400	0.38567900
H	1.98438200	1.24956900	1.24254400
C	-0.34510900	0.72573000	-1.00913200
C	0.11058700	0.44681000	0.42178700
H	-0.11388900	-0.58769500	0.69194200
C	-0.50689000	1.35389800	1.48126500
C	-0.58524800	0.90345000	2.80579900
C	-0.95349900	2.64718200	1.19322300
C	-1.09220900	1.72007700	3.81322700
H	-0.24886100	-0.10044900	3.04675900
C	-1.45896900	3.46708300	2.20060000
H	-0.91518900	3.01307100	0.17410800
C	-1.53039500	3.00852200	3.51357100
H	-1.14965000	1.34825600	4.83049500
H	-1.80269800	4.46615600	1.95568900
H	-1.92899300	3.64593300	4.29476600
C	2.45988100	-0.66542800	0.46212500
C	3.19666900	-0.98558900	1.60352100
C	2.44200100	-1.59690300	-0.58620100
C	3.89101200	-2.19032400	1.70770200
H	3.23294900	-0.28348400	2.43031800
C	3.12484500	-2.80141300	-0.49555700
H	1.88825100	-1.37429800	-1.49154200
C	3.85548000	-3.10458800	0.65634200
H	4.46036200	-2.41413200	2.60562700

H 3.10945000 -3.51868800 -1.30732700
 C -1.47001600 0.31920300 -1.63601200
 H -1.53008000 0.57177700 -2.69292800
 C -2.61388800 -0.46538100 -1.17434300
 C -3.45947800 -1.02784100 -2.14826700
 C -2.94931200 -0.70308600 0.17365800
 C -4.55808000 -1.80572400 -1.80925200
 H -3.24204600 -0.85618700 -3.19734400
 C -4.04636800 -1.47534200 0.52352400
 H -2.36898200 -0.25212300 0.96500700
 C -4.85567500 -2.03891000 -0.46516900
 H -5.18607000 -2.22957900 -2.58789500
 H -4.29963300 -1.64399800 1.56322800
 O -5.92014700 -2.79162300 -0.06072300
 H -6.39329900 -3.11351500 -0.83496300
 O 4.51258100 -4.30316700 0.69035400
 H 4.97365200 -4.38651400 1.53122800

C–H HAT radical product




DFT Enthalpy = -384.199024 DFT Free Energy = -384.240577

CBS-QB3 Enthalpy = -383.550505 CBS-QB3 Free Energy = -383.592169

0 2

C 0.05400900 1.35511900 0.00000000
 C -1.30438300 1.20396400 0.00000000
 C -1.91583900 -0.11808800 -0.000000500
 C -0.99552900 -1.25061100 -0.000000100
 C 0.35602700 -1.07221400 0.00000000
 H 0.48958600 2.34944800 0.00000200
 H 1.00793700 -1.93797200 0.00000100
 C 0.93178600 0.23415300 0.00000000
 C 2.36009900 0.46617500 0.00000000
 H 2.65571000 1.51258600 0.00000100
 O -3.14876800 -0.27398600 0.00000200
 C 3.33704300 -0.46115300 0.00000000
 H 3.13647900 -1.52590900 0.00000000
 H 4.37891200 -0.16612000 0.00000100
 H -1.44149000 -2.23839700 0.00000100
 H -1.97626200 2.05418400 0.00000100



DFT Enthalpy = -654.518714 DFT Free Energy = -654.575525


CBS-QB3 Enthalpy = -653.393246 CBS-QB3 Free Energy = -653.450284

0 2

```

C      1.52663700 -0.17878300 -0.06031300
C      2.26612700  1.04646900 -0.05163000
C      3.63125800  1.05609200 -0.05797800
C      4.41372500 -0.17389500 -0.07235200
C      3.64436100 -1.41088100 -0.11084300
C      2.28208000 -1.39605400 -0.11637600
H      1.74048500  1.98910300 -0.07297000
H      4.18983800  1.98508300 -0.06360700
H      4.20631700 -2.33724000 -0.13798000
H      1.73406700 -2.33262400 -0.14873300
C      0.09559100 -0.30235800 -0.05597100
H      -0.23773000 -1.30730800 -0.29735500
C      -0.90681300  0.59889900  0.18954500
C      -2.31412300  0.15072700  0.07608700
C      -3.30656300  1.03105100 -0.39201800
C      -2.71066100 -1.15268400  0.42751200
C      -4.62699500  0.61798900 -0.53178300
H      -3.03832200  2.04156900 -0.67632200
C      -4.03301100 -1.56037100  0.29989500
H      -1.98216700 -1.84097800  0.83868200
C      -4.99806500 -0.67954400 -0.18603900
H      -5.36792600  1.31206600 -0.91227100
H      -4.31363000 -2.56608300  0.59198900
H      -6.02906600 -0.99866600 -0.28584100
O      5.65560200 -0.16513300 -0.06495700
C      -0.67848700  2.04011600  0.58017800
H      0.15428900  2.12915000  1.27928800
H      -0.44885500  2.67090900 -0.28670000
H      -1.56247000  2.45544600  1.06398500

```




DFT Enthalpy = -698.559574 DFT Free Energy = -698.624394

CBS-QB3 Enthalpy = -697.369115 CBS-QB3 Free Energy = -697.434257

0 2

C 1.07613400 1.48438700 0.00000100
 C 1.32845900 0.13521400 0.00000200
 C 0.17361600 -0.79071000 0.00000300
 C -1.19792600 -0.22608700 0.00000000
 C -1.34270100 1.13509900 0.00000000
 H 1.89747300 2.18964400 0.00000000
 H -2.33391700 1.56526200 -0.00000100
 C -0.23419900 2.02394800 0.00000000
 C -0.38759600 3.46459800 -0.00000100
 H 0.54473000 4.02453300 -0.00000200
 O 0.35025700 -2.02238400 0.00000500
 C 2.75526800 -0.43149500 0.00000000
 C 2.97968000 -1.29459200 -1.26720400
 H 4.00736900 -1.67050400 -1.27710900
 H 2.29856800 -2.14274800 -1.29159000
 H 2.83197500 -0.69907900 -2.17319000
 C 3.81665500 0.68580600 -0.00000100
 H 3.74640200 1.32113600 -0.88759800
 H 3.74641100 1.32113000 0.88760100
 H 4.81117000 0.23292900 -0.00000700
 C 2.97968500 -1.29459500 1.26720100
 H 2.29857300 -2.14275100 1.29158700
 H 4.00737500 -1.67050700 1.27710000
 H 2.83198400 -0.69908400 2.17318800
 C -2.40461400 -1.17680700 -0.00000100
 C -2.37435500 -2.06769100 -1.26730400
 H -1.48041300 -2.68741200 -1.29201300
 H -3.25273300 -2.72030700 -1.27755600
 H -2.40198000 -1.45444300 -2.17310100
 C -3.74090100 -0.40908300 -0.00000200
 H -4.56459700 -1.12718400 -0.00000400
 H -3.85535200 0.21954000 0.88787700
 H -3.85534800 0.21954400 -0.88787800
 C -2.37435800 -2.06769400 1.26730100
 H -1.48041500 -2.68741300 1.29201300
 H -2.40199100 -1.45444700 2.17309900
 H -3.25273500 -2.72031300 1.27754600
 C -1.53741300 4.16593200 0.00000300
 H -2.51337700 3.69538100 0.00000500
 H -1.52382800 5.24878300 0.00000200




DFT Enthalpy = -929.590865 DFT Free Energy = -929.668109

0 2

C 0.24438200 -0.30497200 -0.00000700

C	-0.28203700	1.01944900	-0.00001300
C	-1.62299200	1.28289100	-0.00000900
C	-2.57169300	0.14101700	0.00000500
C	-2.02784700	-1.23677700	0.00000700
C	-0.66793400	-1.39626800	0.00000100
H	0.41879000	1.84178000	-0.00002500
H	-0.23907800	-2.39044400	0.00000300
C	1.64828700	-0.59251400	-0.00001000
H	1.89423400	-1.65079400	-0.00001800
C	2.67304400	0.30713600	0.00000500
H	2.43396400	1.36636200	0.00003000
C	4.09673800	0.01130700	0.00000000
C	5.00906800	1.08479200	0.00008800
C	4.62324700	-1.29679600	-0.00009100
C	6.38099000	0.86658100	0.00009300
H	4.62606000	2.09997600	0.00015700
C	5.99321000	-1.51271600	-0.00008700
H	3.95630900	-2.15034400	-0.00017000
C	6.88081700	-0.43417700	0.00000500
H	7.06107000	1.71080700	0.00016300
H	6.37577800	-2.52719100	-0.00016000
H	7.95050300	-0.60882400	0.00000700
O	-3.79875200	0.33818900	0.00001400
C	-2.99370300	-2.43098900	0.00001800
C	-3.88442200	-2.38876000	-1.26691800
H	-4.55064300	-3.25698800	-1.27635100
H	-4.48989900	-1.48507000	-1.29188000
H	-3.27177400	-2.42638100	-2.17278600
C	-2.24301000	-3.77682000	0.00001400
H	-1.61550000	-3.89870900	-0.88765200
H	-1.61548200	-3.89870400	0.88766800
H	-2.97122700	-4.59169600	0.00002400
C	-3.88440000	-2.38875400	1.26696800
H	-4.48987700	-1.48506400	1.29193700
H	-4.55062200	-3.25698100	1.27641600
H	-3.27173600	-2.42637100	2.17282600
C	-2.17402300	2.71742400	-0.00001800
C	-3.03385300	2.95229100	1.26717600
H	-3.39938000	3.98382100	1.27688000
H	-3.88889900	2.27997500	1.29264300
H	-2.43915000	2.79886200	2.17282000
C	-3.03387400	2.95226600	-1.26720300
H	-3.88892000	2.27994900	-1.29264400
H	-3.39940200	3.98379600	-1.27692100
H	-2.43918500	2.79882100	-2.17285400
C	-1.04577400	3.76714400	-0.00003800
H	-0.41150600	3.69050100	0.88799300
H	-0.41151900	3.69048100	-0.88807600
H	-1.48821700	4.76638600	-0.00004600



DFT Enthalpy = -423.500577 DFT Free Energy = -423.546003

CBS-QB3 Enthalpy = -422.780327 CBS-QB3 Free Energy = -422.825892

0 2

C	-0.36876800	0.24738400	0.00001200
C	0.19820100	-1.06377500	0.00001500
C	1.54807600	-1.25387100	0.00000800
C	2.48005200	-0.13111400	-0.00000500
C	1.87902600	1.19548500	-0.00000600
C	0.52251500	1.35908400	0.00000400
H	-0.45909400	-1.92557500	0.00002600
H	1.98422800	-2.24613100	0.00001200
H	2.55786100	2.04027500	-0.00001400
H	0.09706000	2.35790900	0.00000400
C	-1.79102900	0.49721200	0.00001500
H	-2.07554000	1.54788500	0.00004000
C	-2.78568400	-0.41681200	-0.00001300
H	-2.54217400	-1.47610100	-0.00004300
O	3.71155500	-0.29873100	-0.00001400
C	-4.24216600	-0.08166400	-0.00001000
H	-4.41166900	0.99702600	0.00002600
H	-4.74222000	-0.50847600	-0.87732300
H	-4.74223400	-0.50853900	0.87726300

EmpiricalDispersion = GD3


DFT Enthalpy = -423.512567 DFT Free Energy = -423.558010

0 2

C	0.36887000	0.24874000	-0.00000400
C	-0.19727500	-1.06320100	-0.00000200
C	-1.54688400	-1.25422300	0.00000000
C	-2.47959500	-0.13180000	-0.00000200
C	-1.87948000	1.19544700	-0.00000300
C	-0.52313300	1.36025500	-0.00000500
H	0.46019900	-1.92473900	-0.00000200
H	-1.98403900	-2.24589800	0.00000200
H	-2.56035700	2.03842100	-0.00000300
H	-0.09966100	2.35995800	-0.00000700
C	1.79094300	0.49830400	-0.00000400
H	2.07751400	1.54852700	-0.00001500
C	2.78463900	-0.41659100	0.00000800
H	2.54141400	-1.47588500	0.00002000
O	-3.71085300	-0.30014300	0.00000300
C	4.24154400	-0.08259500	0.00000700
H	4.41366300	0.99594000	-0.00000700
H	4.74015500	-0.51059100	0.87761300

H 4.74016000 -0.51061600 -0.87758400

trans-4-hydroxystilbene radical X = H



DFT Enthalpy = -615.230500 DFT Free Energy = -615.284489

CBS-QB3 Enthalpy = -614.170513 CBS-QB3 Free Energy = -614.224704

0 2

C 1.50410500 0.24049200 0.00000100
C 2.07863100 -1.07154100 0.00000000
C 3.42687700 -1.25630100 0.00000000
C 4.35832700 -0.12991200 0.00000000
C 3.75148300 1.19668700 0.00000000
C 2.39737600 1.35625200 0.00000000
H 1.42564200 -1.93650100 0.00000000
H 3.86640500 -2.24709000 -0.00000100
H 4.42810000 2.04325800 0.00000000
H 1.96898300 2.35395900 0.00000000
C 0.09475200 0.48822300 0.00000100
H -0.18251500 1.53859300 0.00000400
C -0.90178000 -0.44338100 -0.00000100
H -0.62849600 -1.49435100 -0.00000200
C -2.33349400 -0.19291900 0.00000000
C -3.21103200 -1.29511700 0.00000000
C -2.90067700 1.09815400 -0.00000100
C -4.58904600 -1.12037900 0.00000000
H -2.79606100 -2.29761700 0.00000000
C -4.27666100 1.27051800 0.00000000
H -2.26114900 1.97241300 -0.00000200
C -5.12939200 0.16411200 0.00000000
H -5.24223900 -1.98549400 0.00000100
H -4.69138400 2.27220800 -0.00000100
H -6.20404400 0.30484000 0.00000100
O 5.58749300 -0.29419400 0.00000000

EmpiricalDispersion = GD3


DFT Enthalpy = -615.249220 DFT Free Energy = -615.303304

0 2

C 1.50318000 0.24138800 0.00000000
C 2.07720600 -1.07130400 -0.00000100
C 3.42519800 -1.25662000 -0.00000100
C 4.35703100 -0.13022800 0.00000000
C 3.75072600 1.19689200 0.00000100

C 2.39676400 1.35729500 0.00000100
 H 1.42409400 -1.93607600 -0.00000100
 H 3.86606900 -2.24666700 -0.00000100
 H 4.42920100 2.04180200 0.00000100
 H 1.96998600 2.35574500 0.00000100
 C 0.09418800 0.48827100 0.00000000
 H -0.18532100 1.53802200 0.00000100
 C -0.90108400 -0.44458000 0.00000000
 H -0.62601100 -1.49507700 -0.00000100
 C -2.33232300 -0.19428800 0.00000000
 C -3.21082700 -1.29593700 0.00000000
 C -2.89840000 1.09751900 -0.00000100
 C -4.58877400 -1.11967200 0.00000100
 H -2.79794800 -2.29935100 0.00000100
 C -4.27419300 1.27128000 -0.00000100
 H -2.25818600 1.97117000 -0.00000200
 C -5.12809200 0.16547400 0.00000000
 H -5.24280900 -1.98412300 0.00000100
 H -4.68798000 2.27333200 -0.00000100
 H -6.20260000 0.30712400 0.00000000
 O 5.58599000 -0.29485600 0.00000000

trans-4-hydroxystilbene radical X = NO₂



DFT Enthalpy = -819.780437 DFT Free Energy = -819.841307

CBS-QB3 Enthalpy = -818.460523 CBS-QB3 Free Energy = -818.521636

0 2

C -2.72613300 0.23212400 -0.00000300
 C -3.33312800 -1.06555400 0.00003200
 C -4.68528900 -1.21445400 0.00003100
 C -5.58521400 -0.06163100 -0.00000600
 C -4.94468500 1.25001200 -0.00004000
 C -3.58715500 1.37321500 -0.00003800
 H -2.70307200 -1.94716100 0.00006200
 H -5.15199100 -2.19255400 0.00005800
 H -5.59917400 2.11360300 -0.00006700
 H -3.13165400 2.35862400 -0.00006400
 C -1.31083200 0.44248200 -0.00000600
 H -1.00637000 1.48510000 -0.00002800
 C -0.33998300 -0.51614300 0.00001300
 H -0.63819800 -1.55973600 0.00002500
 C 1.09544800 -0.29696100 0.00001100
 C 1.94832700 -1.42060600 -0.00001200
 C 1.68980600 0.98374200 0.00003300
 C 3.32705600 -1.28392500 -0.00001800
 H 1.51363000 -2.41376000 -0.00002800

C 3.06492000 1.13359900 0.00002800
 H 1.07166000 1.87222100 0.00005800
 C 3.87074600 -0.00377100 0.00000200
 H 3.98535400 -2.14126400 -0.00003700
 H 3.52934900 2.10971300 0.00004600
 O -6.81709300 -0.19282400 -0.00000700
 N 5.33732100 0.15510300 -0.00000400
 O 5.78318000 1.29543000 0.00001500
 O 6.01715000 -0.86301700 -0.00002700


EmpiricalDispersion = GD3

DFT Enthalpy = -819.802820 DFT Free Energy = -819.863789

O 2

C 2.72520600 0.23308300 -0.00000100
 C 3.33187200 -1.06520800 0.00000600
 C 4.68380500 -1.21451600 0.00000700
 C 5.58400100 -0.06157500 0.00000100
 C 4.94383800 1.25054700 -0.00000800
 C 3.58643000 1.37443700 -0.00000900
 H 2.70181000 -1.94671800 0.00001200
 H 5.15190800 -2.19180300 0.00001300
 H 5.60010400 2.11262100 -0.00001400
 H 3.13241700 2.36058500 -0.00001500
 C 1.31028400 0.44247900 -0.00000200
 H 1.00355900 1.48441600 -0.00000800
 C 0.34084100 -0.51748800 0.00000200
 H 0.64100800 -1.56051600 0.00000700
 C -1.09413900 -0.29881900 0.00000100
 C -1.94769000 -1.42209400 0.00000500
 C -1.68786300 0.98236800 -0.00000300
 C -3.32624600 -1.28433800 0.00000600
 H -1.51501100 -2.41614700 0.00000800
 C -3.06266400 1.13320700 -0.00000500
 H -1.06954500 1.87059200 -0.00000600
 C -3.86955400 -0.00375500 0.00000100
 H -3.98449300 -2.14168500 0.00001200
 H -3.52569900 2.10995300 -0.00001100
 O 6.81567800 -0.19298000 0.00000000
 O -6.01813200 -0.86158100 0.00001400
 O -5.78299000 1.29660800 -0.00001500
 N -5.33732000 0.15605400 0.00000000

trans-4-hydroxystilbene radical X = CF₃



DFT Enthalpy = -952.360256 DFT Free Energy = -952.424828

CBS-QB3 Enthalpy = -950.922217 CBS-QB3 Free Energy = -950.987052

0 2

C	3.16828200	-0.23208700	-0.00271500
C	3.78307100	1.06147100	0.00299300
C	5.13636800	1.20297400	0.00969700
C	6.03026500	0.04613500	0.01142300
C	5.38210900	-1.26114400	0.00557500
C	4.02360800	-1.37697200	-0.00111100
H	3.15799900	1.94670600	0.00195300
H	5.60798900	2.17877000	0.01403600
H	6.03153500	-2.12862200	0.00681300
H	3.56306000	-2.36011000	-0.00537400
C	1.75101400	-0.43447500	-0.00992300
H	1.44081800	-1.47551300	-0.01368800
C	0.78586800	0.52862600	-0.01222800
H	1.09023200	1.57066000	-0.00825300
C	-0.65284700	0.31944100	-0.01884800
C	-1.49873900	1.44505500	-0.02070600
C	-1.25737700	-0.95461200	-0.02753300
C	-2.87995500	1.31294800	-0.02748400
H	-1.05899000	2.43629700	-0.01882200
C	-2.63485400	-1.09037200	-0.03456400
H	-0.64611400	-1.84819000	-0.03148500
C	-3.45413000	0.04288100	-0.03470100
H	-3.51214400	2.19147800	-0.03489200
H	-3.08251300	-2.07625700	-0.04937500
O	7.26351000	0.17066800	0.01748000
C	-4.94790900	-0.11833600	0.01096600
F	-5.36144100	-1.18827500	-0.70314700
F	-5.39164800	-0.30320000	1.27682400
F	-5.59231100	0.96372400	-0.47432100

EmpiricalDispersion = GD3


DFT Enthalpy = -952.383664 DFT Free Energy = -952.448189

0 2

C	3.16582000	-0.23306100	-0.00273100
C	3.78017600	1.06115800	0.00298900
C	5.13323600	1.20318700	0.01028700
C	6.02750400	0.04631700	0.01264800
C	5.37982600	-1.26148700	0.00680000
C	4.02145100	-1.37812300	-0.00049300
H	3.15501800	1.94623900	0.00146000
H	5.60616800	2.17820400	0.01464100
H	6.03111200	-2.12740300	0.00854400
H	3.56246900	-2.36204600	-0.00474800
C	1.74895600	-0.43461400	-0.01055300
H	1.43658500	-1.47497800	-0.01434100
C	0.78514400	0.52973400	-0.01333300
H	1.09142800	1.57119700	-0.00917800

C	-0.65315200	0.32101100	-0.02059200
C	-1.49938700	1.44689800	-0.02223400
C	-1.25650400	-0.95396600	-0.03020400
C	-2.88039000	1.31354500	-0.02942900
H	-1.06094100	2.43873900	-0.01972900
C	-2.63381500	-1.09055000	-0.03764000
H	-0.64445500	-1.84687300	-0.03451800
C	-3.45178500	0.04278500	-0.03774700
H	-3.51595600	2.18963000	-0.03682200
H	-3.08422900	-2.07507500	-0.05346600
O	7.26054300	0.17117600	0.01928000
C	-4.94475300	-0.11908100	0.01144900
F	-5.59052000	0.95546900	-0.49022600
F	-5.35730300	-1.20161700	-0.68494300
F	-5.38501100	-0.28380300	1.28168200

trans-4-hydroxystilbene radical X = CO₂H



DFT Enthalpy = -803.843145 DFT Free Energy = -803.904323

CBS-QB3 Enthalpy = -802.533646 CBS-QB3 Free Energy = -802.595074

0 2

C	2.75029700	0.23425400	0.00006900
C	3.36472900	-1.05990400	0.00011900
C	4.71776900	-1.20213800	0.00016100
C	5.61271300	-0.04586500	0.00015900
C	4.96512300	1.26195200	0.00010600
C	3.60695800	1.37869100	0.00006400
H	2.73902400	-1.94467300	0.00012200
H	5.18877400	-2.17825700	0.00019800
H	5.61517100	2.12898700	0.00010300
H	3.14690300	2.36208400	0.00002600
C	1.33432000	0.43758000	0.00002400
H	1.02414600	1.47857000	-0.00001300
C	0.36751000	-0.52557700	0.00002400
H	0.67181200	-1.56768300	0.00006300
C	-1.06924400	-0.31580200	-0.00002300
C	-1.91579700	-1.44399900	0.00000100
C	-1.67308400	0.95941200	-0.00009100
C	-3.29363900	-1.30963500	-0.00003900
H	-1.47383100	-2.43447900	0.00005400
C	-3.05017900	1.09627300	-0.00013200
H	-1.05976800	1.85181800	-0.00011500
C	-3.87519700	-0.03754000	-0.00010600
H	-3.94099900	-2.17760200	-0.00002100
H	-3.49961600	2.08045100	-0.00018400
O	6.84572600	-0.17113100	0.00019600


O -6.10949000 -0.88905500 -0.00013300
 C -5.35765600 0.05637600 -0.00014900
 O -5.80471400 1.33653100 -0.00020400
 H -6.77153000 1.28554200 -0.00022600

EmpiricalDispersion = GD3

DFT Enthalpy = -803.866255 DFT Free Energy = -803.927466

0 2
 C 2.75311300 0.23423800 -0.00007600
 C 3.35587700 -1.06584900 -0.00007500
 C 4.70738200 -1.22034100 -0.00010800
 C 5.61266700 -0.07181600 -0.00014700
 C 4.97691300 1.24206400 -0.00014700
 C 3.61992700 1.37140100 -0.00011400
 H 2.72242900 -1.94500900 -0.00004600
 H 5.17129500 -2.19971200 -0.00010700
 H 5.63625800 2.10187900 -0.00017600
 H 3.16997600 2.35949300 -0.00011500
 C 1.33931700 0.44889700 -0.00004200
 H 1.03572300 1.49176500 -0.00004800
 C 0.36567900 -0.50729100 -0.00000300
 H 0.66290700 -1.55143700 0.00000500
 C -1.06857200 -0.28483400 0.00003200
 C -1.92561600 -1.40432700 0.00007400
 C -1.66017200 0.99731600 0.00002600
 C -3.30404800 -1.25913400 0.00010900
 H -1.49399600 -2.39941100 0.00007800
 C -3.03425000 1.14449200 0.00006000
 H -1.03885000 1.88399700 -0.00000600
 C -3.87118500 0.01970500 0.00010200
 H -3.94666800 -2.12943400 0.00014100
 H -3.48964200 2.12698600 0.00005500
 O 6.84433800 -0.20821100 -0.00017700
 O -5.87333300 1.32549800 0.00014200
 O -6.04719100 -0.91591400 0.00016700
 H -6.98217000 -0.66544900 0.00018800
 C -5.33999500 0.24136800 0.00013800

trans-4-hydroxystilbene radical X = Cl



DFT Enthalpy = -1074.862150 DFT Free Energy = -1074.919541

CBS-QB3 Enthalpy = -1073.332248 CBS-QB3 Free Energy = -1073.389860

0 2
 C -2.42557500 -0.23670900 0.00000200

C	-3.02761300	1.06300500	0.00001500
C	-4.37936500	1.21880900	0.00001400
C	-5.28618100	0.07219000	-0.00000300
C	-4.65128200	-1.24145500	-0.00001400
C	-3.29416300	-1.37185100	-0.00001200
H	-2.39345000	1.94185000	0.00002800
H	-4.84026600	2.19978700	0.00002500
H	-5.30967100	-2.10221700	-0.00002500
H	-2.84440800	-2.36007700	-0.00002100
C	-1.01141300	-0.45404600	0.00000100
H	-0.71218500	-1.49843700	-0.00000500
C	-0.03507800	0.49888500	0.00000500
H	-0.33002700	1.54376300	0.00000700
C	1.40012500	0.27767600	0.00000400
C	2.25835900	1.39476200	-0.00001100
C	1.99564400	-1.00055400	0.00001800
C	3.63908100	1.25526400	-0.00001500
H	1.82949400	2.39096900	-0.00002200
C	3.37250000	-1.15376600	0.00001600
H	1.37816200	-1.89012700	0.00003300
C	4.18943600	-0.02288500	-0.00000100
H	4.28441600	2.12399400	-0.00002700
H	3.81810800	-2.14008700	0.00002700
O	-6.51823100	0.21001700	-0.00000700
Cl	5.92934300	-0.21679500	-0.00000500


EmpiricalDispersion = GD3

DFT Enthalpy = -1074.882856 DFT Free Energy = -1074.940323

0 2			
C	-2.42429300	-0.23761500	0.00000000
C	-3.02602200	1.06269200	0.00000000
C	-4.37755200	1.21887200	0.00000000
C	-5.28460600	0.07212200	0.00000000
C	-4.65005300	-1.24197500	0.00000100
C	-3.29305000	-1.37303200	0.00000100
H	-2.39184900	1.94143600	-0.00000100
H	-4.83989400	2.19902700	-0.00000100
H	-5.31020500	-2.10121800	0.00000100
H	-2.84475800	-2.36197400	0.00000100
C	-1.01049600	-0.45391100	0.00000000
H	-0.70889200	-1.49759400	0.00000000
C	-0.03559100	0.50039500	0.00000000
H	-0.33244000	1.54472700	0.00000000
C	1.39913800	0.27958700	0.00000000
C	2.25801500	1.39641000	0.00000000
C	1.99362600	-0.99938300	-0.00000100
C	3.63851100	1.25569200	0.00000000
H	1.83093300	2.39340400	0.00000100
C	3.37010500	-1.15379200	0.00000000

H	1.37552400	-1.88838800	-0.00000100
C	4.18800800	-0.02317100	0.00000000
H	4.28565800	2.12299500	0.00000100
H	3.81617400	-2.13984000	-0.00000100
O	-6.51646700	0.21013700	0.00000000
Cl	5.92806100	-0.21829500	0.00000000

trans-4-hydroxystilbene radical X = SH



DFT Enthalpy = -1013.446695 DFT Free Energy = -1013.505580

CBS-QB3 Enthalpy = -1011.923422 CBS-QB3 Free Energy = -1011.982538

0 2

C	2.43432200	-0.23771900	0.00001200
C	3.03779300	1.06172600	0.00003000
C	4.38947800	1.21720500	0.00002300
C	5.29702200	0.07110300	-0.00000400
C	4.66111800	-1.24209700	-0.00001600
C	3.30423400	-1.37245100	-0.00000600
H	2.40393300	1.94088600	0.00005600
H	4.85017600	2.19835100	0.00003900
H	5.31922300	-2.10315900	-0.00003400
H	2.85461600	-2.36085900	-0.00001600
C	1.02184200	-0.45460000	0.00001300
H	0.72210000	-1.49894500	0.00002800
C	0.04365300	0.49888400	-0.00001000
H	0.33975000	1.54361100	-0.00003200
C	-1.38847200	0.27950200	-0.00001100
C	-2.25094700	1.39448900	-0.00002200
C	-1.98929400	-0.99670000	0.00000100
C	-3.62850100	1.25258800	-0.00001900
H	-1.82340100	2.39150600	-0.00003500
C	-3.36459100	-1.14739000	0.00000600
H	-1.37353900	-1.88782100	0.00000600
C	-4.20428500	-0.02382900	-0.00000200
H	-4.26062600	2.13328400	-0.00002700
H	-3.79054600	-2.14404400	0.00001400
O	6.52915000	0.20891400	-0.00001500
S	-5.97522000	-0.13813300	0.00000700
H	-6.05159400	-1.47825600	0.00003000

EmpiricalDispersion = GD3


DFT Enthalpy = -1013.468020 DFT Free Energy = -1013.526930

0 2

C	-2.43298400	-0.23800300	-0.00000500
---	-------------	-------------	-------------

C -3.03616400 1.06202000 -0.00000700
 C -4.38762300 1.21788100 -0.00000300
 C -5.29538400 0.07162800 0.00000100
 C -4.65981200 -1.24200000 0.00000100
 C -3.30302900 -1.37302800 -0.00000200
 H -2.40229000 1.94108400 -0.00001200
 H -4.84981900 2.19818200 -0.00000600
 H -5.31964700 -2.10156400 0.00000400
 H -2.85485600 -2.36212900 -0.00000200
 C -1.02083200 -0.45377600 -0.00000500
 H -0.71845500 -1.49730000 -0.00001300
 C -0.04424200 0.50124800 0.00000400
 H -0.34232600 1.54542600 0.00001200
 C 1.38731300 0.28209400 0.00000400
 C 2.24987100 1.39638900 0.00000500
 C 1.98770900 -0.99514500 0.00000300
 C 3.62833100 1.25501900 0.00000200
 H 1.82376000 2.39415100 0.00000600
 C 3.36188800 -1.14546900 0.00000300
 H 1.37154700 -1.88574600 0.00000500
 C 4.20321200 -0.02114900 0.00000100
 H 4.25636800 2.13818800 0.00000100
 H 3.79092800 -2.14125800 0.00000400
 O -6.52732500 0.20970800 0.00000500
 S 5.95657000 -0.30016400 -0.00000300
 H 6.32874500 0.98967100 -0.00001600

trans-4-hydroxystilbene radical X = SMe



DFT Enthalpy = -1052.739377 DFT Free Energy = -1052.801696

CBS-QB3 Enthalpy = -1051.146610 CBS-QB3 Free Energy = -1051.209184

0 2

C 2.83169000 0.24099700 -0.00000400
 C 3.49258400 -1.03035200 -0.00000200
 C 4.84980200 -1.12585300 -0.00000100
 C 5.70620800 0.05895500 -0.00000300
 C 5.01249400 1.34255100 -0.00000300
 C 3.65125900 1.41285000 -0.00000400
 H 2.89826500 -1.93674400 -0.00000200
 H 5.35327100 -2.08579100 0.00000000
 H 5.63179500 2.23197300 -0.00000200
 H 3.15846400 2.38052100 -0.00000400
 C 1.41174500 0.39520200 -0.00000400
 H 1.06606800 1.42530300 -0.00000500
 C 0.47561500 -0.60059400 -0.00000400
 H 0.81795100 -1.63118100 -0.00000300

C -0.96377900 -0.44517900 -0.00000400
 C -1.77768500 -1.59883700 -0.00000300
 C -1.62211000 0.80037200 -0.00000500
 C -3.15713800 -1.51713200 -0.00000200
 H -1.30611900 -2.57593900 -0.00000200
 C -3.00485200 0.89178600 -0.00000500
 H -1.04691200 1.71840800 -0.00000600
 C -3.79660100 -0.26629200 -0.00000300
 H -3.75074500 -2.42461100 0.00000100
 H -3.46258400 1.87185300 -0.00000700
 O 6.94329300 -0.02429800 0.00000200
 C -6.01734700 1.47962700 0.00003900
 H -5.65631900 1.98409100 0.89682700
 H -5.65634700 1.98413200 -0.89673800
 H -7.10757500 1.49570300 0.00005600
 S -5.56480400 -0.27949600 -0.00000600

EmpiricalDispersion = GD3


DFT Enthalpy = -1052.763329 DFT Free Energy = -1052.825529

0 2

C -2.86920100 -0.23165800 0.00000500
 C -3.43027600 1.08716700 0.00004300
 C -4.77596500 1.28689400 0.00003800
 C -5.72090900 0.17114200 -0.00000900
 C -5.12805900 -1.16226100 -0.00004400
 C -3.77631300 -1.33745500 -0.00003500
 H -2.76814400 1.94519700 0.00008200
 H -5.20585500 2.28182500 0.00006900
 H -5.81541900 -2.00002100 -0.00007800
 H -3.36068400 -2.34071500 -0.00006200
 C -1.46538100 -0.49313500 0.00000500
 H -1.19684400 -1.54587900 -0.00000400
 C -0.45747600 0.42972500 0.00000800
 H -0.72160700 1.48309400 0.00000400
 C 0.96486700 0.16430500 0.00000900
 C 1.86419700 1.24689700 -0.00001900
 C 1.52462900 -1.13367200 0.00003700
 C 3.23971000 1.06234000 -0.00002100
 H 1.47129600 2.25841300 -0.00004100
 C 2.89049100 -1.32690200 0.00003600
 H 0.87966100 -2.00374400 0.00006300
 C 3.77585000 -0.23105100 0.00000600
 H 3.88372800 1.93097800 -0.00004500
 H 3.28777900 -2.33613300 0.00005900
 O -6.94780600 0.34937100 -0.00001600
 S 5.50244000 -0.61144600 0.00000800
 C 6.30140700 1.02091500 -0.00004100
 H 7.37334400 0.82114700 -0.00004400
 H 6.04536900 1.58722400 -0.89652100

H 6.04538300 1.58727100 0.89641400

trans-4-hydroxystilbene radical X = CH₃



DFT Enthalpy = -654.529823 DFT Free Energy = -654.590455

CBS-QB3 Enthalpy = -653.399934 CBS-QB3 Free Energy = -653.460796

0 2

C 1.99595000 -0.23808800 -0.00003200
C 2.58913500 1.06578100 0.00011200
C 3.93978000 1.23189200 0.00020300
C 4.85604700 0.09313300 0.00015500
C 4.23057200 -1.22476200 0.00000800
C 2.87448900 -1.36574800 -0.00007700
H 1.94825100 1.93980800 0.00015800
H 4.39273600 2.21665300 0.00031900
H 4.89535500 -2.08069800 -0.00002800
H 2.43256500 -2.35759500 -0.00018500
C 0.58408900 -0.46616700 -0.00012700
H 0.29198600 -1.51258300 -0.00018500
C -0.40044500 0.47932100 -0.00015100
H -0.11238000 1.52643800 -0.00011500
C -1.83336700 0.24911500 -0.00018400
C -2.70058800 1.35709300 -0.00031400
C -2.42349100 -1.03267600 -0.00026100
C -4.08037900 1.19744000 -0.00043100
H -2.27842100 2.35672600 -0.00047900
C -3.79886600 -1.18430500 -0.00037800
H -1.79926700 -1.91813800 -0.00039500
C -4.65913000 -0.07438300 -0.00033700
H -4.71884000 2.07463800 -0.00068200
H -4.22237500 -2.18379200 -0.00059500
O 6.08742500 0.24056700 0.00023500
C -6.15488500 -0.26081200 0.00101300
H -6.67664900 0.69762500 -0.01338500
H -6.48226000 -0.83547400 -0.87107800
H -6.48356700 -0.80915100 0.88956900

EmpiricalDispersion = GD3


DFT Enthalpy = -654.551276 DFT Free Energy = -654.610482

0 2

C 1.99465100 -0.23906700 -0.00030700
C 2.58734900 1.06547300 0.00102400
C 3.93774300 1.23214400 0.00234100
C 4.85441300 0.09338400 0.00245600

C 4.22946300 -1.22504300 0.00107700
 C 2.87352000 -1.36687600 -0.00020900
 H 1.94632800 1.93930600 0.00100700
 H 4.39201600 2.21615400 0.00337200
 H 4.89611800 -2.07935200 0.00113000
 H 2.43319400 -2.35948500 -0.00122300
 C 0.58318700 -0.46628900 -0.00172000
 H 0.28881200 -1.51204800 -0.00238700
 C -0.40007000 0.48043000 -0.00222400
 H -0.11026000 1.52705700 -0.00153900
 C -1.83250500 0.25031500 -0.00294900
 C -2.70070700 1.35833100 -0.00419600
 C -2.42134900 -1.03187200 -0.00538900
 C -4.07992200 1.19760700 -0.00652000
 H -2.28001600 2.35863400 -0.00588000
 C -3.79693800 -1.18449400 -0.00776300
 H -1.79652100 -1.91678200 -0.00832500
 C -4.65702600 -0.07536900 -0.00655700
 H -4.71947400 2.07403100 -0.00969600
 H -4.22107100 -2.18357400 -0.01232200
 O 6.08557800 0.24117800 0.00366000
 C -6.15212600 -0.26259600 0.01722700
 H -6.46454900 -1.04933600 -0.67477100
 H -6.49108000 -0.55670800 1.01661000
 H -6.67621700 0.65621100 -0.25300100

trans-4-hydroxystilbene radical X = OMe



DFT Enthalpy = -729.750681 DFT Free Energy = -729.810621

CBS-QB3 Enthalpy = -728.529363 CBS-QB3 Free Energy = -728.589549

0 2

C -2.42202200 -0.23971900 -0.00000700
 C -3.06802600 1.03906100 -0.00000100
 C -4.42420300 1.15075900 0.00000800
 C -5.29481500 -0.02330000 0.00000900
 C -4.61630000 -1.31467400 -0.00000400
 C -3.25580800 -1.40126800 -0.00001100
 H -2.46311100 1.93845900 -0.00000500
 H -4.91596300 2.11678300 0.00001200
 H -5.24601200 -2.19679300 -0.00000800
 H -2.77479900 -2.37488900 -0.00002100
 C -1.00353000 -0.41090600 -0.00000800
 H -0.67022900 -1.44516200 -0.00001900
 C -0.05602700 0.57349400 0.00000200
 H -0.38757600 1.60772300 0.00001400
 C 1.38259100 0.40461300 -0.00000300

C 2.20733000 1.55203100 -0.00000100
 C 2.02812500 -0.84604200 -0.00001000
 C 3.58466500 1.45895500 -0.00000500
 H 1.74353800 2.53281300 0.00000600
 C 3.41143900 -0.95497300 -0.00001600
 H 1.44307000 -1.75773000 -0.00001400
 C 4.20454500 0.20109700 -0.00001200
 H 4.21119500 2.34233600 -0.00000300
 H 3.86358900 -1.93748500 -0.00002500
 O -6.53116900 0.07475700 0.00001800
 C 6.25529400 -1.03413200 0.00004500
 H 6.02320400 -1.62123600 0.89482000
 H 6.02329000 -1.62128700 -0.89471900
 H 7.31350800 -0.78021700 0.00008700
 O 5.56076100 0.20858000 -0.00002200


EmpiricalDispersion = GD3

DFT Enthalpy = -729.774000 DFT Free Energy = -729.833830

0 2

C -2.45363800 -0.23798000 -0.00000300
 C -3.01277400 1.08142700 -0.00001100
 C -4.35833800 1.28351200 -0.00000900
 C -5.30528000 0.16985700 0.00000300
 C -4.71453900 -1.16414500 0.00001000
 C -3.36288800 -1.34173800 0.00000700
 H -2.34931600 1.93847900 -0.00002100
 H -4.78628500 2.27931400 -0.00001600
 H -5.40318600 -2.00088800 0.00001900
 H -2.94918500 -2.34582900 0.00001200
 C -1.04970300 -0.50201600 -0.00000500
 H -0.78301600 -1.55527600 -0.00000600
 C -0.04066100 0.41892300 -0.00000200
 H -0.30429000 1.47253600 0.00000300
 C 1.38237600 0.15364900 -0.00000200
 C 2.28049100 1.23566100 0.00000600
 C 1.94146300 -1.14604300 -0.00000900
 C 3.65859700 1.05522000 0.00000600
 H 1.88645100 2.24659700 0.00001100
 C 3.30585100 -1.33985800 -0.00000800
 H 1.29503000 -2.01498700 -0.00001500
 C 4.18319400 -0.24156800 -0.00000100
 H 4.30691000 1.92055500 0.00001100
 H 3.73444700 -2.33448700 -0.00001400
 O -6.53224600 0.35027800 0.00000600
 C 6.45256000 0.51602000 0.00000700
 H 7.43082300 0.03906300 0.00000600
 H 6.35276700 1.14020000 -0.89486700
 H 6.35276400 1.14018800 0.89489100
 O 5.50422500 -0.54665300 -0.00000100

trans-4-hydroxystilbene radical X = OH



DFT Enthalpy = -690.469875 DFT Free Energy = -690.526330

CBS-QB3 Enthalpy = -689.319913 CBS-QB3 Free Energy = -689.376591

0 2
C -1.97373100 -0.23949300 0.00000000
C -2.56521300 1.06531400 0.00000000
C -3.91552500 1.23387500 0.00000000
C -4.83448600 0.09727300 0.00000000
C -4.21094600 -1.22152200 0.00000000
C -2.85524800 -1.36511100 0.00000000
H -1.92308000 1.93852100 0.00000100
H -4.36634800 2.21964800 -0.00000100
H -4.87716300 -2.07638500 0.00000000
H -2.41553900 -2.35804700 0.00000000
C -0.56333200 -0.47012000 0.00000000
H -0.27401100 -1.51752900 -0.00000100
C 0.42425200 0.47357800 0.00000100
H 0.13670200 1.52082400 0.00000100
C 1.85483800 0.24411500 0.00000100
C 2.72623100 1.35438600 0.00000000
C 2.44538000 -1.03598800 0.00000100
C 4.10192300 1.20723300 0.00000000
H 2.30307700 2.35328500 0.00000000
C 3.82077400 -1.19495800 0.00000000
H 1.82281800 -1.92223300 0.00000100
C 4.66070500 -0.07402600 0.00000000
H 4.76180500 2.06588900 0.00000000
H 4.25120000 -2.19218900 0.00000000
O -6.06560400 0.24711000 -0.00000100
O 6.01693900 -0.16981500 -0.00000100
H 6.27612900 -1.09747900 0.00000000


EmpiricalDispersion = GD3

DFT Enthalpy = -690.490169 DFT Free Energy = -690.546660

0 2
C -1.97318900 -0.23959400 -0.00000200
C -2.56179800 1.06691400 0.00000100
C -3.91155700 1.23856600 0.00000100
C -4.83296100 0.10364400 0.00000100
C -4.21237000 -1.21676500 -0.00000200
C -2.85703800 -1.36374100 -0.00000400
H -1.91792000 1.93876200 0.00000200
H -4.36196700 2.22439300 0.00000300

H -4.88196300 -2.06881100 -0.00000400
 H -2.42073800 -2.35819700 -0.00000700
 C -0.56346200 -0.47193200 -0.00000300
 H -0.27325600 -1.51895800 -0.00000700
 C 0.42418300 0.47153900 0.00000200
 H 0.13646300 1.51879300 0.00000500
 C 1.85360600 0.23911200 0.00000200
 C 2.72590400 1.34487600 -0.00000200
 C 2.44182100 -1.04584800 0.00000500
 C 4.10401900 1.18845800 -0.00000300
 H 2.30936400 2.34651000 -0.00000300
 C 3.81268900 -1.21302800 0.00000400
 H 1.81442400 -1.92857400 0.00000900
 C 4.65741200 -0.09484200 0.00000000
 H 4.75206800 2.05966900 -0.00000500
 H 4.26014800 -2.19922600 0.00000600
 O -6.06361400 0.25628000 0.00000300
 O 5.99696400 -0.32733000 -0.00000100
 H 6.47301600 0.50989900 -0.00000500

trans-4-hydroxystilbene radical X = 3,4-dioxyl



DFT Enthalpy = -803.790149 DFT Free Energy = -803.849803

CBS-QB3 Enthalpy = -802.485881 CBS-QB3 Free Energy = -802.545776

0 2

C -2.54782700 -0.20004400 -0.00218600
 C -3.24885300 1.04939600 0.00655600
 C -4.60853400 1.10166200 0.01114800
 C -5.42677200 -0.10964700 0.00733600
 C -4.69252600 -1.37028500 -0.00178700
 C -3.32964000 -1.39724200 -0.00616900
 H -2.68377900 1.97433100 0.00964300
 H -5.14226100 2.04510400 0.01783700
 H -5.28306800 -2.27905900 -0.00485200
 H -2.80633600 -2.34873100 -0.01294100
 C -1.12332800 -0.30882700 -0.00683800
 H -0.74523300 -1.32740100 -0.01277300
 C -0.22011000 0.71647600 -0.00396600
 H -0.59437100 1.73548200 0.00293500
 C 1.22388000 0.60750400 -0.00904400
 C 1.98326900 1.79426500 -0.00007900
 C 1.90171600 -0.64307000 -0.02146300
 C 3.38194900 1.79508700 -0.00137100
 H 1.46113000 2.74393600 0.01042800
 C 3.27094700 -0.62430200 -0.02053200
 H 1.37050200 -1.58464600 -0.03437300

C 4.00412900 0.56478200 -0.01010400
 H 3.95280500 2.71419600 0.00270100
 O -6.66605000 -0.06570000 0.01162500
 O 5.33957400 0.28498100 -0.03267200
 O 4.13262100 -1.68996100 -0.05382800
 C 5.44690300 -1.14165100 0.09571200
 H 5.83601500 -1.38575600 1.09027300
 H 6.09422600 -1.52665000 -0.69315000


EmpiricalDispersion = GD3

DFT Enthalpy = -803.812608 DFT Free Energy = -803.872208

0 2

C -2.54591200 -0.20064600 -0.00241000
 C -3.24675900 1.04935000 0.00683600
 C -4.60625200 1.10190200 0.01193500
 C -5.42462200 -0.10961900 0.00816900
 C -4.69059800 -1.37067400 -0.00150800
 C -3.32777300 -1.39819100 -0.00638900
 H -2.68173100 1.97422400 0.00988600
 H -5.14143400 2.04436600 0.01900700
 H -5.28295500 -2.27810600 -0.00455400
 H -2.80579100 -2.35045700 -0.01356800
 C -1.12183400 -0.30832800 -0.00753500
 H -0.74145000 -1.32601300 -0.01382300
 C -0.22031000 0.71837700 -0.00457000
 H -0.59675600 1.73656800 0.00295900
 C 1.22318400 0.60986000 -0.01020000
 C 1.98388800 1.79609900 0.00019400
 C 1.89983500 -0.64153100 -0.02433600
 C 3.38268100 1.79496600 -0.00107100
 H 1.46418200 2.74712000 0.01215900
 C 3.26870400 -0.62441000 -0.02328600
 H 1.36967800 -1.58341000 -0.03894900
 C 4.00350500 0.56411000 -0.01122200
 H 3.95624300 2.71219300 0.00395100
 O -6.66373000 -0.06556500 0.01293600
 O 5.33859100 0.28331200 -0.03548900
 O 4.12845700 -1.69131700 -0.05977600
 C 5.44195000 -1.14339000 0.10582600
 H 5.81478900 -1.37976700 1.10915900
 H 6.10055700 -1.53540800 -0.67019800

trans-4-hydroxystilbene radical X = NH₂



DFT Enthalpy = -670.589196 DFT Free Energy = -670.646038

CBS-QB3 Enthalpy = -669.450087 CBS-QB3 Free Energy = -669.507160

0 2

C	-1.98234400	0.24007900	-0.00134100
C	-2.57439700	-1.06486100	0.00129500
C	-3.92454200	-1.23427000	0.00334500
C	-4.84539600	-0.09917800	0.00301900
C	-4.22178200	1.21954700	-0.00003900
C	-2.86640300	1.36434700	-0.00207000
H	-1.93187800	-1.93793500	0.00162200
H	-4.37425400	-2.22065500	0.00531900
H	-4.88833200	2.07425600	-0.00060400
H	-2.42779300	2.35790200	-0.00435800
C	-0.57406900	0.47139200	-0.00299500
H	-0.28483900	1.51887800	-0.00503800
C	0.41655900	-0.47225100	-0.00241000
H	0.12832700	-1.51954600	-0.00145500
C	1.84286900	-0.24333500	-0.00351100
C	2.71854400	-1.34983000	-0.00432600
C	2.43892100	1.03749100	-0.00271700
C	4.09273800	-1.19974800	-0.00379700
H	2.29837900	-2.35030000	-0.00407500
C	3.80955400	1.19870000	-0.00252100
H	1.81584800	1.92374200	-0.00104700
C	4.67037600	0.08233600	-0.00123200
H	4.73379400	-2.07525100	-0.00824400
H	4.23507000	2.19709500	-0.00637300
O	-6.07654500	-0.25026500	0.00524000
N	6.04078300	0.24684600	-0.05176800
H	6.60985600	-0.53714900	0.22664300
H	6.40893300	1.14063800	0.23385800

EmpiricalDispersion = GD3

DFT Enthalpy = -670.609992 DFT Free Energy = -670.666864


0 2

C	-1.98114500	0.24088000	-0.00140300
C	-2.57291700	-1.06462000	0.00146500
C	-3.92284800	-1.23436200	0.00357200
C	-4.84389800	-0.09911600	0.00307900
C	-4.22059300	1.22002700	-0.00021000
C	-2.86532400	1.36544800	-0.00229700
H	-1.93038700	-1.93759200	0.00193600
H	-4.37406000	-2.21991700	0.00572600
H	-4.88887800	2.07321000	-0.00089600
H	-2.42814700	2.35968600	-0.00475800
C	-0.57319000	0.47102800	-0.00311800
H	-0.28141100	1.51778000	-0.00531400
C	0.41594700	-0.47406000	-0.00244500
H	0.12593500	-1.52085100	-0.00142600
C	1.84174900	-0.24533600	-0.00355400

C 2.71839700 -1.35122200 -0.00456500
 C 2.43654500 1.03627200 -0.00257300
 C 4.09240100 -1.19958200 -0.00403700
 H 2.30022400 -2.35256500 -0.00446600
 C 3.80684400 1.19902900 -0.00238900
 H 1.81259000 1.92177800 -0.00072100
 C 4.66891600 0.08327400 -0.00122700
 H 4.73442600 -2.07436200 -0.00860200
 H 4.23131600 2.19786000 -0.00607100
 O -6.07487300 -0.25034800 0.00535200
 N 6.03932800 0.24903500 -0.05152900
 H 6.40725400 1.14287700 0.23425600
 H 6.60951800 -0.53431900 0.22642200

Addition radical product

α,α -Dimethyl quinone methide



DFT Enthalpy = -614.363462 DFT Free Energy = -614.419823


CBS-QB3 Enthalpy = -613.393953 CBS-QB3 Free Energy = -613.450525

0 2

C -1.34616900 1.22990600 -0.36008700
 C -2.68638400 0.94335000 -0.44678100
 C -3.19771200 -0.37439000 -0.12116600
 C -2.21737000 -1.35594300 0.30193800
 C -0.88380900 -1.04388800 0.38653600
 H -1.00159900 2.22422000 -0.61536000
 H -3.40860100 1.68658300 -0.76381100
 H -2.58723600 -2.34410400 0.54980100
 H -0.16752200 -1.79060400 0.70186000
 C -0.41391800 0.25053000 0.05379800
 O -4.41601600 -0.64603100 -0.19993000
 O 1.72664600 -0.65993800 -0.08386700
 O 3.15161200 -0.50978100 0.20651200
 C 3.81681300 -1.25509100 -0.79762400
 H 4.87490100 -1.17978000 -0.53654000
 H 3.50865300 -2.30496800 -0.77946000
 H 3.64437200 -0.83323400 -1.79284400
 C 1.06525300 0.59458500 0.21286500
 C 1.55393600 1.66561400 -0.76974200
 H 1.27856500 1.40681900 -1.79401100
 H 1.14466300 2.64907600 -0.53130900
 H 2.63990500 1.73131900 -0.70108700

C	1.33731600	1.00566300	1.67240500
H	2.39867400	1.21380100	1.81161500
H	0.76452800	1.90106100	1.92404500
H	1.04501900	0.20379100	2.35252900

α -Methyl quinone methide




DFT Enthalpy = -575.068013 DFT Free Energy = -575.121728

CBS-QB3 Enthalpy = -574.163739 CBS-QB3 Free Energy = -574.217637

0 2

C	-1.15142900	0.99220800	-0.92428200
C	-2.49118600	0.69348800	-0.94361000
C	-3.04252900	-0.32981000	-0.07354600
C	-2.10586200	-1.00705300	0.80492000
C	-0.77192500	-0.68414300	0.81038100
H	-0.75528900	1.75349700	-1.58902000
H	-3.18224500	1.19878100	-1.60797100
H	-2.51049800	-1.77501100	1.45372800
H	-0.08334700	-1.20149000	1.46699400
C	-0.26924000	0.31847600	-0.05107900
O	-4.26036600	-0.61319000	-0.08320000
O	1.91669100	-0.51244400	0.17261400
O	3.33350000	-0.18541100	0.05229500
C	3.87341200	-1.14680800	-0.83944500
H	4.93798400	-0.90635400	-0.88708400
H	3.74269500	-2.16158200	-0.45195400
H	3.42741900	-1.06695900	-1.83604700
C	1.18937900	0.71013700	-0.01481100
H	1.47455000	1.13421300	-0.98495000
C	1.49145100	1.72109300	1.09717100
H	2.55714500	1.95195800	1.10660500
H	0.93158100	2.64510700	0.93270300
H	1.20897400	1.31068400	2.06912700

Quinone methide




DFT Enthalpy = -535.768538 DFT Free Energy = -535.819811

CBS-QB3 Enthalpy = -534.931834 CBS-QB3 Free Energy = -534.983263

0 2

C	1.10585400	1.41003300	0.06878600
C	2.43336500	1.10988900	0.25334300
C	2.91610900	-0.25428400	0.13463400
C	1.92634900	-1.26746200	-0.18728100
C	0.60777200	-0.93996000	-0.37380100
H	0.76057800	2.43370000	0.17225200
H	3.16438900	1.87027500	0.50142300
H	2.28060000	-2.28781400	-0.27519600
H	-0.12389000	-1.70378900	-0.60771700
C	0.17309100	0.40096600	-0.25266200
O	4.12132600	-0.54050400	0.30270000
O	-2.07702400	-0.22208800	0.13107400
O	-3.42973300	0.00992900	-0.37705200
C	-4.29712900	-0.42090400	0.65534400
H	-5.29962900	-0.26715800	0.25020600
H	-4.15023900	-1.48236900	0.87917800
H	-4.16442000	0.17501300	1.56380200
C	-1.26648300	0.75827400	-0.50401100
H	-1.47732800	0.74608800	-1.58255200
H	-1.50017900	1.75805000	-0.12128200

α -Phenyl quinone methide



DFT Enthalpy = -766.789766 DFT Free Energy = -766.852318


CBS-QB3 Enthalpy = -765.552346 CBS-QB3 Free Energy = -765.615145

0 2

C	1.07835800	-0.43150500	-0.84051400
C	2.29970000	-0.88904900	-1.26667300
C	3.42004000	-1.01422900	-0.35069300
C	3.17811700	-0.62634000	1.02781200
C	1.94778500	-0.16402300	1.42458300
H	0.25132300	-0.34683900	-1.53408000
H	2.47570000	-1.17539700	-2.29701000
H	4.00774000	-0.72007200	1.71864400
H	1.78498400	0.12837400	2.45724200
C	0.87635500	-0.05899700	0.50913300
O	4.53543200	-1.43408100	-0.72776700
O	-0.46857800	1.94493500	0.83911500
O	-0.33215900	2.27973100	-0.57950400
C	0.68994200	3.26176900	-0.64897400
H	0.72114300	3.54475600	-1.70365100

H	0.43619900	4.13524100	-0.04128900
H	1.65844200	2.85659900	-0.34162700
C	-0.44751300	0.51612000	0.98031000
H	-0.48088400	0.43678500	2.07392100
C	-1.69003600	-0.16765700	0.42349700
C	-2.76269600	0.56919800	-0.08130800
C	-1.79319500	-1.56184200	0.48556400
C	-3.91298800	-0.07974800	-0.52680600
H	-2.68930900	1.64672300	-0.13352700
C	-2.94482800	-2.20792600	0.04562900
H	-0.96947800	-2.14828500	0.87931100
C	-4.00927700	-1.46728800	-0.46482600
H	-4.73630900	0.50416900	-0.92304400
H	-3.00986200	-3.28877800	0.10114400
H	-4.90583000	-1.96884500	-0.81119400

α,α -Dicyano quinone methide




DFT Enthalpy = -720.261848 DFT Free Energy = -720.320365

CBS-QB3 Enthalpy = -719.149734 CBS-QB3 Free Energy = -719.208468

0 2

C	-1.28672900	1.21893700	0.30622500
C	-2.64354800	1.23407000	0.08163700
C	-3.35317000	0.03245600	-0.31658600
C	-2.56424700	-1.17875800	-0.46061500
C	-1.21375200	-1.17431200	-0.22766200
H	-0.77386000	2.12650600	0.60020500
H	-3.22781800	2.13956000	0.19084800
H	-3.08945700	-2.07872800	-0.75624500
H	-0.63366600	-2.08265600	-0.33708300
C	-0.56422000	0.02131200	0.15631900
O	-4.58482300	0.04059200	-0.52525000
O	1.46756500	-0.39120400	-0.92212100
O	2.91738800	-0.54941500	-0.77659500
C	3.50998900	0.21282400	-1.82376000
H	4.57862300	0.02343000	-1.70322900
H	3.17854400	-0.14474100	-2.80180100
H	3.30381300	1.27960700	-1.70842900
C	0.95409700	-0.03586500	0.35978600
C	1.52347900	1.25869100	0.79812500
C	1.29244900	-1.06830900	1.37082900
N	1.96099400	2.27875900	1.10384100
N	1.51567700	-1.87719300	2.15925600

α,α -Diphenyl quinone methide




DFT Enthalpy = -997.797934 DFT Free Energy = -997.868935

CBS-QB3 Enthalpy = NA CBS-QB3 Free Energy = NA

0 1
C -1.95826300 -1.18546000 0.35132900
C -3.30725700 -1.18699400 0.36645100
C -4.09557000 0.00000200 -0.00000400
C -3.30725200 1.18699600 -0.36645400
C -1.95825800 1.18545900 -0.35131800
H -1.41850400 -2.07070500 0.66270700
H -3.87058700 -2.06152100 0.67201200
H -3.87057500 2.06152400 -0.67202400
H -1.41849200 2.07070200 -0.66269200
C -1.18691500 0.00000000 0.00001200
C 0.19450700 0.00000100 0.00002000
O -5.32297700 0.00000300 -0.00000900
C 0.98400300 -1.25609300 0.03640900
C 2.07370500 -1.38646100 0.91415700
C 0.69344500 -2.32501800 -0.82774700
C 2.82154200 -2.55744100 0.95134700
H 2.32073100 -0.56746000 1.57925400
C 1.45491300 -3.48962600 -0.80146500
H -0.11965800 -2.22750000 -1.53704400
C 2.51606600 -3.61294200 0.09263200
H 3.64676100 -2.64599100 1.64881500
H 1.22165700 -4.29865900 -1.48434100
H 3.10643200 -4.52182700 0.11538000
C 0.98400200 1.25609500 -0.03639100
C 0.69345600 2.32503000 0.82775600
C 2.07369500 1.38645000 -0.91415100
C 1.45492700 3.48963500 0.80145400
H -0.11964000 2.22752100 1.53706300
C 2.82153600 2.55742700 -0.95136200
H 2.32071300 0.56744000 -1.57924100
C 2.51607100 3.61293800 -0.09265500
H 1.22168100 4.29867700 1.48432400
H 3.64674800 2.64596800 -1.64883900
H 3.10644000 4.52182200 -0.11541700

2,6-di-tert-butyl- α -methyl quinone methide



DFT Enthalpy = -889.428856 DFT Free Energy = -889.505845


CBS-QB3 Enthalpy = -887.983036 CBS-QB3 Free Energy = -888.060419

0 2

C	-0.02919500	-1.46399600	0.15558700
C	1.29263300	-1.11097100	-0.01181600
C	1.62620400	0.32718400	-0.06534800
C	0.54252800	1.32304700	0.05855200
C	-0.74623800	0.86753500	0.23256300
H	-0.31173800	-2.50844100	0.18988100
H	-1.56690500	1.56428300	0.32191600
C	-1.05099900	-0.50609700	0.28296200
O	2.81121100	0.69482700	-0.21560200
O	-3.30272000	-0.08960100	-0.25249000
O	-4.66418700	-0.60831100	-0.16655500
C	-5.13739400	-0.66304400	-1.50181400
H	-6.16632200	-1.01931500	-1.41252700
H	-5.13073400	0.32867000	-1.96408100
H	-4.55197800	-1.36149600	-2.10862300
C	-2.47084900	-0.96678600	0.52275400
H	-2.59162500	-1.98473700	0.13384500
C	2.40664700	-2.15777700	-0.14944800
C	1.85696300	-3.59563800	-0.07230400
H	1.36957700	-3.80023400	0.88529500
H	1.14622400	-3.80928700	-0.87578800
H	2.68616100	-4.30005600	-0.17388800
C	3.11574100	-1.99749200	-1.51801400
H	3.58464400	-1.01963100	-1.60594200
H	3.88695700	-2.76671200	-1.62297200
H	2.40466200	-2.12142600	-2.34034000
C	3.43582900	-1.98497200	0.99629500
H	4.20978600	-2.75399300	0.91208900
H	3.91025200	-1.00672000	0.95448100
H	2.95367300	-2.10028400	1.97174400
C	0.87390600	2.82041200	-0.00682000
C	1.52554200	3.15640300	-1.37223000
H	1.72799000	4.23044800	-1.42644200
H	2.46202900	2.61844200	-1.50502600
H	0.85282700	2.90037000	-2.19626000
C	1.84317500	3.19749400	1.14199000
H	2.78476400	2.65899500	1.05600200
H	2.04951500	4.27164800	1.10872700
H	1.39702400	2.97241600	2.11541900
C	-0.38799800	3.69335400	0.13773300
H	-1.11174700	3.50727500	-0.66055400

H	-0.88739100	3.54035000	1.09855000
H	-0.10082900	4.74632600	0.08206600
C	-2.85121800	-0.93504700	2.00698000
H	-2.73276100	0.07422100	2.40728600
H	-3.88952900	-1.24497200	2.13017000
H	-2.21060600	-1.61311700	2.57639900

Truncated dimer



DFT Enthalpy = -845.379443 DFT Free Energy = -845.448249


CBS-QB3 Enthalpy = -844.008115 CBS-QB3 Free Energy = -844.077218

0 2

C	1.68586100	-0.73545200	-0.94678200
C	2.03864400	-2.05690200	-1.04386900
C	1.65692100	-3.01393600	-0.01965400
C	0.89517400	-2.49267000	1.10074700
C	0.55651100	-1.16384100	1.17166500
H	1.98969400	-0.02773600	-1.70968300
H	2.61367700	-2.43783300	-1.87997300
H	0.61296200	-3.19839200	1.87314800
H	-0.01169700	-0.79243000	2.01765600
C	0.93550600	-0.26276200	0.15473600
O	1.97130500	-4.22160000	-0.09771200
O	1.58857600	2.04790200	-0.20443700
O	2.61138400	1.96629700	0.84596800
C	3.78537300	2.50236300	0.26894200
H	4.52260200	2.46789200	1.07383500
H	4.12979300	1.89716600	-0.57569200
H	3.63454500	3.53954000	-0.04808300
C	0.53023100	1.19587100	0.22243000
C	-0.67504300	1.54242800	-0.70021500
H	0.27533000	1.45818500	1.25591200
C	-1.89282900	0.70535500	-0.33377400
C	-2.36613100	-0.27753900	-1.20731200
C	-2.57489100	0.90298300	0.87332900
C	-3.48544600	-1.04383900	-0.88862100
H	-1.85000100	-0.44796500	-2.14632700
C	-3.69261200	0.13833500	1.19677100
H	-2.23685900	1.66374000	1.56895000

C	-4.15235100	-0.83895000	0.31597800
H	-3.83382500	-1.80139600	-1.58165800
H	-4.20687700	0.30800700	2.13631100
H	-5.02313000	-1.43390300	0.56681800
C	-0.98133300	3.05080000	-0.68657800
H	-1.22038800	3.40135600	0.32101200
H	-0.12719900	3.62451100	-1.04555200
H	-1.84128200	3.26025700	-1.32687200
H	-0.37898200	1.26472500	-1.71711200

Cyclized intermediate



DFT Enthalpy = -1420.714716 DFT Free Energy = -1420.806833


0 2

C	-2.74321300	0.50606000	1.01443000
C	-3.30831100	0.55096600	2.29627500
C	-4.68583600	0.48520500	2.48810700
C	-5.53443100	0.37453600	1.39061600
C	-4.99045300	0.32927200	0.10920600
C	-3.61212200	0.39254000	-0.07947000
H	-2.65787700	0.64004500	3.16121300
H	-5.09251000	0.52239400	3.49252400
H	-6.60814400	0.32327400	1.53167700
H	-5.64238200	0.23986400	-0.75280600
H	-3.21285900	0.35538200	-1.08115800
C	-1.23211000	0.57207000	0.90094200
H	-0.89756700	0.83017600	1.90778400
C	-0.42299100	-0.74079400	0.53949000
H	-0.10945300	-1.17361000	1.49085100
C	-1.15941000	-1.84985600	-0.19442900
C	-1.51014800	-3.01205400	0.49984700
C	-1.49710200	-1.76769300	-1.55144400
C	-2.17590800	-4.05959000	-0.13257600
H	-1.25453700	-3.10100800	1.55077400
C	-2.16032000	-2.81290500	-2.18841500
H	-1.25436700	-0.87536900	-2.11710400
C	-2.50239000	-3.96422100	-1.48201400
H	-2.43280900	-4.95088400	0.42882100
H	-2.41049900	-2.72720600	-3.24016400
H	-3.01585500	-4.77886400	-1.97989300
C	0.83582800	-0.23113800	-0.23407800
H	0.60115900	-0.29933200	-1.29668000

C	2.10869400	-1.01216800	-0.01864400
C	2.55533900	-1.40308900	1.26792400
C	2.89787200	-1.36668900	-1.13859200
C	3.71942400	-2.10808100	1.43721800
H	1.96706700	-1.14342000	2.14015900
C	4.06808500	-2.07082800	-1.00214600
H	2.55838700	-1.07439900	-2.12670800
C	4.54451900	-2.48484800	0.30386700
H	4.06670800	-2.41055800	2.41818000
H	4.67296500	-2.34724500	-1.85768300
C	0.93216400	1.33601600	0.02773700
C	1.65705500	2.00407700	-1.10419300
C	1.54045500	1.67359700	1.36206500
C	2.72458000	2.79659300	-0.95334400
H	1.26149100	1.81349000	-2.09526800
C	2.59431400	2.48209000	1.51889200
H	1.09054400	1.23081300	2.24493600
C	3.28150900	3.11723600	0.37329800
H	3.22030100	3.25252600	-1.80313800
H	3.00154400	2.70461700	2.49915800
O	5.60357000	-3.13314000	0.44660400
O	4.23964100	3.85911000	0.52495900
C	-0.60852000	1.69124200	0.03929600
H	-0.79060700	2.68614100	0.45078800
O	-1.17086900	1.62737400	-1.26665200
O	-0.93576500	2.90614800	-1.93062600
C	-2.21520100	3.46155500	-2.20538000
H	-2.77573900	3.65474000	-1.28603700
H	-1.99247900	4.40386800	-2.71083100
H	-2.79332400	2.81402300	-2.87059700

Addition transition states

QMD meso



TS frequency: -336.38 cm⁻¹


DFT Enthalpy = -1420.684490 DFT Free Energy = -1420.781737

0 2

C	-0.38120600	-1.79043800	-0.95719400
C	-0.52137000	-3.16660000	-0.74843600
C	-0.65608200	-4.04459400	-1.82186800
C	-0.65292100	-3.55902800	-3.12680100
C	-0.51822300	-2.19002300	-3.34919200
C	-0.38606800	-1.31430200	-2.27447400
H	-0.51969600	-3.55507600	0.26423000
H	-0.76552700	-5.10712400	-1.63614400
H	-0.76185400	-4.23956800	-3.96344700
H	-0.52420200	-1.80064300	-4.36106500
H	-0.29705800	-0.25113200	-2.46698500
C	-0.21950100	-0.85522200	0.23816700
H	-0.56341700	-1.39733500	1.12419300
C	1.28443300	-0.46809600	0.55765400
H	1.20311200	0.23784700	1.38064300
C	2.07382800	-1.66343100	1.08893100
C	2.21401700	-1.80975400	2.47405100
C	2.65538600	-2.62794300	0.25821300
C	2.90925600	-2.88737200	3.01661200
H	1.77341500	-1.06870800	3.13335700
C	3.35448700	-3.70538500	0.79856100
H	2.56329900	-2.55120500	-0.81803800
C	3.48421800	-3.83985900	2.17853700
H	3.00716300	-2.97783400	4.09267400
H	3.79913200	-4.44046500	0.13700900
H	4.03170100	-4.67683300	2.59678200
C	1.98124600	0.19808300	-0.59229800
H	2.24049000	-0.44308900	-1.42947500
C	-1.07192000	0.38993600	0.10919900
H	-0.56209500	1.28544700	-0.22922000
C	2.33766900	1.50551100	-0.70129800
C	2.06212800	2.52072700	0.31158700

C 3.04184700 1.95043700 -1.90153100
 C 2.43473200 3.80355100 0.14109600
 H 1.53264300 2.23310700 1.21194800
 C 3.42210800 3.22842700 -2.08022700
 H 3.25579200 1.20161700 -2.65854000
 C 3.14571800 4.26420000 -1.06778500
 H 2.22768800 4.56082700 0.88868100
 H 3.94649200 3.55452900 -2.97109100
 C -2.46428600 0.41100400 0.01626500
 C -3.29617900 -0.72958800 0.31369700
 C -3.11901300 1.64037600 -0.36095500
 C -4.64558100 -0.65652100 0.23303900
 H -2.82265300 -1.66046600 0.59996600
 C -4.46784800 1.73189900 -0.45091800
 H -2.49411500 2.50021900 -0.58082700
 C -5.33330100 0.58272400 -0.15630400
 H -5.27899800 -1.50900200 0.44940100
 H -4.96411100 2.64943800 -0.74513000
 O 3.48153000 5.43257200 -1.21862600
 O -6.56075600 0.65315300 -0.22691400
 O -0.84226400 0.95570200 2.11526800
 O -1.12752700 2.26439700 2.34580800
 C -2.31169200 2.37376600 3.15533500
 H -2.15731500 1.85607000 4.10393100
 H -2.44603700 3.44339600 3.31828700
 H -3.16700600 1.95448500 2.62458800

QMD meso



TS frequency: -353.86 cm⁻¹


DFT Enthalpy = -1420.682110 DFT Free Energy = -1420.778952

0 2

C -0.12248400 -1.58014000 0.65937600
 C 0.04835500 -2.35166400 1.81406700
 C 0.31831300 -3.71648800 1.73444000
 C 0.42651300 -4.33237500 0.49101000
 C 0.26239200 -3.57368900 -0.66669600
 C -0.00756700 -2.21040100 -0.58602400
 H -0.03970500 -1.88231100 2.78901400
 H 0.44361600 -4.29494800 2.64282100
 H 0.63793200 -5.39333000 0.42332300

H	0.34549700	-4.04545300	-1.63937300
H	-0.14872900	-1.63826400	-1.49370000
C	-0.37207300	-0.08258600	0.78594800
H	-0.47836100	0.12570400	1.86076000
C	0.87853800	0.74625900	0.30397400
H	0.92613100	0.63473300	-0.77677400
C	0.74534700	2.24047600	0.60545700
C	0.73173400	3.16560000	-0.44316600
C	0.65073200	2.71950600	1.91841900
C	0.62555100	4.53165500	-0.18916500
H	0.79072500	2.81179100	-1.46643300
C	0.54412700	4.08366600	2.17433600
H	0.66222900	2.02743100	2.75400200
C	0.53258300	4.99542300	1.12040100
H	0.61466700	5.23221400	-1.01658100
H	0.47281700	4.43495000	3.19761500
H	0.45163800	6.05786300	1.31942200
C	2.14227200	0.22921900	0.93502400
H	2.12502000	0.15776700	2.02078900
C	-1.64631600	0.48175500	0.18901500
H	-1.59893400	1.55622000	0.05820900
C	3.30353600	-0.11365300	0.32208800
C	3.50812600	-0.07474200	-1.12090600
C	4.43572000	-0.55062000	1.13294100
C	4.68468300	-0.41991000	-1.67674300
H	2.68814500	0.24197600	-1.75411000
C	5.61618500	-0.90011700	0.59013200
H	4.29318700	-0.58533200	2.20898600
C	5.83699900	-0.86185400	-0.86669600
H	4.84095400	-0.39202000	-2.74918200
H	6.45514700	-1.22419200	1.19511800
C	-2.94605700	-0.03316200	0.23604200
C	-3.29798700	-1.39561800	0.55795700
C	-4.02921000	0.87888000	-0.06268400
C	-4.59170700	-1.79764800	0.59794100
H	-2.51027900	-2.10312500	0.77239500
C	-5.32653100	0.49310900	-0.02836400
H	-3.77000700	1.90381100	-0.30840000
C	-5.70419700	-0.88501800	0.30723100
H	-4.86112000	-2.81755900	0.84740100
H	-6.13697100	1.18160500	-0.23846400
O	6.90575700	-1.17732600	-1.37619600
O	-6.87944000	-1.25250600	0.34015800
O	-1.20383800	0.31668700	-1.86552000
O	-1.80851100	1.30751700	-2.57548400
C	-2.78821900	0.74360300	-3.46491500
H	-3.55850400	0.22509000	-2.89303100
H	-3.21108000	1.59550800	-3.99837000
H	-2.30189200	0.05810800	-4.16175200

QMD meso extended conformation



TS frequency: -368.24 cm⁻¹

DFT Enthalpy = -1037.239059 DFT Free Energy = -1037.319825

CBS-QB3 Enthalpy = -1035.559817 CBS-QB3 Free Energy = -1035.640966

0 2

C	-0.07485800	0.55779400	-0.51903000
H	-0.31501600	0.15720100	-1.50910000
C	0.93420500	-0.44773000	0.15962400
H	1.18466700	-0.03152300	1.13994100
C	2.17490900	-0.56466900	-0.67782100
H	1.99348200	-0.87164900	-1.70796000
C	-1.33231900	0.64143600	0.31175200
H	-1.19477300	1.12362300	1.27591900
C	3.47087200	-0.39323200	-0.31207100
C	3.89533600	0.00723100	1.02488600
C	4.52731300	-0.61911600	-1.29486400
C	5.19577300	0.15936400	1.33724000
H	3.13821300	0.18403400	1.77977100
C	5.83045600	-0.46952900	-0.99617000
H	4.22244700	-0.91781900	-2.29356600
C	6.27221200	-0.06653800	0.35157100
H	5.51520100	0.45679600	2.32956800
H	6.61215400	-0.63784300	-1.72788800
C	-2.45442700	-0.18969400	0.20367100
C	-2.75963200	-0.96851000	-0.97142800
C	-3.38895700	-0.24406400	1.29980700
C	-3.86393100	-1.75042500	-1.03513000
H	-2.09157000	-0.91547400	-1.82255500
C	-4.49602400	-1.02641200	1.25869700
H	-3.17447400	0.35610500	2.17813700
C	-4.81270000	-1.84447400	0.08200200
H	-4.09829800	-2.33825400	-1.91512200
H	-5.19044000	-1.08306700	2.08900700
O	7.45428400	0.07361300	0.63903700
O	-5.81573800	-2.55818400	0.03085300
C	0.59808200	1.93065200	-0.69399100
H	1.53222900	1.82784200	-1.24904800
H	-0.04975200	2.62374700	-1.22530200
H	0.83386200	2.37439800	0.27825300
C	0.36683400	-1.86767300	0.37246200
H	-0.50472800	-1.86000500	1.02821800
H	0.06908400	-2.32263100	-0.57652600
H	1.12634900	-2.50812100	0.82571300

O -2.18118400 2.35646000 -0.45426100
 O -3.13634900 2.86159600 0.37095600
 C -4.41548100 2.82690300 -0.28562700
 H -4.70057400 1.79637200 -0.49982000
 H -5.11047100 3.27889800 0.42267400
 H -4.37165900 3.41160600 -1.20645800

EmpiricalDispersion = GD3


TS frequency: -354.21 cm⁻¹
 DFT Enthalpy = -1037.287378 DFT Free Energy = -1037.366983

0 2

C -0.01975100 0.52921400 -0.42670200
 H -0.27143300 0.19328800 -1.43740400
 C 0.92578400 -0.55850000 0.21295900
 H 1.19267400 -0.19622000 1.20978100
 C 2.15608200 -0.70615200 -0.63093900
 H 1.96080800 -1.07022600 -1.63960300
 C -1.27556200 0.64439400 0.39650000
 H -1.13130700 1.12825200 1.35860300
 C 3.45042800 -0.47452900 -0.29858400
 C 3.87698000 0.02298000 1.00477700
 C 4.50019700 -0.72146500 -1.28360700
 C 5.17418100 0.24619800 1.28522200
 H 3.12330400 0.21793500 1.75833200
 C 5.80028700 -0.50306200 -1.01592500
 H 4.19413000 -1.09299500 -2.25722800
 C 6.24444300 0.00105300 0.29702300
 H 5.49734400 0.61782400 2.25081300
 H 6.57915500 -0.68536100 -1.74711100
 C -2.41877000 -0.15350800 0.27860100
 C -2.71700500 -0.94398200 -0.89030900
 C -3.39358700 -0.12893800 1.33686000
 C -3.85846700 -1.66672900 -0.98194700
 H -2.01031500 -0.94984700 -1.71081200
 C -4.54304400 -0.84658500 1.26526200
 H -3.18439300 0.48617100 2.20538700
 C -4.85709600 -1.67402700 0.09509000
 H -4.09034000 -2.26578500 -1.85475500
 H -5.27697800 -0.83963400 2.06251600
 O 7.42386700 0.20506100 0.55500800
 O -5.89974100 -2.32652500 0.01564700
 C 0.72231400 1.87316100 -0.52251000
 H 1.64808300 1.75928800 -1.08837700
 H 0.10811000 2.62978900 -1.00507100
 H 0.98348100 2.23909300 0.47546200
 C 0.27825900 -1.94947400 0.36430500
 H -0.58327600 -1.92271800 1.03229300
 H -0.05977300 -2.33400800 -0.60202600
 H 1.00387000 -2.65588700 0.77295200

O	-2.07238100	2.37676500	-0.39445000
O	-3.20830600	2.74468400	0.25115200
C	-4.34088200	2.54675300	-0.61513700
H	-4.42819400	1.49228300	-0.87881600
H	-5.20591600	2.87114600	-0.03606400
H	-4.22530100	3.15692100	-1.51336900

QMD meso compressed conformation



TS frequency: -366.74 cm⁻¹

DFT Enthalpy = -1037.239170 DFT Free Energy = -1037.319755

CBS-QB3 Enthalpy = -1035.560805 CBS-QB3 Free Energy = -1035.641773

0 2

C	0.46551200	-1.94857600	-0.12571600
H	0.08217800	-1.51263800	-1.05231800
C	-0.72971000	-1.89448800	0.91444300
H	-1.43847400	-2.63938200	0.54555300
C	-1.40431300	-0.55582600	0.95028000
H	-0.86379900	0.22380900	1.48226700
C	1.64692500	-1.14013500	0.35076800
H	2.26802900	-1.63866200	1.08862200
C	-2.60546300	-0.20778600	0.41846200
C	-3.46690500	-1.12023900	-0.32598800
C	-3.08740300	1.16149100	0.58108900
C	-4.64457200	-0.71917000	-0.84006900
H	-3.14386800	-2.14526300	-0.46610700
C	-4.26298400	1.57484800	0.07362800
H	-2.45299800	1.84938400	1.13174900
C	-5.14088100	0.66310800	-0.68209400
H	-5.28737700	-1.39413100	-1.39371700
H	-4.61623100	2.59233100	0.19496500
C	1.77730700	0.25191300	0.29507200
C	1.00548100	1.09077300	-0.59010400
C	2.76905400	0.89212900	1.12403400
C	1.17688300	2.43443000	-0.61843600
H	0.28022100	0.62839500	-1.24823500
C	2.94976800	2.23567700	1.11587900
H	3.36690800	0.26272900	1.77573800
C	2.15730900	3.10993800	0.24199000

H	0.60116100	3.06912500	-1.28214500
H	3.68104000	2.72112100	1.75186100
O	-6.21348800	1.02308600	-1.15075100
O	2.31159800	4.33189700	0.22554600
C	-0.32257400	-2.30785600	2.34281500
H	-1.20843800	-2.38550500	2.97692100
H	0.17890900	-3.27777400	2.35229800
H	0.34552300	-1.57264400	2.79938200
C	0.83854600	-3.41379000	-0.40998800
H	1.56378300	-3.47756800	-1.21832900
H	1.28058200	-3.89493500	0.46643300
H	-0.05166600	-3.98109300	-0.69405400
O	2.96912100	-1.61560900	-1.16403400
O	4.26074000	-1.41294000	-0.79575300
C	4.84360200	-0.37821400	-1.60778100
H	4.32559600	0.56669100	-1.44035100
H	5.88148100	-0.31158300	-1.28019000
H	4.79018600	-0.66324900	-2.66011200

EmpiricalDispersion = GD3

TS frequency: -344.70 cm⁻¹


DFT Enthalpy = -1037.289537 DFT Free Energy = -1037.368479

0 2

C	0.51425600	-2.09842500	-0.14854600
H	-0.01429200	-1.63302600	-0.98448100
C	-0.55388900	-2.27089300	1.00630600
H	-1.27111800	-2.99680000	0.61107100
C	-1.27277900	-0.98296300	1.28723200
H	-0.85742800	-0.37539700	2.08785900
C	1.62840600	-1.18891600	0.29736000
H	2.38173500	-1.66477400	0.91700400
C	-2.33683900	-0.47590700	0.61543100
C	-2.96903500	-1.15198900	-0.51152200
C	-2.85649800	0.83967400	0.97300100
C	-3.96934200	-0.57871900	-1.20645200
H	-2.61341000	-2.13654400	-0.79354300
C	-3.85628100	1.42423000	0.28768500
H	-2.39013600	1.35027300	1.80981400
C	-4.49420100	0.75999000	-0.86403700
H	-4.44214500	-1.07175500	-2.04808500
H	-4.23443400	2.40688300	0.54403800
C	1.57091300	0.20421200	0.37165500
C	0.60079500	1.00195400	-0.34151500
C	2.57455900	0.89851400	1.13739300
C	0.59712200	2.35303800	-0.25465000
H	-0.13507000	0.50278100	-0.95775900
C	2.58666300	2.25070800	1.23810700
H	3.32708300	0.30372600	1.64464600
C	1.58490200	3.07902700	0.55436800

H -0.13177200 2.95692700 -0.78204400
 H 3.32980300 2.77844700 1.82435900
 O -5.40181800 1.27949500 -1.50081800
 O 1.58304000 4.30762500 0.64520300
 C 0.03298400 -2.84839100 2.30428100
 H -0.76312200 -3.02364400 3.03154700
 H 0.53914300 -3.79909000 2.12971500
 H 0.74942400 -2.15778600 2.75783300
 C 1.03101000 -3.46825200 -0.61398900
 H 1.63499100 -3.36628200 -1.51369000
 H 1.65516200 -3.94244100 0.14727200
 H 0.19274700 -4.13587200 -0.83076800
 O 2.84462400 -1.35861100 -1.37995300
 O 4.01445100 -0.69618800 -1.21120300
 C 4.02143000 0.49024500 -2.02735700
 H 3.21826700 1.15890000 -1.71614000
 H 4.99461400 0.95112300 -1.85622600
 H 3.90251200 0.21297000 -3.07676100

QMD (S,S) extended conformation



TS frequency: -372.03 cm⁻¹

DFT Enthalpy = -1037.238693 DFT Free Energy = -1037.318992

0 2

C -0.88484000 -0.53863900 1.38396600
 H -1.56593300 -0.29204200 2.20179400
 C 0.12217000 0.68246700 1.33568600
 C -1.66627900 -0.69365000 0.11174000
 H -1.08393100 -1.03901500 -0.74130300
 C 2.16205700 -0.18187100 -0.02642600
 C 2.91293500 -0.72040000 1.08185000
 C 2.66291400 -0.43624800 -1.35501400
 C 4.02465800 -1.46867400 0.88665700
 H 2.58123400 -0.50496500 2.09016700
 C 3.76693400 -1.19250300 -1.57195700
 H 2.11588700 -0.01298500 -2.19171400
 C 4.52958500 -1.77180400 -0.45913500
 H 4.59477500 -1.87220200 1.71549800
 H 4.13262600 -1.40216900 -2.57054600
 C -2.99406800 -0.50551600 -0.10179700
 C -3.93409100 -0.06275400 0.92275100
 C -3.54569900 -0.75750300 -1.43098300
 C -5.24176600 0.10980500 0.65488200

H -3.56162900 0.13077500 1.92159100
 C -4.85020800 -0.58875600 -1.71210900
 H -2.85597300 -1.09206500 -2.20033900
 C -5.80862600 -0.13741700 -0.68637800
 H -5.94294300 0.43843800 1.41354100
 H -5.25575800 -0.77611900 -2.69963900
 O 5.53528000 -2.45891600 -0.64203200
 O -6.99862400 0.02188300 -0.92669400
 H 0.73078700 0.60060100 2.24139600
 C -0.66832900 1.99950100 1.39948000
 H 0.00018500 2.85560700 1.45385300
 H -1.30211900 2.12181200 0.51687100
 H -1.31583000 2.00597500 2.28020500
 C -0.21424700 -1.87901600 1.74050500
 H 0.46986800 -2.21808300 0.96019800
 H 0.34990700 -1.79387400 2.67296200
 H -0.97417100 -2.65190700 1.87746700
 C 1.02076400 0.61451900 0.12468300
 H 0.55146200 0.93774100 -0.79991600
 O 1.98775300 2.42343200 0.33721000
 O 2.46056900 2.88376400 -0.85080100
 C 3.89606000 2.96536500 -0.80618400
 H 4.18615200 3.38116100 -1.77154700
 H 4.20146900 3.62878900 0.00507800
 H 4.32457400 1.97178300 -0.67039300

EmpiricalDispersion = GD3


TS frequency: -353.35 cm⁻¹
 DFT Enthalpy = -1037.287999 DFT Free Energy = -1037.366495

0 2

C -0.86868500 -0.59288000 1.49806400
 H -1.56041000 -0.33800700 2.30466900
 C 0.04901100 0.68487800 1.33864500
 C -1.63753400 -0.88084600 0.24206300
 H -1.05668300 -1.36513600 -0.54143000
 C 2.06643300 -0.16553700 -0.05399100
 C 2.87285000 -0.61207100 1.05652800
 C 2.55522100 -0.42737900 -1.38318100
 C 4.03037300 -1.28666300 0.86268600
 H 2.54146600 -0.38913000 2.06282100
 C 3.70932200 -1.10652600 -1.59885600
 H 1.96725600 -0.06538500 -2.22012200
 C 4.53183000 -1.59199800 -0.48416000
 H 4.64327400 -1.62440900 1.69015700
 H 4.07593700 -1.31744800 -2.59658700
 C -2.93977900 -0.61978400 -0.03394600
 C -3.85514500 0.02567500 0.90151800
 C -3.48468500 -0.98761700 -1.33859100
 C -5.13524800 0.28060400 0.57418700

H -3.48379000 0.30790200 1.87906200
 C -4.76228900 -0.73919400 -1.67796100
 H -2.81382400 -1.47470500 -2.04028800
 C -5.69478700 -0.07918400 -0.74487600
 H -5.81961300 0.76140000 1.26366300
 H -5.16592900 -1.00961700 -2.64669100
 O 5.58432200 -2.20578200 -0.66677500
 O -6.85954800 0.15513200 -1.04035300
 H 0.69605500 0.71100400 2.22017200
 C -0.82211100 1.95040500 1.33329400
 H -0.21053800 2.84843600 1.27962700
 H -1.50209100 1.95174700 0.47732400
 H -1.42661700 1.99508900 2.24282200
 C -0.09820700 -1.85013700 1.93443000
 H 0.60283800 -2.18445200 1.16713200
 H 0.46738600 -1.66033200 2.85016000
 H -0.79543300 -2.66786500 2.13141300
 C 0.89587700 0.58216800 0.09671300
 H 0.37066200 0.82702100 -0.82153700
 O 1.77887400 2.45160000 0.16378300
 O 2.48747200 2.70301400 -0.96441300
 C 3.89505600 2.70480900 -0.66051700
 H 4.39236000 2.92454500 -1.60558600
 H 4.10853300 3.47943800 0.07889700
 H 4.19517800 1.72583800 -0.28591300

QMD (S,S) compressed conformation



TS frequency: -352.59 cm⁻¹

DFT Enthalpy = -1037.238540 DFT Free Energy = -1037.319715

0 2

C -0.91229900 -2.17532400 0.59666000
 H -1.30243800 -1.97390900 1.59874200
 C 0.65322700 -2.30650600 0.72346800
 C 1.31627900 -0.99258500 1.02190700
 H 0.92889800 -0.47254800 1.89637800
 C -1.21968900 -1.00528600 -0.30950100
 H -0.88500800 -1.13439300 -1.33485200
 C 2.36258500 -0.40983900 0.38135100
 C 3.01678500 -0.97424900 -0.79397100
 C 2.88725500 0.85953800 0.87676600
 C 4.05641500 -0.35878400 -1.38778200
 H 2.65499600 -1.91566900 -1.19088700
 C 3.92443800 1.48596100 0.29166800

H 2.40231200 1.29277700 1.74628800
 C 4.59766600 0.92328800 -0.89259900
 H 4.54715800 -0.77634500 -2.25965600
 H 4.30945200 2.42929500 0.66123700
 C -1.42435900 0.31564100 0.10212000
 C -1.80684900 0.68200900 1.44488200
 C -1.29294900 1.37740800 -0.86476300
 C -2.00455500 1.97479300 1.79699600
 H -1.95272700 -0.10004400 2.18058400
 C -1.47965500 2.67779900 -0.53059400
 H -1.01888600 1.10651600 -1.87901600
 C -1.84762000 3.07359900 0.83407300
 H -2.29474200 2.25567600 2.80294700
 H -1.36034600 3.47830300 -1.25146800
 O 5.54418600 1.47893300 -1.43615200
 O -2.02273300 4.25055000 1.15208800
 H 1.01383600 -2.69444100 -0.23332400
 O -3.16855300 -1.43536300 -0.88656700
 O -3.52838300 -0.73565600 -1.99366400
 C -4.60457100 0.16391600 -1.67519900
 H -4.85469700 0.65255600 -2.61731500
 H -5.45774400 -0.40321300 -1.29812200
 H -4.27549700 0.89649400 -0.93750400
 C 1.05030100 -3.30993700 1.83005400
 H 0.68308000 -2.97925500 2.80630300
 H 0.65158200 -4.30643600 1.63557900
 H 2.13747900 -3.39089900 1.89156500
 C -1.52166000 -3.49350100 0.09074600
 H -1.24345800 -4.32463400 0.73986700
 H -2.60758300 -3.43578600 0.06172000
 H -1.17626000 -3.71939200 -0.92241300

EmpiricalDispersion = GD3


TS frequency: -314.52 cm⁻¹
 DFT Enthalpy = -1037.289774 DFT Free Energy = -1037.368559

0 2

C -2.03038200 -1.66942100 0.25665900
 H -2.26835000 -1.40703800 1.29209200
 C -0.81569600 -2.68674100 0.29416500
 C 0.39758900 -2.07061600 0.92039700
 H 0.34855300 -1.97189700 2.00370000
 C -1.60590300 -0.43464700 -0.49535100
 H -1.59402000 -0.54879800 -1.57567100
 C 1.49970600 -1.57249500 0.30606300
 C 1.69984800 -1.60239100 -1.13819000
 C 2.51863600 -0.89119700 1.09754000
 C 2.75352800 -0.99926100 -1.71752500
 H 0.97357700 -2.12070000 -1.75296000
 C 3.57050400 -0.27249900 0.53119400

H 2.38138700 -0.86713900 2.17406400
 C 3.76943400 -0.27107600 -0.92985800
 H 2.90683400 -1.01348500 -2.79049600
 H 4.30974600 0.26150400 1.11621500
 C -0.83682200 0.60722500 0.01858300
 C -0.71652700 0.87465600 1.43277200
 C -0.14289400 1.48467800 -0.88852400
 C 0.06033100 1.87876500 1.89821400
 H -1.27162900 0.25654100 2.12777000
 C 0.65338600 2.48675000 -0.44255600
 H -0.24906100 1.30082300 -1.95218400
 C 0.82128900 2.75160800 0.99198500
 H 0.15705700 2.08804200 2.95721500
 H 1.20710500 3.12664700 -1.11915400
 O 4.71525600 0.29471000 -1.46291100
 O 1.54340100 3.65517100 1.41253000
 H -0.60575300 -2.95501900 -0.74524400
 O -3.44454000 0.58501300 -0.56634600
 O -3.36130600 1.66700500 -1.37795600
 C -3.36850300 2.86881100 -0.58569600
 H -3.33153300 3.68764200 -1.30484000
 H -4.28578900 2.91274300 0.00519200
 H -2.49377400 2.88868100 0.06528400
 C -1.17932500 -3.97407200 1.05889900
 H -1.51854800 -3.74065700 2.07311500
 H -1.96709200 -4.53531900 0.55613600
 H -0.30521400 -4.62440800 1.13712500
 C -3.26414300 -2.32372200 -0.38452300
 H -3.62699800 -3.15902200 0.21477700
 H -4.07044900 -1.60036000 -0.48599700
 H -3.02288200 -2.70010100 -1.38417000

α,α -Dimethyl quinone methide




TS frequency: -337.98 cm⁻¹
 DFT Enthalpy = -614.330501 DFT Free Energy = -614.387457
 CBS-QB3 Enthalpy = -613.350221 CBS-QB3 Free Energy = -613.407390

0 2

C	-0.69112300	-0.00845700	1.23598700
C	-1.99582300	0.35992800	1.18710400
C	-2.83605900	0.07755200	0.01928000
C	-2.16784200	-0.62415300	-1.07996600

C	-0.86303200	-0.98387800	-1.01173400
H	-0.11478100	0.21877500	2.12351500
H	-2.47314000	0.87565500	2.01265000
H	-2.77210700	-0.83983900	-1.95369100
H	-0.41802100	-1.49646700	-1.85428100
C	-0.05002700	-0.70969700	0.14971400
O	-4.02148800	0.41276400	-0.03386700
O	2.15839200	0.58928700	-0.73135600
O	2.11528300	1.71881500	0.01658900
C	1.23210800	2.67796400	-0.59111700
H	1.29393300	3.56513000	0.03993900
H	1.57428700	2.90017200	-1.60354200
H	0.21365700	2.28783700	-0.60902500
C	1.30597000	-1.08827400	0.22759600
C	1.92789300	-2.02383200	-0.77233200
H	1.51564000	-1.92507200	-1.77413800
H	3.00119600	-1.83974400	-0.82852400
H	1.78144300	-3.05964200	-0.44250500
C	2.06815000	-0.95551800	1.52137000
H	1.99166500	0.04982500	1.93577400
H	1.68303200	-1.66277100	2.26481700
H	3.12441300	-1.17060200	1.36267100

α -Methyl quinone methide



TS frequency: -378.13 cm⁻¹

DFT Enthalpy =	-575.033441	DFT Free Energy =	-575.087440
CBS-QB3 Enthalpy =	-574.120188	CBS-QB3 Free Energy =	-574.174372

0 2

C	0.58547500	-0.16243500	1.28738000
C	1.85222200	-0.60080000	1.08695100
C	2.64032200	-0.16158600	-0.07091100
C	1.96797600	0.77075800	-0.98585300
C	0.69961400	1.19443300	-0.76991400
H	0.01815000	-0.49900800	2.14933000
H	2.33817600	-1.28710700	1.77079800
H	2.54310600	1.09999500	-1.84363200
H	0.23622300	1.87969400	-1.46975600
C	-0.05310300	0.76002000	0.38133200
O	3.79211000	-0.55314200	-0.26666500
O	-2.49350100	-0.30796000	-0.30086900
O	-2.29724700	-1.55438200	0.19215400
C	-1.60614300	-2.36187800	-0.77643400

H -1.53481300 -3.35215500 -0.32565000
 H -2.18362900 -2.39989100 -1.70202000
 H -0.61261700 -1.95151300 -0.96275900
 C -1.36566800 1.16106300 0.63526700
 H -1.77562000 0.86380300 1.59416600
 C -2.08732100 2.27657300 -0.04958800
 H -1.81534900 2.37313300 -1.10056100
 H -3.16417600 2.11452000 0.01333900
 H -1.86058200 3.22550800 0.45041800

SCRF = (CPCM, solvent=chlorobenzene)

TS frequency: -389.90 cm⁻¹

DFT Enthalpy = -575.042660 DFT Free Energy = -575.096858
 CBS-QB3 Enthalpy = -574.128947 CBS-QB3 Free Energy = -574.183329

C -0.58709100 0.17542000 1.28047900
 C -1.85388600 0.61733800 1.08005500
 C -2.64159200 0.17634800 -0.07267400
 C -1.97848900 -0.75895200 -0.98523700
 C -0.71053800 -1.18856400 -0.77034600
 H -0.02046100 0.51168400 2.14254400
 H -2.33183400 1.30800400 1.76531400
 H -2.55228800 -1.09124900 -1.84287500
 H -0.25361800 -1.87862200 -1.46909300
 C 0.04410700 -0.75297300 0.37739900
 O -3.79950700 0.57158400 -0.26704000
 O 2.47382300 0.27882400 -0.33350500
 O 2.34699300 1.52558800 0.18222600
 C 1.65660500 2.38165200 -0.74870200
 H 1.64355500 3.36417300 -0.27748700
 H 2.20301300 2.41320700 -1.69259000
 H 0.64131300 2.01523400 -0.90453500
 C 1.35322800 -1.16990800 0.63676700
 H 1.76536600 -0.86866600 1.59339100
 C 2.05393200 -2.30613000 -0.03230600
 H 1.78808300 -2.41071300 -1.08398200
 H 3.13390700 -2.17578800 0.04453300
 H 1.79483200 -3.24061900 0.47871500

EmpiricalDispersion = GD3


TS frequency: -370.22 cm⁻¹

DFT Enthalpy = -575.053879 DFT Free Energy = -575.107157

0.2

C -0.51930700 0.07795200 1.32599100
 C -1.80397700 0.46096800 1.12441900
 C -2.56148200 0.01209400 -0.04990800
 C -1.84115900 -0.86923600 -0.97926500
 C -0.55486700 -1.23424200 -0.76435400

H 0.02785900 0.42885400 2.19470700
 H -2.32674000 1.11162300 1.81562200
 H -2.39663200 -1.20654400 -1.84660600
 H -0.05365300 -1.87986300 -1.47554400
 C 0.16896700 -0.78646200 0.40078800
 O -3.72743800 0.35776700 -0.24877600
 O 2.45267100 0.55671600 -0.23772600
 O 1.94574000 1.73781300 0.18409400
 C 1.11569000 2.30485800 -0.84642800
 H 0.76386300 3.25549200 -0.44475300
 H 1.70908100 2.46006100 -1.74988500
 H 0.27622900 1.63913800 -1.05109500
 C 1.51118600 -1.08533600 0.62957500
 H 1.90623100 -0.79629200 1.59725500
 C 2.33065900 -2.08119100 -0.12453900
 H 2.05283900 -2.14300400 -1.17640100
 H 3.38579300 -1.80952800 -0.06491800
 H 2.21309600 -3.07473700 0.32321200



TS frequency: -378.04 cm⁻¹


DFT Enthalpy = -575.036512 DFT Free Energy = -575.090817
 CBS-QB3 Enthalpy = -574.123226 CBS-QB3 Free Energy = -574.177718

0 2

C -0.58547500 0.16243500 1.28738000
 C -1.85222200 0.60080000 1.08695100
 C -2.64032200 0.16158600 -0.07091100
 C -1.96797600 -0.77075800 -0.98585300
 C -0.69961400 -1.19443300 -0.76991400
 H -0.01815000 0.49900800 2.14933000
 H -2.33817600 1.28710700 1.77079800
 H -2.54310600 -1.09999500 -1.84363200
 H -0.23622300 -1.87969400 -1.46975600
 C 0.05310300 -0.76002000 0.38133200
 O -3.79211000 0.55314100 -0.26666500
 O 2.49350100 0.30796000 -0.30086900
 O 2.29724700 1.55438200 0.19215400
 C 1.60614300 2.36187800 -0.77643400
 H 1.53481300 3.35215500 -0.32565000
 H 2.18362900 2.39989100 -1.70202000
 H 0.61261700 1.95151300 -0.96275900
 C 1.36566800 -1.16106300 0.63526700
 H 1.77562000 -0.86380300 1.59416600
 C 2.08732100 -2.27657300 -0.04958800
 H(Iso=2) 1.81534900 -2.37313300 -1.10056100

H 3.16417600 -2.11452000 0.01333900
H 1.86058200 -3.22550800 0.45041800

Quinone methide




TS frequency: -398.55 cm⁻¹

DFT Enthalpy = -535.732863 DFT Free Energy = -535.783535
CBS-QB3 Enthalpy = -534.888357 CBS-QB3 Free Energy = -534.939186

0 2

C -0.45041900 0.01556400 1.30466200
C -1.62512600 0.65330900 1.08994600
C -2.45029800 0.36868700 -0.09423100
C -1.92241900 -0.64414000 -1.02078000
C -0.74581000 -1.26996000 -0.78982200
H 0.14628200 0.23693500 2.18397800
H -2.01188800 1.39594500 1.77823400
H -2.52760500 -0.85911000 -1.89381000
H -0.36747100 -2.01103500 -1.48681900
C 0.04444400 -0.98077400 0.38440700
O -3.51757000 0.94655200 -0.29732900
O 2.67913300 -0.49229300 -0.40069300
O 2.86575800 0.72254400 0.16555700
C 2.32234600 1.75042000 -0.68164700
H 2.57876600 2.69011100 -0.19168200
H 2.78056700 1.69207600 -1.67039700
H 1.23952200 1.63716100 -0.75539900
C 1.26119700 -1.60444700 0.60106700
H 1.55936800 -2.44792300 -0.00747300
H 1.78040200 -1.48053800 1.54147900

α -Phenyl quinone methide




TS frequency: -402.30 cm⁻¹

DFT Enthalpy = -766.755867 DFT Free Energy = -766.817105
CBS-QB3 Enthalpy = -765.505029 CBS-QB3 Free Energy = -765.566515

0 2

C -1.89032800 0.09559400 1.29464700
 C -3.12461000 -0.41571900 1.05421500
 C -3.38043800 -1.28738200 -0.09710400
 C -2.23050000 -1.54453000 -0.97119900
 C -1.00156200 -1.03593100 -0.70607100
 H -1.72179100 0.73966500 2.15186100
 H -3.96923100 -0.20500000 1.69996900
 H -2.42003700 -2.14989200 -1.85015900
 H -0.18124800 -1.21224600 -1.39047500
 C -0.76423800 -0.21750900 0.45599700
 O -4.49728600 -1.75866600 -0.32623600
 O 0.44753100 2.00158600 -0.43831200
 O -0.41405500 2.94963100 0.02603000
 C -1.51043600 3.10038300 -0.89012800
 H -2.11788700 3.90688800 -0.47774100
 H -1.13187600 3.37089900 -1.87777700
 H -2.08628900 2.17530200 -0.94328800
 C 0.48710600 0.34883200 0.76322600
 H 0.50190800 0.99508000 1.63430800
 C 1.80803000 -0.16826200 0.35892500
 C 2.90966300 0.70367600 0.31959400
 C 2.02497200 -1.53145200 0.10150100
 C 4.17609500 0.23238500 -0.00086800
 H 2.75077900 1.75638800 0.51387900
 C 3.29756500 -2.00149700 -0.21010800
 H 1.20442500 -2.23271700 0.18282000
 C 4.37500200 -1.12170700 -0.27019700
 H 5.01184000 0.92183300 -0.03819800
 H 3.44678700 -3.05888800 -0.39663500
 H 5.36515400 -1.48899900 -0.51499800

α,α -Dicyano quinone methide



TS frequency: -542.88 cm⁻¹


DFT Enthalpy = -720.237352 DFT Free Energy = -720.295868
 CBS-QB3 Enthalpy = -719.117482 CBS-QB3 Free Energy = -719.176214

0 2

C 0.83015500 -0.24888200 1.22207900
 C 2.18218300 -0.40167600 1.18813400
 C 2.99332500 0.20127600 0.12747100
 C 2.27035500 0.97597300 -0.88541200
 C 0.92054100 1.11485800 -0.83988000
 H 0.24604300 -0.69708500 2.01687600

H	2.71204900	-0.96906000	1.94382200
H	2.86607000	1.43187500	-1.66704400
H	0.40059200	1.68977000	-1.59733900
C	0.15785800	0.51272700	0.21508100
O	4.21927000	0.06234400	0.08912300
O	-1.92198000	-0.88086500	-0.81429600
O	-1.43169000	-2.06967000	-0.37278100
C	-0.49348300	-2.59992400	-1.32892600
H	-0.21092900	-3.57319600	-0.92793000
H	-0.98168100	-2.70840000	-2.29832700
H	0.37848600	-1.94970600	-1.40895200
C	-1.27228000	0.61198900	0.22782500
C	-1.90898300	1.59701500	-0.60617000
C	-1.97693400	0.32168600	1.44856500
N	-2.52349700	0.09573400	2.43873100
N	-2.41248300	2.38584900	-1.28017100

α,α -Diphenyl quinone methide



TS frequency: -391.52 cm⁻¹


DFT Enthalpy = -997.772343 DFT Free Energy = -997.843173
 CBS-QB3 Enthalpy = NA CBS-QB3 Free Energy = NA

0 2

C	-1.92557400	-1.01056600	-0.17496800
C	-3.26022800	-0.96971100	-0.42906000
C	-3.91493100	0.24459700	-0.91652100
C	-3.04049700	1.40168700	-1.10320100
C	-1.71075500	1.34915900	-0.82418300
H	-1.47497300	-1.91764000	0.20545200
H	-3.89546400	-1.83433200	-0.27331200
H	-3.50298400	2.30090600	-1.49371900
H	-1.09371000	2.21998800	-1.00091800
C	-1.08473000	0.14412100	-0.35432400
O	-5.12743500	0.28789300	-1.15558600
O	0.17722700	0.14248200	1.96974700
O	-0.44633200	-0.92893800	2.55352800
C	-1.62749000	-0.48132300	3.23475900
H	-2.05987700	-1.38023000	3.67644600
H	-1.35505400	0.23211200	4.01589000
H	-2.32647300	-0.02779300	2.53076000
C	0.31601700	0.06460600	-0.06309300
C	1.02541200	-1.24131100	-0.25051900
C	2.04693500	-1.64270100	0.62216300

C 0.74684600 -2.03898700 -1.36963700
 C 2.75133600 -2.81802200 0.39183200
 H 2.25918300 -1.03563200 1.49146700
 C 1.46289500 -3.21104800 -1.60473200
 H -0.02126700 -1.73213000 -2.06924100
 C 2.46361900 -3.60660300 -0.72238500
 H 3.52722600 -3.12158200 1.08557100
 H 1.23659600 -3.81099600 -2.47886500
 H 3.01737600 -4.52148100 -0.90074600
 C 1.17921200 1.28054900 -0.14597700
 C 0.88024500 2.44606400 0.58003400
 C 2.31719600 1.28110300 -0.96728700
 C 1.68887700 3.57267900 0.47807800
 H 0.02977700 2.44874800 1.24733300
 C 3.11401600 2.41618800 -1.08024300
 H 2.57165900 0.39212100 -1.53007200
 C 2.80485500 3.56514900 -0.35664600
 H 1.44855000 4.45747400 1.05666700
 H 3.98060400 2.39912800 -1.73134600
 H 3.43161100 4.44606800 -0.43742000

2,6-di-tert-butyl- α -methyl quinone methide




DFT Enthalpy = -997.772343 DFT Free Energy = -997.843173
 CBS-QB3 Enthalpy = -887.939513 CBS-QB3 Free Energy = -888.017065

0 2

C -1.00465500 0.76255500 -0.76239200
 C 0.13238800 1.38576400 -0.34924700
 C 1.31173400 0.54477100 -0.00229100
 C 1.19618100 -0.93777900 -0.11591500
 C 0.01582300 -1.46896900 -0.53401500
 H -1.88237500 1.34016200 -1.02229700
 H -0.08919300 -2.54082100 -0.61955800
 C -1.11877500 -0.66264600 -0.88487400
 O 2.36666800 1.06594500 0.37644100
 O -3.42021900 -1.41390300 0.46258000
 O -3.60068300 -0.26068900 1.15123300
 C -2.80652000 -0.27765700 2.34892500
 H -3.04732000 0.65097000 2.86750800
 H -3.07948900 -1.14121600 2.95864800
 H -1.74656500 -0.31168700 2.09248100
 C -2.33402400 -1.20292200 -1.31004400
 H -3.07133200 -0.49097700 -1.66401400

C 0.23934600 2.91457100 -0.23697300
 C 1.35298100 3.43651800 -1.17857800
 H 1.40402600 4.52802400 -1.11776300
 H 2.32384700 3.02775900 -0.90581000
 H 1.13843800 3.16861400 -2.21756400
 C 0.56009800 3.31697500 1.22400500
 H 1.51279300 2.90245800 1.54730900
 H 0.60885900 4.40739500 1.30275000
 H -0.22411100 2.96809600 1.90307800
 C -1.07675600 3.60943300 -0.63630400
 H -1.35152700 3.40470700 -1.67506000
 H -1.91117700 3.31339700 0.00602000
 H -0.95426300 4.69090500 -0.53750100
 C 2.40995700 -1.81160300 0.23974700
 C 3.60211500 -1.46099200 -0.68505300
 H 3.90775000 -0.42437200 -0.55894500
 H 4.45315900 -2.10709100 -0.44850500
 H 3.33908300 -1.62433700 -1.73458700
 C 2.81096800 -1.58504900 1.71871200
 H 3.65763900 -2.23015600 1.97293500
 H 3.09761600 -0.55050000 1.89585000
 H 1.98352500 -1.84071600 2.38784400
 C 2.10651900 -3.31195600 0.06275300
 H 1.29323300 -3.64781800 0.71279100
 H 1.84960300 -3.56126000 -0.97094800
 H 2.99568400 -3.88981600 0.32677500
 C -2.57160000 -2.62116500 -1.71743000
 H -1.97391100 -3.33178300 -1.14692000
 H -3.62472600 -2.87262700 -1.58318100
 H -2.33006600 -2.74722400 -2.77952100

Truncated dimer




TS frequency: -343.37 cm⁻¹

DFT Enthalpy = -845.342813 DFT Free Energy = -845.411134
 CBS-QB3 Enthalpy = -843.960367 CBS-QB3 Free Energy = -844.028986

0 2
 C 0.96314500 -0.76857400 -0.75517100
 C 1.83634300 -1.75262400 -1.08048400

C 2.84270300 -2.24399300 -0.12820700
 C 2.84016200 -1.60372700 1.19251200
 C 1.96163900 -0.62042300 1.49770000
 H 0.22717400 -0.43962100 -1.47830900
 H 1.82743000 -2.22622800 -2.05555400
 H 3.57672000 -1.95858700 1.90398000
 H 1.98057100 -0.15155200 2.47654100
 C 0.97599200 -0.15653500 0.55037100
 O 3.63885800 -3.13567600 -0.42560300
 O 1.35833300 2.52336000 0.56707000
 O 1.45649800 2.81734500 -0.75543500
 C 2.78161800 2.51858200 -1.22898300
 H 2.79283600 2.84364900 -2.26985300
 H 3.51406800 3.07645700 -0.64293800
 H 2.97189500 1.44691100 -1.15775400
 C 0.11111800 0.87785900 0.91263100
 C -1.10441000 1.33029600 0.13304000
 H -0.76303100 1.59726800 -0.87257200
 H 0.14440000 1.17923200 1.95527200
 C -1.73255800 2.58771200 0.76472600
 H -2.57633300 2.93237100 0.16356300
 H -2.10800700 2.36997500 1.76906300
 H -0.99437700 3.38714100 0.83252300
 C -2.14961600 0.22465600 -0.01552300
 C -2.75441500 -0.00316100 -1.25515700
 C -2.56682600 -0.54188100 1.07849300
 C -3.74636600 -0.97085000 -1.40242800
 H -2.44737600 0.58550300 -2.11425100
 C -3.55574100 -1.51108400 0.93481700
 H -2.11460600 -0.38633700 2.05227600
 C -4.14944200 -1.72962700 -0.30691000
 H -4.20104800 -1.13240100 -2.37351500
 H -3.86193900 -2.09794800 1.79366400
 H -4.91795600 -2.48583000 -0.41895600



TS frequency: -342.98 cm⁻¹


DFT Enthalpy = -845.346182 DFT Free Energy = -845.414668
 CBS-QB3 Enthalpy = -843.963699 CBS-QB3 Free Energy = -844.032487

0 2

C -0.96314500 -0.76857400 0.75517100

C	-1.83634300	-1.75262400	1.08048400
C	-2.84270300	-2.24399300	0.12820700
C	-2.84016200	-1.60372700	-1.19251200
C	-1.96163900	-0.62042300	-1.49770000
H	-0.22717400	-0.43962100	1.47830900
H	-1.82743000	-2.22622800	2.05555400
H	-3.57672000	-1.95858700	-1.90398000
H	-1.98057100	-0.15155200	-2.47654100
C	-0.97599200	-0.15653500	-0.55037100
O	-3.63885800	-3.13567600	0.42560300
O	-1.35833300	2.52336000	-0.56707000
O	-1.45649800	2.81734500	0.75543500
C	-2.78161800	2.51858200	1.22898300
H	-2.79283600	2.84364900	2.26985300
H	-3.51406800	3.07645700	0.64293800
H	-2.97189500	1.44691100	1.15775400
C	-0.11111800	0.87785900	-0.91263100
C	1.10441000	1.33029600	-0.13304000
H(Iso=2)	0.76303100	1.59726800	0.87257200
H	-0.14440000	1.17923200	-1.95527200
C	1.73255800	2.58771200	-0.76472600
H	2.57633300	2.93237100	-0.16356300
H	2.10800700	2.36997500	-1.76906300
H	0.99437700	3.38714100	-0.83252300
C	2.14961600	0.22465600	0.01552300
C	2.75441500	-0.00316100	1.25515700
C	2.56682600	-0.54188100	-1.07849300
C	3.74636600	-0.97085000	1.40242800
H	2.44737600	0.58550300	2.11425100
C	3.55574100	-1.51108400	-0.93481700
H	2.11460600	-0.38633700	-2.05227600
C	4.14944200	-1.72962700	0.30691000
H	4.20104800	-1.13240100	2.37351500
H	3.86193900	-2.09794800	-1.79366400
H	4.91795600	-2.48583000	0.41895600

C–H HAT TS




TS frequency: -1730.60 cm⁻¹

DFT Enthalpy = -575.024938 DFT Free Energy = -575.079085

CBS-QB3 Enthalpy = -574.107997 CBS-QB3 Free Energy = -574.162329

0 2

C	-1.14668300	0.73565700	-1.29790700
C	-2.35174300	0.13149800	-1.17956800
C	-2.83426100	-0.36669800	0.11469100
C	-1.93355800	-0.15590400	1.25912000
C	-0.73319400	0.45387200	1.12070100
H	-0.80415000	1.09162600	-2.26472700
H	-0.10187700	0.59827000	1.98997600
C	-0.26967500	0.92344600	-0.16488500
C	0.96361500	1.53579200	-0.35201100
H	1.19470900	1.83671800	-1.37080700
O	-3.92360500	-0.92475300	0.23994500
C	1.99585800	1.73711200	0.61402200
H	2.76765700	0.72750700	0.45679000
O	3.46609600	-0.33417200	0.22629500
O	2.70970900	-1.02291300	-0.69195000
C	2.02052600	-2.09792200	-0.03960800
H	1.31620400	-1.70976200	0.70033700
H	1.48368100	-2.61682600	-0.83454200
H	2.74188200	-2.76485600	0.43645400
H	2.69273200	2.54293100	0.38837900
H	1.72350900	1.69209500	1.66590500
H	-3.00838700	-0.01384600	-2.02935100
H	-2.28887900	-0.51027100	2.21993500




TS frequency: -1323.87 cm⁻¹

DFT Enthalpy = -575.026511 DFT Free Energy = -575.080861

CBS-QB3 Enthalpy = -574.109551 CBS-QB3 Free Energy = -574.164089

0 2

C -1.14668300 -0.73565700 1.29790700
 C -2.35174300 -0.13149800 1.17956800
 C -2.83426100 0.36669800 -0.11469100
 C -1.93355800 0.15590400 -1.25912000
 C -0.73319400 -0.45387200 -1.12070100
 H -0.80415000 -1.09162600 2.26472700
 H -0.10187700 -0.59827000 -1.98997600
 C -0.26967500 -0.92344600 0.16488500
 C 0.96361500 -1.53579200 0.35201100
 H 1.19470900 -1.83671800 1.37080700
 O -3.92360500 0.92475200 -0.23994500
 C 1.99585800 -1.73711200 -0.61402200
 H(Iso=2) 2.76765700 -0.72750700 -0.45679000
 O 3.46609600 0.33417200 -0.22629500
 O 2.70970900 1.02291300 0.69195000
 C 2.02052600 2.09792200 0.03960800
 H 1.31620400 1.70976200 -0.70033700
 H 1.48368100 2.61682600 0.83454200
 H 2.74188200 2.76485600 -0.43645400
 H 2.69273200 -2.54293100 -0.38837900
 H 1.72350900 -1.69209500 -1.66590500
 H -3.00838700 0.01384600 2.02935100
 H -2.28887900 0.51027100 -2.21993500




TS frequency: -1706.16 cm⁻¹

DFT Enthalpy = -889.385349 DFT Free Energy = -889.462844
 CBS-QB3 Enthalpy = -887.927370 CBS-QB3 Free Energy = -888.005260

0 2

C -0.17549100 -1.46033500 -0.72444900
 C -1.35084000 -1.00600800 -0.21587200
 C -1.48040600 0.45124500 0.06643800
 C -0.32567600 1.34998300 -0.23635200
 C 0.80944100 0.80120200 -0.74474800
 H -0.04121000 -2.51384200 -0.93559500
 H 1.65351500 1.43561700 -0.97534300
 C 0.94710300 -0.60609700 -1.00274100
 C 2.11292300 -1.17048600 -1.51073700
 H 2.09227100 -2.24718200 -1.66002900
 O -2.52320600 0.91111800 0.54022000
 C 3.35798200 -0.52293100 -1.77829600
 H 4.04642700 -0.72016900 -0.72263300

O	4.65202000	-0.97550600	0.39827000
O	3.68396500	-1.60612800	1.14492700
C	3.13463600	-0.68513700	2.09571600
H	2.63020900	0.13884400	1.58485400
H	2.41515600	-1.26612100	2.67410200
H	3.92747700	-0.30268900	2.74172200
H	3.99077400	-1.02175900	-2.51122900
H	3.35443900	0.55910800	-1.88802500
C	-2.53749200	-1.93663600	0.07883900
C	-3.76773200	-1.50386100	-0.75702900
H	-4.59948600	-2.18923200	-0.56753900
H	-4.08491600	-0.49504200	-0.50072600
H	-3.54130600	-1.53972200	-1.82694100
C	-2.88614200	-1.88826700	1.58723900
H	-3.18131100	-0.88651000	1.89282400
H	-3.71330600	-2.57390300	1.79501500
H	-2.03076800	-2.20308800	2.19281500
C	-2.21748500	-3.40014900	-0.28164800
H	-1.99236800	-3.52270200	-1.34507900
H	-1.37724200	-3.79347500	0.29787300
H	-3.08799000	-4.02170300	-0.05799500
C	-0.46263500	2.85739400	0.02880100
C	-0.73052400	3.10809900	1.53391100
H	-0.79909900	4.18425100	1.71978700
H	-1.65970400	2.64086400	1.85326000
H	0.08850700	2.71534600	2.14437300
C	-1.62607700	3.43765600	-0.81387000
H	-2.57623300	2.98228300	-0.54271500
H	-1.69632700	4.51679800	-0.64696300
H	-1.45020300	3.27473100	-1.88146100
C	0.81804900	3.62463100	-0.35286500
H	1.68523100	3.29667700	0.22789400
H	1.05569600	3.52712700	-1.41619000
H	0.67172100	4.68780600	-0.14742600




TS frequency: -1557.85 cm⁻¹

DFT Enthalpy = -845.333200 DFT Free Energy = -845.402944
 CBS-QB3 Enthalpy = -843.945793 CBS-QB3 Free Energy = -844.015840

0 2

C 2.25564500 -0.81459400 -1.31202000

C 3.59164400 -1.00867700 -1.27621500
 C 4.34095000 -0.94392700 -0.01493100
 C 3.53661400 -0.67398800 1.18686700
 C 2.19873300 -0.47972300 1.13376700
 H 1.72389600 -0.86184400 -2.25735800
 H 1.65699900 -0.30200500 2.05014700
 C 1.47427800 -0.52309700 -0.12151100
 C 0.11527300 -0.32322000 -0.28906400
 H -0.22338500 -0.43776100 -1.31608500
 O 5.55794900 -1.10835800 0.03910700
 C -0.95338200 0.11339200 0.59345900
 H -0.98829400 1.32936100 0.26126100
 O -0.99624200 2.63019100 -0.02807000
 O -0.04681900 2.76958300 -1.00881500
 C 1.15191800 3.32650200 -0.45026100
 H 1.58793500 2.64444600 0.28311000
 H 1.82813900 3.45106200 -1.29669400
 H 0.93127600 4.29146200 0.01023200
 C -0.78138600 0.19480600 2.11318300
 H -0.60022900 -0.79575900 2.54330900
 H 0.03185600 0.86149900 2.40191900
 H -1.69744200 0.58282100 2.56083200
 C -2.32405400 -0.39026600 0.18827000
 C -3.44985900 0.43555600 0.30836200
 C -2.50351700 -1.70092100 -0.27188600
 C -4.71588900 -0.03568000 -0.02300300
 H -3.32776700 1.46076400 0.63874700
 C -3.77214400 -2.17439200 -0.60011000
 H -1.64639200 -2.36002900 -0.35910000
 C -4.88216500 -1.34322800 -0.47742900
 H -5.57354200 0.62163600 0.06581100
 H -3.89129700 -3.19433200 -0.94836100
 H -5.86931600 -1.70967500 -0.73514600
 H 4.16560400 -1.21728600 -2.17165600
 H 4.07690800 -0.64693800 2.12640000




TS frequency: -1188.31 cm⁻¹
 DFT Enthalpy = -845.334883 DFT Free Energy = -845.404783
 CBS-QB3 Enthalpy = -843.947456 CBS-QB3 Free Energy = -844.017663

0 2
 C 2.25564600 -0.81460000 -1.31201700
 C 3.59164600 -1.00867400 -1.27621300

C 4.34095300 -0.94391700 -0.01492900
 C 3.53661700 -0.67396800 1.18686800
 C 2.19873500 -0.47971300 1.13376800
 H 1.72389600 -0.86185700 -2.25735300
 H 1.65700200 -0.30199000 2.05014700
 C 1.47427900 -0.52310100 -0.12150900
 C 0.11527300 -0.32322900 -0.28906000
 H -0.22338600 -0.43776900 -1.31608100
 O 5.55795100 -1.10835100 0.03911000
 C -0.95338100 0.11338100 0.59346500
 H(Iso=2) -0.98828400 1.32935300 0.26128100
 O -0.99623000 2.63018600 -0.02803300
 O -0.04684100 2.76958500 -1.00881000
 C 1.15192200 3.32648100 -0.45029000
 H 1.58795200 2.64441300 0.28306200
 H 1.82811900 3.45103800 -1.29674300
 H 0.93131000 4.29144100 0.01021800
 C -0.78138800 0.19477900 2.11318900
 H -0.60022100 -0.79578900 2.54330400
 H 0.03184800 0.86147600 2.40193400
 H -1.69744800 0.58278000 2.56084200
 C -2.32405400 -0.39026600 0.18826700
 C -3.44985500 0.43556000 0.30836100
 C -2.50352300 -1.70091900 -0.27189500
 C -4.71588700 -0.03566700 -0.02300800
 H -3.32775700 1.46076600 0.63875200
 C -3.77215300 -2.17438100 -0.60012300
 H -1.64640200 -2.36003100 -0.35911200
 C -4.88216900 -1.34321200 -0.47744000
 H -5.57353600 0.62165300 0.06580700
 H -3.89131100 -3.19431900 -0.94837900
 H -5.86932200 -1.70965200 -0.73515900
 H 4.16560700 -1.21728300 -2.17165300
 H 4.07691400 -0.64690600 2.12640000

Cyclization TS



TS frequency: -499.33 cm⁻¹

DFT Enthalpy = -1420.693781 DFT Free Energy = -1420.785775

0 2

C 2.52477800 0.32623000 -1.20000600
 C 2.86191300 -0.08519500 -2.49386200

C	4.18286200	-0.06799000	-2.93497400
C	5.19335500	0.37255600	-2.08455700
C	4.87053600	0.79310700	-0.79606300
C	3.54994500	0.76818700	-0.35729100
H	2.07860500	-0.41575400	-3.16960700
H	4.41934200	-0.38902500	-3.94327500
H	6.22260900	0.39436200	-2.42431300
H	5.64965600	1.14411000	-0.12877500
H	3.32358800	1.10077900	0.64807000
C	1.07699300	0.24774100	-0.76059600
H	0.46952200	0.28812300	-1.67089900
C	0.67092300	-1.09412900	-0.04696100
H	0.65363300	-1.85279000	-0.83157400
C	1.66690200	-1.59257100	0.99523500
C	2.57937700	-2.58916400	0.63174500
C	1.72449100	-1.09733000	2.30376700
C	3.52226100	-3.06993500	1.53572400
H	2.55452300	-2.99010800	-0.37577400
C	2.66677500	-1.57487300	3.21237600
H	1.02888700	-0.33557200	2.63548000
C	3.57075600	-2.56274500	2.83161600
H	4.21680900	-3.84291200	1.22690900
H	2.68938300	-1.17590500	4.22030300
H	4.30139100	-2.93716400	3.53932800
C	-0.73916300	-0.95428100	0.51905600
H	-0.79706600	-0.96093400	1.59962300
C	-1.88913100	-1.49620400	-0.11264900
C	-1.92982300	-1.84238100	-1.50472300
C	-3.09243500	-1.65655900	0.64941200
C	-3.05924900	-2.33018900	-2.08274200
H	-1.03727400	-1.71719000	-2.10744100
C	-4.23688300	-2.13982500	0.09136600
H	-3.07157300	-1.38786800	1.70010700
C	-4.29425500	-2.51748700	-1.31877200
H	-3.09311800	-2.60554800	-3.13052100
H	-5.14585500	-2.26507900	0.66761200
C	-0.91466700	1.22727000	0.42785700
C	-1.83500500	1.49463100	-0.66151300
C	-1.40008500	1.52012000	1.75939000
C	-3.12664700	1.82344000	-0.44470200
H	-1.46715500	1.40671800	-1.67788200
C	-2.68994500	1.84771700	2.00532400
H	-0.69130400	1.45946400	2.58058600
C	-3.66287500	2.00383300	0.91448200
H	-3.81896800	1.99409900	-1.26112000
H	-3.05101700	2.04636100	3.00797000
O	-5.32073900	-2.97071600	-1.84012000
O	-4.83795000	2.29743600	1.12247500
C	0.57891200	1.38519900	0.14153600
H	1.12877900	1.39000900	1.08769000
O	0.86514700	2.59757600	-0.54178400

O 0.69492600 3.66555500 0.44678500
C 0.25785500 4.79959100 -0.28201400
H 0.18826600 5.59072100 0.46769600
H 0.98838900 5.08078400 -1.04674000
H -0.72194800 4.62892900 -0.73706900

References and notes

1. A. Nishinaga, H. Iwasaki, T. Shimizu, Y. Toyoda, T. Matsuura, *J. Org. Chem.*, 1986, **51**, 2257.
2. H. D. Becker, *J. Org. Chem.*, 1969, **34**, 1211.
3. C. D. Cook, B. E. Norcross, *J. Am. Chem. Soc.*, 1956, **78**, 3797. (b) C. E. Cook, B. E. Norcross, *J. Am. Chem. Soc.*, 1958, **81**, 1176. (c) L. K. Dyall, S. Winstein, *J. Am. Chem. Soc.*, 1972, **94**, 2196. (d) J. A. Richards, D. H. Evans, *J. Electroanal. Chem.*, 1977, **81**, 171.
4. (a) A. P. Krysin, A. N. Fedorenko, Novosibirsk Institute of Organic Chemistry, Siberian Branch, Academy of Sciences of the USSR. Translated from Izvestiya Akademii Nauk SSSR, Seriya Khimicheskaya, No. 7, pp. 1671-1674, July, 1989. (b) T. Matsuura, Y. Kitaura, *Tetrahedron*, 1969, **25**, 4501. (c) Volodkin et al.[Bulletin of the Academy of Sciences of the USSR, Division of Chemical Science (English Translation), 1969, 1467,1472.
5. (a) D. Richter, N. Hampel, T. Singer, A. R. Ofial, H. Mayr, *Eur. J. Org. Chem.*, 2009, 3203. (b) V. Reddy, R. V. Anand, *Org. Lett.*, 2015, **17**, 3390.
6. M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, G. Scalmani, V. Barone, G. A. Petersson, H. Nakatsuji, X. Li, M. Caricato, A. V. Marenich, J. Bloino, B. G. Janesko, R. Gomperts, B. Mennucci, H. P. Hratchian, J. V. Ortiz, A. F. Izmaylov, J. L. Sonnenberg, D. Williams-Young, F. Ding, F. Lipparini, F. Egidi, J. Goings, B. Peng, A. Petrone, T. Henderson, D. Ranasinghe, V. G. Zakrzewski, J. Gao, N. Rega, G. Zheng, W. Liang, M. Hada, M. Ehara, K. Toyota, R. Fukuda, J. Hasegawa, M. Ishida, T. Nakajima, Y. Honda, O. Kitao, H. Nakai, T. Vreven, K. Throssell, J. A. Montgomery Jr, J. E. Peralta, F. Ogliaro, M. J. Bearpark, J. J. Heyd, E. N. Brothers, K. N. Kudin, V. N. Staroverov, T. A. Keith, R. Kobayashi, J. Normand, K. Raghavachari, A. P. Rendell, J. C. Burant, S. S. Iyengar, J. Tomasi, M. Cossi, J. M. Millam, M. Klene, C. Adamo, R. Cammi, J. W. Ochterski, R. L. Martin, K. Morokuma, O. Farkas, J. B. Foresman, and D. J. Fox, Gaussian 16, Revision A.03, Gaussian, Inc., Wallingford CT, 2016.
7. A. D. Becke, *J. Chem. Phys.*, 1993, **98**, 5648.
8. S. Grimme, S. Ehrlich, L. Goerigk, *J. Comput. Chem.*, 2011, **32**, 1456.
9. J. A. Montgomery, Jr., M. J. Frisch, J. W. Ochterski, G. A. Petersson, *J. Chem. Phys.* 1999, **110**, 2822.
10. Rate constants were computed using:

$$k = \frac{RT}{P} \cdot \frac{k_B T}{h} e^{\frac{-\Delta G^{TS}}{RT}} \text{ where } T = 310.15 \text{ K}$$