

**Supporting Information for**

**Sampling and determination of antimony isotopes in airborne particles: an  
assessment of membrane filter materials**

**Chao Zhang<sup>1, 2, 4</sup>, Guangyi Sun<sup>1,\*</sup>, Xinyu Li<sup>1, 3</sup>, Yunjie Wu<sup>1, 2</sup>, Heng Yao<sup>1</sup>, Jen-How Huang<sup>1</sup>,  
Xinbin Feng<sup>1,\*</sup>**

<sup>1</sup>State Key Laboratory of Environmental Geochemistry, Institute of Geochemistry, Chinese Academy of Sciences, Guiyang 550081, China

<sup>2</sup>School of Earth Sciences, China University of Geosciences, Wuhan, 430074, China

<sup>3</sup>University of Chinese Academy of Sciences, Beijing 100049, China

<sup>4</sup>Institute of Soil and Water Resources and Environmental Science, College of Environmental and Resource Sciences, Zhejiang University, Hangzhou 310058, China

\*Corresponding author: Xinbin Feng ([fengxinbin@vip.skleg.cn](mailto:fengxinbin@vip.skleg.cn)) or Guangyi Sun ([sunguangyi@mail.gyig.ac.cn](mailto:sunguangyi@mail.gyig.ac.cn))

This supporting information includes 7 tables.

Table S1. Total mass of antimony (Sb) in different blank membrane filters (ng/a piece of whole filter).

Table S2. Background values of antimony (Sb) in different blank membrane filters (ng/cm<sup>2</sup>).

Table S3. Background values of antimony (Sb) in different blank membrane filters (ng/g).

Table S4. Total mass of antimony (Sb) in blank Whatman QM membrane filters from different production batches (ng/a piece of whole filter).

Table S5. Blank values of antimony (Sb) in blank Whatman QM membrane filters from different production batches (ng/cm<sup>2</sup>).

Table S6. Blank values of antimony (Sb) in blank Whatman QM membrane filters from different production batches (ng/g).

Table S7. Antimony (Sb) stable isotope ratios of the certified reference materials (CRMs), certified reference materials + membrane filter (MF + CRMs), and (MF + CRMs)<sub>MF subtraction</sub>.

Table S8. Total mass of Sb (ng) in blank membrane filters (MF) and added certified reference materials (CRMs) in the treatment (MF + CRMs).

**Table S1.** Total mass of antimony (Sb) in different blank membrane filters (ng/a piece of whole filter).

Material		QM membrane filter				GM membrane filter				PTFE membrane filter					
Brand		Whatman				PALL				Whatman					
Size	203 mm × 254 mm	Ø = 90 mm		203 mm × 254 mm		Ø = 90 mm		203 mm × 254 mm		No. 1827-082		No. 7652135-2778			
Batch	Mixed	Mixed		No. 20977		No. 1827-082		No. 7652135-2778		No. 7652135-2778		No. 7652135-2778			
N1	n=50	Average	579.42	n=2	Average	94.82	n=2	Average	761.24	n=4	Average	32046.30	n=4	Average	20904.38
		SD	178.59		SD	1.04		SD	17.97		SD	701.47		SD	1004.24
N2		n=2		Average	98.37	n=2	Average	1287.56							
				SD	4.40		SD	320.68							
N3		n=2		Average	96.23	n=2	Average	1066.11							
				SD	4.86		SD	16.10							
N4						n=2	Average	709.45							
							SD	51.68							

N, different boxes;

n, sample number;

SD, standard deviation.

**Table S2. Blank values of antimony (Sb) in different blank membrane filters (ng/cm<sup>2</sup>).**

Material	QM membrane filter						GM membrane filter				PTFE membrane filter				
Brand	Whatman			PALL			Whatman			Ahlstrom-Munksjö					
Size	203 mm × 254 mm		Ø = 90 mm		203 mm × 254 mm		Ø = 90 mm		203 mm × 254 mm						
Batch	Mixed		Mixed		No. 20977		No. 1827-082		No. 7652135-2778						
N1	n=50	Average	1.12	n=2	Average	1.49	n=2	Average	1.48	n=4	Average	503.71	n=4	Average	40.54
		SD	0.35		SD	0.02		SD	0.03		SD	11.03		SD	1.95
N2		n=2		Average	1.55	n=2	Average	2.50							
				SD	0.07		SD	0.62							
N3		n=2		Average	1.51	n=2	Average	2.07							
				SD	0.08		SD	0.03							
N4					n=2		Average	1.38							
							SD	0.10							

N, different boxes;

n, sample number;

SD, standard deviation.

**Table S3. Blank values of antimony (Sb) in different blank membrane filters (ng/g).**

Material		QM membrane filter				GM membrane filter				PTFE membrane filter					
Brand		Whatman				PALL				Whatman					
Size	203 mm × 254 mm	Ø = 90 mm		203 mm × 254 mm		Ø = 90 mm		203 mm × 254 mm		Ø = 90 mm		203 mm × 254 mm			
Batch	Mixed	Mixed		No. 20977		No. 1827-082		No. 7652135-2778							
N1	n=50	Average	131.91	n=2	Average	172.33	n=2	Average	229.48	n=4	Average	82170.00	n=4	Average	7906.69
		SD	40.37		SD	1.18		SD	7.63		SD	1798.65		SD	546.16
N2		n=2		Average	180.04	n=2	Average	372.31							
				SD	5.95		SD	88.02							
N3		n=2		Average	173.76	n=2	Average	287.68							
				SD	8.61		SD	1.20							
N4						n=2	Average	196.26							
							SD	12.41							

N, different boxes;

n, sample number;

SD, standard deviation.

**Table S4. Total mass of antimony (Sb) in blank Whatman QM membrane filters from different production batches (ng/a piece of whole filter).**

		No. 17011224		No. 9578317			No. 9823892			No.16887010			No.16881891		
N1	n=3	Average	287.53	n=4	Average	755.54	n=3	Average	433.73	n=3	Average	495.82	n=3	Average	359.00
		SD	25.36		SD	51.51		SD	29.13		SD	96.69		SD	89.83
N2	n=3	Average	297.60	n=4	Average	762.26	n=3	Average	451.60						
		SD	28.42		SD	41.09		SD	16.75						
N3				n=4	Average	755.41	n=3	Average	516.27						
					SD	32.82		SD	71.42						
N4				n=4	Average	735.08	n=3	Average	650.00						
					SD	23.67		SD	48.31						
N5				n=4	Average	747.90	n=3	Average	700.47						
					SD	42.01		SD	33.32						
N6							n=3	Average	456.67						
								SD	23.00						

N, different boxes;

n, sample number;

SD, standard deviation.

**Table S5. Blank values of antimony (Sb) in blank Whatman QM membrane filters from different production batches (ng/cm<sup>2</sup>).**

		No. 17011224		No. 9578317		No. 9823892		No.16887010		No.16881891		
N1	n=3	Average	0.56	n=4	Average	1.47	n=3	Average	0.84	n=3	Average	0.96
		SD	0.05		SD	0.10		SD	0.06		SD	0.19
N2	n=3	Average	0.58	n=4	Average	1.48	n=3	Average	0.88			
		SD	0.06		SD	0.08		SD	0.03			
N3				n=4	Average	1.47	n=3	Average	1.00			
					SD	0.06		SD	0.14			
N4				n=4	Average	1.43	n=3	Average	1.26			
					SD	0.05		SD	0.09			
N5				n=4	Average	1.45	n=3	Average	1.36			
					SD	0.08		SD	0.06			
N6						n=3	Average	0.89				
							SD	0.04				

N, different boxes;

n, sample number;

SD, standard deviation.

**Table S6. Background values of antimony (Sb) in blank Whatman QM membrane filters from different production batches (ng/g).**

		No. 17011224		No. 9578317			No. 9823892			No.16887010			No.16881891		
N1	n=3	Average	64.82	n=4	Average	169.59	n=3	Average	102.98	n=3	Average	110.18	n=3	Average	79.78
		SD	5.85		SD	10.57		SD	8.64		SD	21.49		SD	19.96
N2	n=3	Average	66.84	n=4	Average	171.00	n=3	Average	101.09						
		SD	6.79		SD	8.84		SD	2.50						
N3				n=4	Average	169.51	n=3	Average	122.11						
					SD	8.15		SD	15.42						
N4				n=4	Average	165.72	n=3	Average	152.74						
					SD	4.91		SD	12.15						
N5				n=4	Average	169.38	n=3	Average	164.96						
					SD	10.88		SD	8.31						
N6							n=3	Average	106.10						
								SD	6.48						

N, different boxes;

n, sample number;

SD, standard deviation.

**Table S7. Antimony (Sb) stable isotope ratios of the certified reference materials (CRMs), certified reference materials + membrane filter (MF + CRMs), and (MF + CRMs)<sub>MF subtraction</sub>.**

	Sample	Recovery (%)	$\varepsilon^{123}\text{Sb}$ (‰)
NIST 1648a			
n=6	Average	96%	3.12
	SD		0.30
MF+NIST 1648a			
n=6	Average		2.50
	SD		0.28
$(\text{MF}+\text{NIST 1648a})_{\text{MF subtraction}}$			
n=6	Average	94%	2.59
	SD		0.29
NIST 2711a			
n=8	Average	97%	1.68
	SD		0.22
MF+NIST 2711a			
n=6	Average	104%	1.67
	SD		0.19
$(\text{MF}+\text{NIST 2711a})_{\text{MF subtraction}}$			
n=6	Average	97%	1.73
	SD		0.21
BCR 176R			
n=7	Average	90%	0.86
	SD		0.20
MF+BCR 176R			
n=2	Average		0.42
	SD		0.09
$(\text{MF}+\text{BCR 176R})_{\text{MF subtraction}}$			
n=2	Average	91%	0.41
	SD		0.09
GBW07405			
n=3	Average	98%	2.18
	SD		0.06
MF+GBW07405			
n=3	Average		2.42
	SD		0.35
$(\text{MF}+\text{GBW07405})_{\text{MF subtraction}}$			
n=3	Average	112%	2.47
	SD		0.36
GBW07312			
n=3	Average	98%	2.67
	SD		0.08
MF+GBW07312			
n=3	Average		3.07

	SD	0.02
	(MF+GBW07312) <sub>MF subtraction</sub>	
n=3	Average	91%
	SD	3.25
		0.02

---

**Table S8. Total mass of Sb (ng) in blank membrane filters (MF) and added certified reference materials (CRMs) in the treatment (MF + CRMs).**

Samples	MF	CRMs
NIST 1648a+MF	99.26	1667.57
NIST 2711a+MF	109.46	1475.68
BCR 176R+MF	130.68	14886.96
GBW07405+MF	89.73	2804.77
GBW07312+MF	73.39	918.14