

# Contents

|   |       |
|---|-------|
| <b>Abbreviations</b>  | xix   |
| <b>Acknowledgements</b>   | xxiii |
| <b>Chapter 1 Valid Analytical Molecular Biology: The Challenge</b><br><i>Jacquie T. Keer</i>        |       |
| 1.1 Introduction  | 1     |
| 1.2 The Analytical Process  | 2     |
| 1.2.1 Analytical Requirements   | 2     |
| 1.2.2 Stages in the Analytical Process  | 3     |
| 1.3 Principles Underpinning Reliable Measurement  | 4     |
| 1.3.1 Understand the Experimental Requirements  | 5     |
| 1.3.2 Use Methods and Equipment which are Fit<br>for the Intended Purpose                           | 5     |
| 1.3.3 Staff Undertaking Analysis Should be<br>Both Qualified and Competent to Undertake<br>the Task | 5     |
| 1.3.4 Regular Independent Assessment of<br>Laboratory Performance                                   | 5     |
| 1.3.5 Analytical Consistency  | 6     |
| 1.3.6 Quality Control and Quality Assurance<br>Framework  | 6     |
| 1.4 Challenges to Measurement Quality   | 6     |
| 1.4.1 Low Concentration of Analyte Compared<br>to Matrix  | 6     |
| 1.4.2 Complex Matrices  | 7     |
| 1.4.3 DNA Degradation   | 7     |
| 1.4.4 Biological Contamination of the Sample  | 7     |
| 1.4.5 Degradation of Matrix Components  | 7     |
| 1.4.6 Limited Availability of the Sample  | 8     |
| 1.4.7 Lack of Suitable Controls   | 8     |
| 1.5 Focus on Data Quality   | 8     |
| Acknowledgements  | 9     |

**Chapter 2 Quality in the Analytical Molecular Biology Laboratory***Sally L. Hopkins*

|         |  |    |
|---------|--|----|
| 2.1     | Introduction   | 10 |
| 2.2     | Management Systems   | 11 |
| 2.3     | Internationally Recognised Assessed Standards  | 12 |
| 2.3.1   | ISO 9001:2000 Quality Management Systems – Requirements  | 14 |
| 2.3.2   | ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories | 15 |
| 2.3.3   | ISO 15189:2003 Medical Laboratories – Particular Requirements for Quality and Competence           | 16 |
| 2.3.4   | Principles of Good Laboratory Practice 1999 (GLP)  | 16 |
| 2.3.5   | Joint Code of Practice for Research  | 16 |
| 2.4     | Selection and Implementation of a Formal Management System   | 17 |
| 2.4.1   | The Management System  | 18 |
| 2.4.1.1 | Quality Manual   | 19 |
| 2.4.1.2 | Quality Procedures (QPs)   | 20 |
| 2.4.1.3 | Standard Operating Procedures (SOPs)   | 20 |
| 2.4.1.4 | Locally Controlled Documentation   | 22 |
| 2.4.2   | Laboratory Environment   | 22 |
| 2.4.2.1 | Safety   | 22 |
| 2.4.2.2 | Spatial Separation   | 23 |
| 2.4.3   | Equipment  | 24 |
| 2.4.3.1 | Analytical Requirement   | 24 |
| 2.4.3.2 | ‘Ownership’  | 24 |
| 2.4.3.3 | Log Books and Maintenance  | 24 |
| 2.4.3.4 | Calibration  | 25 |
| 2.4.4   | Reagents   | 25 |
| 2.4.4.1 | Reagent Quality  | 25 |
| 2.4.4.2 | Storage Conditions   | 26 |
| 2.4.4.3 | Reagent Traceability   | 26 |
| 2.4.4.4 | Stability/Batch Comparability  | 26 |
| 2.4.5   | Analysts   | 26 |
| 2.4.5.1 | Culture and Competence   | 26 |
| 2.4.5.2 | Training and Development   | 26 |
| 2.4.6   | Methods  | 28 |
| 2.4.6.1 | Fitness for Purpose  | 28 |
| 2.4.6.2 | Documentation  | 28 |
| 2.4.6.3 | Metrological Traceability  | 28 |
| 2.4.6.4 | Independent Quality Assessment   | 28 |

|          |   |    |
|----------|---|----|
| 2.4.6.5  | Method Validation                         | 29 |
| 2.4.6.6  | Experimental Design                       | 29 |
| 2.4.6.7  | Measurement Uncertainty                   | 30 |
| 2.4.7    | Quality Control                           | 30 |
| 2.4.7.1  | Reference Materials                       | 31 |
| 2.4.7.2  | In-house Quality Control Materials        | 31 |
| 2.4.7.3  | Performance Control                       | 32 |
| 2.4.7.4  | Contamination Control                     | 33 |
| 2.4.8    | Samples                                   | 33 |
| 2.4.8.1  | Chain of Custody                          | 33 |
| 2.4.8.2  | Sampling and Preparation                  | 34 |
| 2.4.8.3  | Storage                                   | 34 |
| 2.4.9    | Recording and Reporting                   | 35 |
| 2.4.9.1  | Electronic Data and Automated<br>Analysis | 35 |
| 2.4.9.2  | Reporting                                 | 36 |
| 2.4.10   | Archiving                                 | 36 |
| 2.4.10.1 | Electronic Data                           | 37 |
| 2.5      | Summary                                   | 37 |
|          | Acknowledgements                          | 38 |
|          | References                                | 38 |

### **Chapter 3 An Introduction to Method Validation**

*Sally L. Hopkins and Vicki Barwick*

|         |   |    |
|---------|---|----|
| 3.1     | Introduction                                      | 40 |
| 3.1.1   | Why and When is Method Validation<br>Necessary?   | 41 |
| 3.1.1.1 | Criticality of the Data                           | 42 |
| 3.1.1.2 | Uniqueness of the Sample                          | 42 |
| 3.1.1.3 | Robustness of the Technique                       | 42 |
| 3.1.1.4 | Expected Level of Utilisation of the<br>Technique | 43 |
| 3.2     | Planning the Validation Process                   | 43 |
| 3.3     | Method Performance Parameters                     | 43 |
| 3.3.1   | Precision   | 44 |
| 3.3.1.1 | Repeatability                                     | 45 |
| 3.3.1.2 | Reproducibility                                   | 46 |
| 3.3.1.3 | Intermediate Precision                            | 46 |
| 3.3.2   | Bias  | 46 |
| 3.3.3   | Recovery  | 47 |
| 3.3.4   | Accuracy  | 48 |
| 3.3.5   | Ruggedness (Robustness) Testing                   | 49 |
| 3.3.6   | Selectivity                                       | 49 |
| 3.3.7   | Detection Limit (Sensitivity)                     | 50 |

|         |  |    |
|---------|--|----|
| 3.3.8   | Working Range and Linearity  | 51 |
| 3.3.9   | Measurement Uncertainty  | 52 |
| 3.4     | Validation in Practice   | 53 |
| 3.4.1   | Outline of the Procedure   | 53 |
| 3.4.1.1 | Define the Analytical Requirement  | 53 |
| 3.4.1.2 | Write a Draft Protocol   | 54 |
| 3.4.1.3 | Investigate the Robustness of the Technique, and Identify the Critical Parameters                | 54 |
| 3.4.1.4 | Identify Relevant Performance Parameters, and Determine the Order of Investigation               | 54 |
| 3.4.1.5 | Assess the Performance Characteristics Using Suitable ‘Known’ Materials (RMs, Standards, Spikes) | 54 |
| 3.4.1.6 | Assess Whether the Data Show the Method is Fit for Purpose                                       | 55 |
| 3.4.1.7 | Define the Limitations of the Methodology  | 57 |
| 3.4.1.8 | Document the Final Protocol and Method Validation Results  | 57 |
|         | Acknowledgements   | 57 |
|         | References   | 57 |

## Chapter 4 DNA Extraction

*Ginny C. Saunders and Jennifer M. Rossi*

|       |   |    |
|-------|---|----|
| 4.1   | Introduction  | 59 |
| 4.1.1 | Concentration or Amount                                       | 60 |
| 4.1.2 | Purity  | 60 |
| 4.1.3 | Integrity   | 60 |
| 4.2   | Steps of the DNA Extraction Process                           | 61 |
| 4.2.1 | Sample Preparation  | 61 |
| 4.2.2 | Cell or Membrane Lysis  | 61 |
| 4.2.3 | Protection and Stabilisation of Released DNA                  | 61 |
| 4.2.4 | Separation of Nucleic Acids from Cell Debris or Sample Matrix | 61 |
| 4.2.5 | Purification of DNA   | 61 |
| 4.2.6 | Concentration of DNA  | 62 |
| 4.3   | Choosing an Appropriate DNA Extraction Procedure              | 62 |
| 4.3.1 | The History of the Sample                                     | 62 |
| 4.3.2 | The Composition of the Sample                                 | 62 |
| 4.3.3 | Time and Resources Available                                  | 63 |
| 4.3.4 | Standardised Techniques                                       | 63 |

|         |   |    |
|---------|---|----|
| 4.3.5   | Subsequent Analytical Procedures                                  | 63 |
| 4.3.6   | Potential Impact of Methodology                                   | 63 |
| 4.4     | Validation Issues Arising at the Various Stages of DNA Extraction | 66 |
| 4.4.1   | Sample Storage  | 66 |
| 4.4.1.1 | Incorrect Sample Storage Temperature                              | 66 |
| 4.4.1.2 | Incorrect Sample Storage Environment                              | 66 |
| 4.4.2   | Sample Preparation  | 66 |
| 4.4.2.1 | Homogeneity of Sample   | 67 |
| 4.4.2.2 | Surface Area to Lysis Forces Ratio                                | 67 |
| 4.4.2.3 | Cell or Nucleic Acid Adherence to Matrix Material                 | 67 |
| 4.4.2.4 | Contamination   | 67 |
| 4.4.3   | Cell and Membrane Lysis   | 68 |
| 4.4.3.1 | Inaccessibility of Cells to Lysis Forces                          | 68 |
| 4.4.3.2 | Type and Amount of Detergent or Denaturant Used                   | 68 |
| 4.4.3.3 | Concentration and Activity of Lytic Enzyme                        | 68 |
| 4.4.3.4 | Concentration of EDTA in Extraction Buffer                        | 69 |
| 4.4.3.5 | Concentration of Salt in Extraction Buffer                        | 70 |
| 4.4.3.6 | Extraction Buffer pH  | 70 |
| 4.4.3.7 | Excessive Damage of the DNA Analyte                               | 70 |
| 4.4.4   | Separation of Nucleic Acids from Cell and Matrix Debris           | 71 |
| 4.4.4.1 | Phenol Quality  | 71 |
| 4.4.4.2 | Inefficient Phenol Extraction and Removal                         | 71 |
| 4.4.5   | Additional Purification of DNA                                    | 71 |
| 4.4.5.1 | Composition of Extraction Buffer                                  | 72 |
| 4.4.5.2 | Column Cleaning   | 72 |
| 4.4.5.3 | RNase Treatment of the Sample                                     | 72 |
| 4.4.6   | Precipitation and Concentration of DNA                            | 74 |
| 4.4.6.1 | Volume and Temperature of Alcohol Used and Precipitation Times    | 74 |
| 4.4.6.2 | Concentration and Type of Salt                                    | 74 |
| 4.4.6.3 | Degraded DNA  | 74 |
| 4.4.6.4 | DNA Concentration   | 75 |
| 4.4.6.5 | Pellet Loss   | 75 |
| 4.4.6.6 | Pellet Incompletely Re-suspended                                  | 75 |
| 4.4.6.7 | Alcohol Precipitated Inhibitors                                   | 76 |

|     |                              |    |
|-----|------------------------------|----|
| 4.5 | Automation of DNA Extraction | 76 |
| 4.6 | DNA Extraction Protocols     | 77 |
| 4.7 | Summary                      | 79 |
|     | References                   | 79 |

## Chapter 5 DNA Quantification

*Paul A. Heaton and Jacquie T. Keer*

|         |   |    |
|---------|---|----|
| 5.1     | Introduction  | 83 |
| 5.2     | Measurement of DNA Concentration Using<br>Ultraviolet Spectroscopy                | 84 |
| 5.2.1   | Determining the Extinction Coefficient $\epsilon$                                 | 84 |
| 5.2.2   | Practical Aspects of Measuring DNA<br>Concentrations by UV Spectroscopy           | 85 |
| 5.2.2.1 | Calibration of the Spectrophotometer  | 85 |
| 5.2.2.2 | Cuvettes  | 85 |
| 5.2.2.3 | Sample Preparation  | 86 |
| 5.2.2.4 | Reference Blank   | 86 |
| 5.2.2.5 | Sample Dilution   | 86 |
| 5.2.2.6 | Light Source  | 86 |
| 5.2.2.7 | Presence of Contaminants  | 87 |
| 5.3     | Determination of DNA Concentration<br>by Fluorescence Spectroscopy                | 88 |
| 5.3.1   | Preparation of a Calibration Graph  | 88 |
| 5.3.2   | Practical Aspects of Measuring DNA<br>Concentrations by Fluorescence Spectroscopy | 89 |
| 5.3.2.1 | Sample Preparation  | 89 |
| 5.3.2.2 | Reference Blank   | 90 |
| 5.3.2.3 | DNA Standard  | 90 |
| 5.3.2.4 | Selecting the Dye   | 90 |
| 5.3.2.5 | Dye Concentration   | 90 |
| 5.3.2.6 | Microtitre Plates   | 90 |
| 5.3.2.7 | Measurement Conditions  | 90 |
| 5.3.3   | Fluorescent Dyes  | 91 |
| 5.3.3.1 | Ethidium Bromide  | 91 |
| 5.3.3.2 | PicoGreen <sup>®</sup>  | 92 |
| 5.3.3.3 | SYBR Dyes   | 92 |
| 5.3.3.4 | Hoechst 33258   | 92 |
| 5.4     | Quantification Using the Polymerase Chain Reaction                                | 93 |
| 5.5     | Enzymatic Quantification of DNA   | 93 |
| 5.6     | Primary Methods of DNA Quantification   | 94 |
| 5.6.1   | Gravimetric Analysis  | 95 |
| 5.6.2   | Isotope Dilution Mass Spectrometry for<br>Oligonucleotide Quantification          | 95 |

|     |  |    |
|-----|--|----|
| 5.7 | DNA Quantification by Constituent Phosphorus Determination | 97 |
| 5.8 | Comparability of DNA Measurement Methods                   | 98 |
| 5.9 | Summary  | 99 |
|     | References   | 99 |

## **Chapter 6 PCR: Factors Affecting Reliability and Validity**

*Charlotte L. Bailey, Lyndsey Birch and*

*David G. McDowell*

|         |  |     |
|---------|--|-----|
| 6.1     | Introduction   | 101 |
| 6.1.1   | Real-time PCR  | 103 |
| 6.2     | The Amplification Protocol   | 103 |
| 6.3     | DNA Template   | 105 |
| 6.3.1   | Integrity  | 105 |
| 6.3.2   | Concentration  | 105 |
| 6.4     | Reaction Components and Conditions Affecting Amplification and Reliability | 106 |
| 6.4.1   | Reaction Buffer  | 106 |
| 6.4.2   | Magnesium Chloride   | 107 |
| 6.4.3   | Deoxynucleotide Triphosphates  | 107 |
| 6.4.4   | Water  | 107 |
| 6.4.5   | Primer Design and Target Selection   | 107 |
| 6.4.5.1 | Primer Design  | 107 |
| 6.4.5.2 | Target Selection   | 109 |
| 6.4.6   | Thermostable DNA Polymerases   | 109 |
| 6.4.6.1 | Factors Affecting Choice of Polymerase                                     | 110 |
| 6.4.7   | Hot-start Mechanisms   | 110 |
| 6.4.7.1 | Wax  | 112 |
| 6.4.7.2 | Antibody   | 112 |
| 6.4.8   | PCR Optimisation   | 112 |
| 6.4.9   | Inhibitors and Enhancers   | 113 |
| 6.5     | Thermal Cycling  | 119 |
| 6.5.1   | Cycle set-up   | 119 |
| 6.5.1.1 | Denaturation   | 119 |
| 6.5.1.2 | Annealing  | 119 |
| 6.5.1.3 | Extension  | 119 |
| 6.5.1.4 | Cycle Number   | 120 |
| 6.5.2   | Thermal Cycler   | 120 |
| 6.5.3   | Temperature Control  | 120 |
| 6.5.3.1 | Block Control  | 121 |
| 6.5.3.2 | Reaction Control   | 121 |
| 6.5.4   | Ramp Rate  | 121 |
| 6.5.5   | Alternative Thermal Cyclers  | 122 |

|         |   |     |
|---------|---|-----|
| 6.6     | Contamination Control                                     | 122 |
| 6.6.1   | Physical Laboratory Separation and<br>Dedicated Equipment | 123 |
| 6.6.2   | Pipettes  | 124 |
| 6.6.3   | Methods of Decontamination                                | 124 |
| 6.6.3.1 | Uracil-N-glycosylase and<br>dUTP                          | 124 |
| 6.6.3.2 | Ultraviolet Light   | 128 |
| 6.6.3.3 | Chemical Decontamination                                  | 128 |
| 6.7     | Post-PCR Analysis   | 128 |
| 6.8     | Conclusions   | 128 |
|         | References  | 129 |

## Chapter 7 Quantitative Real-time PCR Analysis

*Jacquie T. Keer*

|         |   |     |
|---------|---|-----|
| 7.1     | Introduction                              | 132 |
| 7.2     | Approaches to Product Detection           | 133 |
| 7.2.1   | The 5' Nuclease Assay                     | 134 |
| 7.2.2   | Molecular Beacons™                        | 135 |
| 7.2.3   | Hybridisation Probes                      | 136 |
| 7.2.4   | Scorpion™ Primers                         | 138 |
| 7.2.5   | Plexor™ Primer Technology                 | 138 |
| 7.2.6   | Melting Curve Analysis                    | 139 |
| 7.2.7   | Choice of Fluorophores                    | 140 |
| 7.3     | Range of Instruments                      | 141 |
| 7.4     | Practical Aspects of qPCR Analysis        | 144 |
| 7.4.1   | Assay Design                              | 144 |
| 7.4.1.1 | Target Sequence                           | 145 |
| 7.4.1.2 | Probe and Primer Design                   | 145 |
| 7.4.2   | PCR Master Mix                            | 146 |
| 7.4.2.1 | Magnesium Chloride                        | 146 |
| 7.4.2.2 | DNA Polymerase                            | 147 |
| 7.4.3   | Cycling Conditions                        | 147 |
| 7.4.4   | Primer and Probe Optimisation             | 149 |
| 7.4.5   | Target Level                              | 150 |
| 7.4.6   | Contamination Control                     | 152 |
| 7.4.7   | Experimental Design                       | 153 |
| 7.4.7.1 | Use of Controls                           | 153 |
| 7.4.7.2 | Level of Replication                      | 153 |
| 7.4.7.3 | Randomisation                             | 154 |
| 7.4.8   | Data Analysis                             | 154 |
| 7.4.8.1 | Basic Mathematics of PCR<br>Amplification | 155 |
| 7.4.8.2 | Data Normalisation                        | 155 |

|         |  |     |
|---------|--|-----|
| 7.4.8.3 | Routes to Determining Amplification Efficiency | 156 |
| 7.4.8.4 | Outlier Identification                         | 156 |
| 7.4.9   | Validation                                     | 156 |
| 7.5     | Quantification of Low Levels of Target Analyte | 157 |
| 7.5.1   | Level of Variability                           | 158 |
| 7.5.1.1 | Sample Handling                                | 158 |
| 7.5.1.2 | Amplification Cycles                           | 159 |
| 7.5.1.3 | Replication Level                              | 159 |
| 7.5.1.4 | Data Handling                                  | 159 |
| 7.6     | Standards and Comparability                    | 161 |
| 7.6.1   | Quantitative Standards                         | 161 |
| 7.6.1.1 | Instrument Calibration                         | 162 |
| 7.6.1.2 | Comparability                                  | 162 |
| 7.6.1.3 | Measurement Uncertainty                        | 163 |
| 7.7     | Summary  | 163 |
|         | References                                     | 164 |

## **Chapter 8 Multiplex PCR and Whole Genome Amplification**

*Lyndsey Birch, Charlotte L. Bailey and*

*Morten T. Anderson*

|         |  |     |
|---------|--|-----|
| 8.1     | Introduction to Multiplex PCR                    | 167 |
| 8.1.1   | Number of Targets Amplified During Multiplex PCR | 168 |
| 8.2     | Design and Optimisation of mPCR                  | 168 |
| 8.2.1   | Design Strategy                                  | 168 |
| 8.2.2   | Amplification Target                             | 169 |
| 8.2.3   | Primer Positioning                               | 169 |
| 8.2.4   | Primer Design                                    | 170 |
| 8.2.5   | Standardisation of Oligonucleotide $T_m$         | 171 |
| 8.2.5.1 | Base Analogues                                   | 171 |
| 8.2.5.2 | Peptide Nucleic Acid (PNA)                       | 171 |
| 8.2.5.3 | Locked Nucleic Acid (LNA)                        | 171 |
| 8.2.6   | Optimisation                                     | 174 |
| 8.2.6.1 | Initial Assay Development                        | 174 |
| 8.2.6.2 | Reaction Components                              | 174 |
| 8.2.6.3 | Cycling Parameters                               | 175 |
| 8.2.7   | Overcoming Mis-Priming Events                    | 176 |
| 8.2.8   | Specificity                                      | 176 |
| 8.2.9   | Untemplated Nucleotide Addition                  | 177 |
| 8.3     | Detection Strategies                             | 177 |
| 8.4     | Applications of mPCR                             | 177 |
| 8.5     | Advantages and Disadvantages of mPCR             | 177 |
| 8.6     | Introduction to WGA                              | 179 |

|       |   |     |
|-------|---|-----|
| 8.7   | WGA Methodologies                           | 179 |
| 8.7.1 | Degenerate Oligonucleotide Primed PCR       | 179 |
| 8.7.2 | Primer Extension Pre-amplification          | 180 |
| 8.7.3 | Improved Primer Extension Pre-amplification | 180 |
| 8.7.4 | Multiple Displacement Amplification         | 180 |
| 8.7.5 | Ligation-mediated PCR                       | 181 |
| 8.7.6 | T7-based Linear Amplification of DNA        | 181 |
| 8.8   | WGA Applications and Characteristics        | 182 |
|       | Acknowledgements                            | 184 |
|       | References                                  | 184 |

## **Chapter 9 Procedures for Quality Control of RNA Samples for Use in Quantitative Reverse Transcription PCR**

*Tania Nolan and Stephen Bustin*

|       |   |     |
|-------|---|-----|
| 9.1   | Introduction                                  | 189 |
| 9.2   | RNA Extraction Approaches                     | 189 |
| 9.2.1 | Freezing                                      | 189 |
| 9.2.2 | Sulfate                                       | 190 |
| 9.2.3 | Guanidinium Isothiocyanate                    | 190 |
| 9.2.4 | Phenol  | 190 |
| 9.2.5 | Additional Purification                       | 190 |
| 9.2.6 | Extraction from Archival Tissue Samples       | 191 |
| 9.3   | RNA Quality                                   | 192 |
| 9.3.1 | RNA Integrity Number                          | 193 |
| 9.3.2 | Spectrophotometric Measurement                | 194 |
| 9.3.3 | Presence of Inhibitors                        | 194 |
| 9.4   | RNA Quantification                            | 199 |
| 9.4.1 | Significance of Quantification                | 199 |
| 9.4.2 | Methods of Quantification                     | 201 |
| 9.5   | Effect of RT Experimental Design on qPCR Data | 201 |
| 9.6   | Conclusion                                    | 204 |
|       | References                                    | 205 |

## **Chapter 10 Microarrays**

*Sally L. Hopkins and Charlotte L. Bailey*

|          |  |     |
|----------|--|-----|
| 10.1     | Introduction                           | 208 |
| 10.1.1   | What are Microarrays?                  | 208 |
| 10.1.2   | A Note about Nomenclature              | 210 |
| 10.1.3   | Types of Microarrays                   | 210 |
| 10.1.3.1 | Applications of DNA Microarrays        | 212 |
| 10.1.3.2 | Impact of Applications                 | 213 |
| 10.2     | Technology Status                      | 214 |
| 10.2.1   | Current Problems                       | 214 |
| 10.2.2   | Controlling Experimental Uncertainties | 216 |

|           |   |            |
|-----------|---|------------|
| 10.2.2.1  | Experimental Design   | 217        |
| 10.2.2.2  | Microarray Layout and Content   | 219        |
| 10.2.2.3  | Target Quality  | 220        |
| 10.2.2.4  | Array Handling and Hybridisation  | 221        |
| 10.2.2.5  | Gene List Files   | 222        |
| 10.2.2.6  | Image Acquisition and Processing  | 223        |
| 10.2.2.7  | Normalisation   | 224        |
| 10.2.2.8  | Critical Data Assessment  | 224        |
| 10.2.2.9  | Drawing Biological Conclusions  | 225        |
| 10.2.2.10 | Data Management   | 225        |
| 10.2.3    | Technology Solutions  | 226        |
| 10.3      | Current Commercial Microarray Quality Controls  | 226        |
| 10.3.1    | Printing Controls   | 227        |
| 10.3.2    | Universal Reference RNA   | 228        |
| 10.3.3    | Spike-in Controls   | 229        |
| 10.4      | Microarray Standardisation Initiatives  | 229        |
| 10.4.1    | Microarray Gene Expression Data Society (MGED)  | 230        |
| 10.4.2    | External RNA Control Consortium (ERCC)  | 230        |
| 10.4.3    | Microarray Quality Control (MAQC) Project   | 231        |
| 10.4.4    | Association of Biomolecular Research Facilities (ABRF) Microarray Research Group (MARG) | 231        |
| 10.4.5    | Measurements for Biotechnology (MfB) Programme  | 232        |
| 10.4.5.1  | Specificity Standards and Performance Indicators  | 232        |
| 10.4.5.2  | Comparability of Gene Measurements  | 234        |
| 10.4.5.3  | Quality Metrics/Increasing Confidence in Toxicogenomic Measurement                      | 234        |
| 10.4.5.4  | Standard Units to Measure Gene Expression   | 235        |
| 10.5      | Summary   | 235        |
|           | References  | 235        |
|           | <b>Subject Index</b>  | <b>240</b> |

