

Contents

Chapter 1	<i>Allium</i> Botany and Cultivation, Ancient and Modern	1
1.1	Introduction	1
1.2	<i>Allium</i> Botany and Phytochemistry	3
1.2.1	The Naming of Alliums	3
1.2.2	<i>Allium</i> Botany	4
1.2.3	<i>Allium</i> Phytochemistry	12
1.2.4	Alliums as Ornamentals	14
1.2.5	Alliums as Invasive Weeds: Crow Garlic (<i>A. Vineale</i>)	18
1.3	<i>Allium</i> Cultivation in Ancient and Modern Times	19
1.3.1	Alliums in Ancient Egypt and the Mediterranean Basin	19
1.3.2	Alliums in Ancient India, China and Medieval Europe	24
1.3.3	<i>Allium</i> Cultivation Today	26
Chapter 2	All Things <i>Allium</i>: Alliums in Literature, the Arts and Culture	33
2.1	Introduction	33
2.2	Alliums in Literature	34
2.3	Alliums in Poetry	41
2.4	Alliums in Film, Song and Ballet	43

Garlic and Other Alliums: The Lore and the Science

By Eric Block

© Eric Block 2010

Published by the Royal Society of Chemistry, www.rsc.org

2.5	Alliums in Painting	45
2.6	Alliums in Architecture: Onion and Garlic Domes	47
2.7	Alliums Everywhere: Jewelry, Numismatics, Stamps, Porcelain, and so forth	52
2.8	<i>Allium</i> Usage Among Different Cultures Since Biblical Times: Alliophiles, Alliophobes, the Evil Eye and Onion Laws	54
Chapter 3	<i>Allium</i> Chemistry 101: Historical Highlights, Fascinating Facts and Unusual Uses for Alliums; Kitchen Chemistry	60
3.1	Introduction	60
3.2	Early History of Garlic and Onion Chemistry	61
3.3	The Rensselaer Connection: Isolation of Allicin from Chopped Garlic	66
3.4	The Basis for the Antibiotic Activity of <i>Allium</i> -Derived Compounds	72
3.5	The Basis for the Pungency of Cut Alliums	73
3.6	The Basis for the Strong Odor of Cut Alliums	75
3.7	How Onion Makes us Cry and What to do About it	76
3.8	No Tears from New Zealand: Genetically Engineering the Tearless Onion	77
3.9	Determining the Geographical Origin of Alliums	78
3.10	Metabolism of Compounds from Alliums: Garlic Breath, Garlic Sweat, the Case of the Black-Speckled Dolls, Stinky Milk and an Ancient Fertility Test	78
3.10.1	Metabolism of <i>Allium</i> Compounds	79
3.10.2	Garlic Breath	80
3.10.3	Hydrogen Sulfide: Stinky but Vital	81
3.10.4	The Case of the Black-Speckled Dolls	83
3.10.5	Fighting Garlic Breath Naturally; Chlorophyll as a Deodorant for Garlic	84
3.10.6	Diagnostic Value of Garlic Breath; Forensic Significance of Garlic-like Odor	84
3.10.7	Stinky Milk	85
3.10.8	An Ancient Fertility Test	85

3.11	Alliums in Art: Dyeing with Onion Skins and Garlic Glue in Gilding	86
3.12	Alliums in the Kitchen as Spices, Herbs and Foods	91
3.12.1	Introduction	91
3.12.2	Onions in the Kitchen: The Effect of Cooking Temperature	93
3.12.3	Garlic in the Kitchen: Crushing, Baking, Boiling, Frying, Pickling and Drying Garlic	95
Chapter 4	Chemistry in a Salad Bowl: <i>Allium</i> Chemistry and Biochemistry	100
4.1	The Basel Connection: Alliin, the Allicin-Precursor from Garlic	100
4.2	The Helsinki Connection: The Onion Lachrymatory Factor (LF) and its Precursor, Isoalliin	107
4.2.1	Isoalliin, Precursor of the Onion Lachrymatory Factor (LF)	107
4.2.2	The Onion Lachrymatory Factor (LF)	110
4.3	The St. Louis and Albany Connections: Revised Structures for Sulfenic Acids, the Onion LF and the LF Dimer	114
4.4	A Tale of Two Enzymes: Alliinase, a Cellular Assembly Line for Allicin Formation; LF Synthase, Making a Slow Reaction Fast	132
4.4.1	Allicin from Alliin and why Allicin from Garlic is Racemic	132
4.4.2	The LF Synthase Enzyme	138
4.5	The Aroma and Taste of Alliums: A Multitude of Flavor Precursors	139
4.5.1	Analysis by Paper and Thin Layer Chromatography	139
4.5.2	Analysis by High Performance Liquid Chromatography (HPLC) and LC-MS	142
4.5.3	Gas Chromatographic Analysis of Distilled <i>Allium</i> Oils; Artifact Problems	152
4.5.3.1	Distilled Onion Oil	153
4.5.3.2	Artifact Formation	154

4.5.4	Ambient Mass Spectrometric Study of Alliums	157
4.5.4.1	Direct Analysis in Real Time (DART): A Mass Spectrometric Method for Direct Observation of 2-Propenesulfenic Acid, Propanethial <i>S</i> -Oxide, Allicin and Other Reactive <i>Allium</i> Sulfur Compounds	158
4.5.4.2	Desorption Electrospray Ionization (DESI)	161
4.5.4.3	Extractive Electrospray Ionization (EESI)	162
4.5.4.4	Plasma-Assisted Desorption/Ionization Mass Spectrometry (PADI)	162
4.5.5	X-ray Absorption Spectroscopic Imaging of Onion Cells	162
4.5.6	Other Separation and Analysis Methods: Supercritical Fluid Chromatography (SFC), Capillary Electrophoresis and Cysteine Sulfoxide-Specific Biosensors	165
4.6	Precursors of the Precursors, Alliin, Isoalliin and Methiin: Biosynthetic Origins of <i>Allium</i> Sulfur Compounds	165
4.7	Allicin Transformations, Part 1: Garlic Oil Revisited	172
4.7.1	Allicin Wonderland	172
4.7.2	Garlic Oil Formation by Hydrolysis of Allicin	173
4.7.3	Analytical Considerations; Coordination Ion Spray-Mass Spectrometry (CIS-MS)	174
4.7.4	Analysis of Garlic Oil by Nuclear Magnetic Resonance Spectroscopy	178
4.7.5	Synthesis of Symmetrical and Unsymmetrical Trisulfides and Heavier Polysulfides	181
4.7.6	Mechanistic Considerations	183
4.8	Allicin Transformations, Part 2: The Discovery of Ajoene	190
4.9	Antioxidant and Pro-oxidant Activity of <i>Allium</i> Compounds	193

4.10	The Munich/Nagoya Connection: Cepaenes, Nine-Carbon, Three-Sulfur, One-Oxygen Molecules from Onion	196
4.11	From Munich to Albany: The Solution to a Chemical Puzzle – Zwiebelanes and a Bis-sulfine	198
4.11.1	Discovery of Zwiebelanes	198
4.11.2	Discovery of a Bis-sulfine	204
4.11.3	Super Smelly Onion Compounds	207
4.12	Silencing Genes Alters Natural Products Chemistry: The Tearless Onion	207
4.13	Garlic Greening, Onion Pinking and a Novel Red Pyrrole Pigment from “Drumstick” Alliums	209
4.14	Selenium Compounds in Alliums	214
4.15	Synopsis of <i>Allium</i> Chemistry	222
Chapter 5	Alliums in Folk and Complementary Medicine	224
5.1	Early History of Alliums in Folk Medicine	224
5.2	Garlic Dietary Supplements: Marketing and Regulation	232
5.3	Garlic as Medicine: A Legal Ruling	239
5.4	Health Benefits of Garlic and Other Alliums: Evidence-Based Review System for Scientifically Evaluating Health Claims and its Application to Evaluating Research	240
5.5	Antimicrobial Activity of <i>Allium</i> Extracts and Supplements: <i>In vitro</i> , <i>In vivo</i> , Dietary and Clinical Studies	244
5.5.1	Antifungal Activity of <i>Allium</i> Compounds	246
5.5.2	Antibacterial Activity of <i>Allium</i> Compounds: Bad Breath – Disease or Cure?	248
5.5.3	The Garlic Mask Treatment for Tuberculosis	250
5.5.4	Antiparasitic Activity of <i>Allium</i> Compounds: <i>In vitro</i> Studies	251
5.5.5	Antiviral Activity of <i>Allium</i> Compounds	253

5.6	Alliums and Cancer: Dietary, <i>In vitro</i> and <i>In vivo</i> Studies	254
5.6.1	Evidence-based Review of Garlic Intake and Cancer Risk	256
5.6.2	Epidemiological Studies	258
5.6.3	Clinical Trials: Use of Ajoene in Treating Nonmelanoma Skin Cancer and Allicin in Gastroscopic Treatment of Gastric Carcinoma	258
5.6.4	<i>In vitro</i> and <i>In vivo</i> Mechanistic Studies	259
5.7	The Effect of Dietary Garlic and Onions and Garlic Supplements on Cardiovascular Disease	264
5.7.1	Epidemiological Studies	265
5.7.2	<i>In vitro</i> and <i>In vivo</i> Studies Relevant to the Cardiovascular Benefits of <i>Allium</i> Consumption	265
5.7.3	<i>Allium</i> Antioxidants	266
5.7.4	The Effect of Dietary Garlic and Garlic Supplements on Cholesterol Levels: The Stanford Clinical Trial	267
5.7.5	Antithrombotic Activity of Dietary Garlic and Other Alliums; Garlic Supplements and their Effect on Platelet Biochemistry and Physiology	270
5.7.6	Antihypertensive Activity of Dietary Garlic and Garlic Supplements	273
5.7.7	Dietary Garlic and Inflammation	276
5.7.8	Garlic and Hyperhomocysteinemia	276
5.7.9	Garlic and High-Altitude Sickness and Hepatopulmonary Syndrome	276
5.7.10	Summary of Cardiovascular Benefits of Garlic	277
5.8	Dietary Alliums and Diabetes	277
5.9	Garlic Sulfur Compounds: Antidotes for Cyanide, Arsenic and Lead Poisoning	278
5.10	Dietary Alliums as Anti-asthmatic and Anti-inflammatory Agents and use for Stings and Bites; Topical <i>Allium</i> Extract Application and Scar Healing	279
5.11	Onion Consumption and Bone Loss	282
5.12	Adverse Effects and Health Risks Associated with <i>Allium</i> Foods	283

5.12.1	How much Garlic can be Safely Consumed per Day?	283
5.12.2	Garlic Consumption by Pregnant or Lactating Women: Infant Bad Breath	284
5.12.3	How do Onions cause Gastric Reflux and Heartburn?	285
5.12.4	<i>Allium</i> -Linked Botulism and Hepatitis	285
5.12.5	Choking on Cloves	286
5.12.6	<i>Allium</i> Allergies and Contact Dermatitis	288
5.13	Don't Feed your Pet Onion or Garlic!	288
5.14	Adverse Effects and Herb–Drug Interactions from Medicinal Use of Garlic	290
5.14.1	Burns from Medicinal Use of Garlic	291
5.14.2	Garlic–Drug Interactions	294
5.14.3	Effect of Garlic on Platelets and Blood Clotting Processes	295
5.15	Overview of the Clinical Effectiveness of Garlic	295
Chapter 6	Alliums in the Environment: Allelopathy and <i>Allium</i>-Derived Attractants, Antibiotics, Herbicides, Pesticides and Repellents	298
6.1	It's a Jungle Out There!	299
6.2	Herbicidal and Pesticidal Activity of <i>Allium</i> Plants in their Natural Environment	300
6.2.1	Learning from Leeks	301
6.2.2	An Assertive Plant: The Case of Bear's Garlic (<i>A. ursinum</i>)	304
6.3	Pesticidal and Antibiotic Activity and Insect Repellent Properties of Compounds from <i>Allium</i> Plants	307
6.3.1	Nematodes	308
6.3.2	Coleoptera (beetles), Lepidoptera (moths, butterflies), Hemiptera (true bugs; includes aphids), and Diptera (true flies; includes mosquitoes), Hymenoptera (bees, wasps, ants) and Isoptera (termites)	311
6.3.3	Arachnida (Acari: mites and ticks)	316
6.3.4	Gastropods: Slugs and Snails	317

6.3.5	Plant Pathogenic Bacteria, Fungi and Oomycetes: Phytoanticipins	318
6.4	Use of Onion as an Insect Repellent by Capuchine Monkeys	320
6.5	Bird Repellent Activity of Compounds from <i>Allium</i> Plants	321
6.6	Companion Planting/Intercropping with Alliums	322
6.7	Conclusions	325
	Bibliography	326
	References	331
	Appendix 1 Tables	395
	Appendix 2 Historical Illustrations of Alliums from <i>Flora Germanica</i>	405
	Subject Index	434

Subject Index

Boldface denotes illustration or figure

- N*-acetyl-*S*-allylcysteine (*also called* allyl mercapturic acid)
in urine following consumption of garlic, 81
- addition reactions
carbophilic, 196, **197**, 205, 223
thiophilic, **205**
- ajoene (A₁IS(O)CH₂CH=CHSSA₁)
antibiotic activity, 246, 399–401
B. subtilis, 399
E. coli, 399
H. pylori, 249, 399
K. pneumoniae, 399
M. phlei, 400
M. smegmatis, 400
P. aeruginosa, 399
S. aureus, 400
- anticancer activity
basal cell carcinoma treatment, 258, 259, **260**
leukemia treatment, 262
mechanism of, 262
- antifungal activity, 248, 319, 400, 401
antithrombotic activity, 190, 270, 272
antiviral activity, 253, 254
cholesterol lowering and, 269
discovery of, 190
formation from allicin, 70, 172, **191**, **192**
monomethyl and dimethyl analogs, 193
name, derivation of, 190
in oil-macerated garlic supplements, 239
platelet aggregation effect of, 270, 272
stability toward heat, 191
stereochemistry of
at C=C bond, 190
at sulfoxide sulfur, 190, 191
- A. keratitis* (*Acanthamoeba keratitis*), garlic and, 253
- alembic, 62, **64**
- S*-alk(en)ylcysteine sulfoxides, 141, 142
in alliums, amounts and kinds, 396–398
biosynthesis, **168–171**
in *Brassica oleracea*, 170
derivatization of, 144
 γ -glutamyl derivatives of, 165–**171**
in *Leucocoryne*, 172
in mushrooms, 172
in *Petiveria alliacea*, 172
in *Scorodocarpus borneensis* (wood garlic), 172
in *Tulbaghia violacea* (society garlic), 172
- allelopathy, 26, 299, 300
- allicin (A₁IS(O)SA₁)
ajoene from, 172
allergy to, 288
analysis of,
by DART, 158, 159
by LC-MS, from garlic and ramp, 145–147
by SFC, from garlic, 165

- antibiotic activity of, 69, 72, 244, 318, 319, 399–401
 - E. coli*, 244, 245, 318, 399
 - E. faecalis*, 399
 - H. pylori*, 249, 399
 - K. pneumoniae*, 399
 - Leptotrichia buccalis*, 399
 - M. phlei*, 400
 - M. smegmatis*, 400
 - Pseudomonas aeruginosa*, 399
 - Pophyromonas gingivalis*, 399
 - P. intermedia*, 399
 - P. nigrescens*, 399
 - Proteus mirabilis*, 400
 - S. aureus*, 400
 - S. pyogenes*, 400
 - for antibiotic-resistant gastroenteritis, 246
 - for Gram-negative and -positive bacteria, 72, 245
- anticancer activity
 - in gastric adenocarcinoma, 259
 - mechanism of, 263
- antifungal activity of, 247, 318, 319, 400
 - polybutylcyanoacrylate nanoparticles of, 247
 - synergistic activity with amphotericin B, 247
- anti-inflammatory activity, 276
- antiparasitic activity of
 - A. keratitis* (due to *Acanthamoeba castellanii*), 253
 - amoebic dysentery (due to *Entamoeba histolytica*), 252, 401
 - Giardia lamblia*, 401
 - leishmanial strains, 401
- antitumor activity, 261
- antiviral activity, 254
- aroma and taste, 172
- common cold, treatment of, 254
- in crushed fresh garlic, 169
- cyanide poisoning, antidote for, 278, 279
- cysteine protease inhibitor, in malaria prevention, 253
- decomposition
 - during GC analysis, 154
 - at room temperature, 154, 172
- thioacrolein from, 155
- 3-vinyl-4*H*-1,2-dithiin and 2-vinyl-4*H*-1,3-dithiin from, 155
- formation
 - in *A. ursinum*, 136
 - in elephant garlic, 70
 - enzymatic from alliin, 69, 70, 71
 - rate of, 132, 135, 136
 - self-condensation of 2-propene-sulfenic acid, 106
 - targeted, using antibody-attached alliinase, 138
 - by oxidation of diallyl disulfide with P450 enzymes, 79
 - by oxidation of diallyl disulfide with peracids, 66, 100
- gastrointestinal mucosa, harmful effects on, 259
- germination inhibitor, for downy mildews, 319
- hydrogen-bonding acceptor, 70
- in situ* generation in antitumor therapy, 138, 261
- isolation of, 66–70, 100
- lifetime *in vivo* following injection in mice, 261
- lead poisoning antidote, 279
- mass spectral detection
 - direct, 70, 72, 158, 159
 - SFC with chemical ionization MS, 165
- microtubule-disruption by, 261
- molluscicide, 318
- optical inactivity of, 135
- permeability, skin and membranes, 73, 81, 138, 232
- as phytoanticipin, 300, 318
- platelet aggregation inhibition by, 273
- pseudo-, *see* 2-propenyl 2-propenethio-sulfonate
- reaction
 - with cysteine, 72, 74, 272, 273
 - with thiamin, 73
 - with thiols, 72, 74, 137, 138
- rearrangement to thiosulfoxylate, 156
- skin irritant, 291
- stability, in water, 69, 70, 172
- sulfur-sulfur bond, weakness of, 117, 173

- supercritical fluid extraction (SFE) of, 70, 145
 toxicity
 to rabbits, intravenously administered, 384
 to stored-product insect pests, 313
 tubulin polymerization inhibition, 261
 alliin (*S*-allylcysteine sulfoxide)
 see also S-alk(en)ylcysteine sulfoxides, **143**
 activation by alliinase as aldimine, **133**
 allicin precursor, 70, 71, 113
 chirality at sulfur
 absolute configuration, 104
 significance of, 104
 content in fresh garlic, 102, 145
 content in fresh onion, 150
 diastereomers of, 103
 discovery of, 101, 102
 enzymatic breakdown, rate of, 132
 in *A. sativum*, **136**
 in *A. ursinum*, **136**
 in garlic supplements, 239
 glycoside of, 170
 localization in cells, 132
 stereochemistry at sulfur, 102, **103**, 104
 synthesis of, 102
 thermal stability of, 98, 99
 thiazoles from, on heating with glucose, 99
 alliinase, 132–138
 activation by pyridoxal-5'-phosphate, 133
 allergy to, 288
 characterization by X-ray crystallography, 132, 133
 cleavage rates of alliin analogs
 by *A. sativum* alliinase, 136, 137
 by *A. ursinum* alliinase, 136, 137
 conjugated to antibody, 138
 deactivation of, 144
 on immobilized support, 137
 in garlic supplements, 239
 localization in plants, 133
 purification of, 104
 stereoselectivity with cysteine sulfoxides, 104
 temperature, optimum, for activity, 137
 allithiamin, 73
 allitridin, *see* diallyl trisulfide
 Allium acutangulum, **425**
 Allium acutiflorum, **416**
 Allium altynolicicum
 flavor precursor content, 396
 Allium ampeloprasum, **414**
 see also elephant garlic
 flavor precursor content, 396
 Ulpicum of Romans, 6
 Allium angulosum
 flavor precursor content, 396
 Allium arenarium, **415**
 Allium ascalonicum, **416**
 see also shallot
 Allium asperum, **408**
 Allium atropurpureum, **430**
 Allium bisculum, 15, **16**
 Allium caeruleum, 15, **16**, **17**
 Allium canadense, 15
 toxicity to animals, 289
 Allium carinatum, **407**
 as weed, 12
 flavor precursor content, 396
 Allium carneum, **429**
 Allium cepa, **419**
 see also onion
 Allium chamaemoly, **426**
 Allium chevsuricum
 flavor precursor content, 396
 Allium chinense (rakkyo)
 as food crop, 3, 24, 26
 methiin content, 141
 thiosulfinates from, cut, 141
 Allium controversum, **413**
 Allium cristophii, 15, **17**
 Allium descendens, **418**
 Allium fistulosum (Japanese bunching onion), **420**
 as food crop, 3, 26
 non-bulbing, 11
 selenium compounds in, 217, 219
 flavor precursor content, 141, 396
 thiosulfinates from, cut, 141
 Allium flavescens, **424**
 Allium flavum, **410**
 Allium fuscum, **410**

- Allium giganteum*, 5, 15, **17**
 pigments from, 212, 213
- Allium globosum*, **422**
 flavor precursor content, 396
- Allium gramineum*, 15, **16**
- Allium hymenorrhizum*
 flavor precursor content, 396
- Allium intermedium*, **411**
- Allium jesdianum*
 flavor precursor content, 396
- Allium junceum*, 11, 12
- Allium juncifolium*, 12
- Allium karelinii*
 flavor precursor content, 396
- Allium kermesinum*, **423**
 flavor precursor content, 396
- Allium kurrat*
 as food crop, 3
- Allium longicuspis*, 6
- Allium longifolium*, 15, **16**
- Allium longispathum*, **412**
- Allium macleanii*
 pigments from, **212**, 213
- Allium margaritaceum*, **416**
- Allium moly*, 15, **16**, **17**, **426**
 flavor precursor content, 397
- Allium montanum*, **425**
- Allium moschatum*, **423**
- Allium multibulbosum*, **431**
- Allium neapolitanum*, 15, **16**, **432**
 flavor precursor content, 397
- Allium nigrum*, **430**
- Allium nutans*, 15, 31
- Allium obliquum*
 flavor precursor content, 151, 397
- Allium ochroleucum*, **423**
- Allium oleraceum*, **412**
 flavor precursor content, 397
- Allium pallens*, **409**
- Allium paniculatum*, **409**
 flavor precursor content, 397
- Allium paradoxum*
 flavor precursor content, 397
- Allium pedemontanum*, **429**
- Allium pendulinum*, **428**
- Allium permixtum*, **427**
- Allium porrum*, **414**
 see also leek
- Allium praescissum*, **411**
- Allium pulchellum*, **408**
- Allium ramosum*, 15, **17**
- Allium rosenbachianum*, 5, 15, **17**
 pigments from, 212, 213
 thiosulfates from, cut, 141
- Allium rosenorum*
 pigments from, 212, 213
- Allium roseum*, **429**
 flavor precursor content, 397
- Allium rotundum*, **417**
- Allium sativum*, **413**
 see also garlic
- Allium saxatile*, **422**
 flavor precursor content, 397
- Allium schoenoprasum*, **421**
 see also chives
 flavor precursor content, 141, 397
- Allium schubertii*, 15
- Allium scorodoprasum* (sand leek), **12**, **415**
 flavor precursor content, 151
- Allium sellovianum*, 12
- Allium senescens*
 flavor precursor content, 397
- Allium sibiricum*, **421**
- Allium siculum* (*Nectaroscordum siculum*), 113, 114, 132
 flavor precursor content, 152, 397
- Allium spathaceum*, 12
- Allium sphaerocephalum*, **417**
 flavor precursor content, 397
- Allium stipitatum*, **214**
 flavor precursor content, 397
 2-pyridyl disulfides from, 213, 214
- Allium strictum*, **418**
- Allium suaveolens*, **424**
- Allium subhirsutum*, **427**
 flavor precursor content, 397
- Allium tricoccum*, see ramp
- Allium triquetrum*, **15**, **428**
 as weed, 12
 flavor precursor content, 397
- Allium tuberosum*, see Chinese chives
- Allium tuncelianum*, 7

- Allium ursinum* (ramson; bear's garlic),
305, 432
 allelopathic effects of, 304-307
 edible plant, 3, 31, 32
 elevated sulfur emissions from, 306
 flavor precursor content, 152, 398
 growth characteristics, 12, 304-307
 herbal remedies involving, 231
 methyl ajoenes from, 193
 platelet aggregation inhibition by, 273
- Allium victorialis* (caucas), **433**
 flavor precursor content, 141, 151, 152, 397
 food crop, 3
 thiosulfinate from, cut, 141
- Allium vineale* (crow garlic), **415**
 flavor precursor content, 398
 toxicity to animals, 289
 weed, 12, 18, 19, 38
- Allium violaceum*, **407**
- alliums
 antimicrobial activity of, 92
 antiparasitic activity of, 251-253
 Acanthamoeba keratitis (due to *Acanthamoeba castellanii*), 252, 253
 amoebic dysentery (due to *Entamoeba histolytica*), 252
 giardiasis (due to *Giardia intestinalis*), 252
 leishmaniasis (due to *Leishmania* species), 252, 253
 loiasis (due to *Loa loa*), 252
 malaria (due to *Plasmodium* species), 252, 253
 sleeping sickness (due to *Trypanosoma brucei*), 252, 253
 antitumor activity, **255, 256**
 in Bible, 1, 34
 botany of, 4-12
 center(s) of origin of species, 5, 6, 10
 characteristics of genus, 1, 2, 7
 chemotaxonomy of, 2, 152
 consumption and risk of cancer, 256-258
 cultivation
 ancient, 19-26
 modern, 27-32
 defense against predators, 75
 flowers of, 15
 geographic distribution, 11
 geographic origin of, determination of, 78
 herbs and spices, 91-93
 insect pests of, 11
 insect repellent, 26, 323, 324
 invasive weeds, 18-19
 in Koran, 1, 34
 iron absorption reduction following
 consumption of, 284
 metabolism of, 79
 names, derivation of, 1, 3
 non-sulfur-containing compounds in, 223
 odor of, when cut, 1-3, 13, 14, 18, 19, 26, 75
 ornamentals, 14-**16, 17, 18, 212-214**
 phytochemistry of, 12-14
 poisoning from
 anemia from, 289
 in cats and dogs, 289
 diagnosis of, 289
 Heinz-bodies in blood from, 290
 in livestock, 289, 290
 in small animals, 289
 trace metal profiles of, 78
- allixin, in garlic, 90
- allyl alcohol ($\text{CH}_2=\text{CHCH}_2\text{OH}$), 63, 64, 98
- anticandidal activity, 247
- antiparasitic activity
 Giardia intestinalis, 252
 formation from allicin, 156, 172, **173**
- S*-allylcysteine (SAC)
 in aged garlic extract garlic supplements, 239
 in crushed fresh garlic, 169
 heat stability of, 98
 in human plasma after garlic
 consumption, 81
- S*-allylcysteine sulfoxide, *see* alliin
- allyl group ($\text{CH}_2=\text{CHCH}_2$), derivation of
 name, 64
- allyl isothiocyanate
 ($\text{CH}_2=\text{CHCH}_2\text{N}=\text{C}=\text{S}$), 74
- S*-allylmercaptocysteine, 69, 72
- allyl methyl disulfide (AlSSMe or
 $\text{CH}_2=\text{CHCH}_2\text{SSMe}$)
 in sweat following garlic consumption,
 83

- allyl methyl selenide (AllSeMe or $\text{CH}_2=\text{CHCH}_2\text{SeMe}$)
in human garlic breath, 81
- allyl methyl sulfide (AllSMe or $\text{CH}_2=\text{CHCH}_2\text{SMe}$; AMS),
breath odor following garlic consumption, 83
inability to oxidize due to metabolic defect, 83
metabolic formation of from diallyl disulfide, 79, 81
oxidation by cytochrome P450 enzymes, 79
perspiration odor following garlic consumption, 83
- allyl methyl thiosulfates
(MeS(O)SAll, MeSS(O)All)
in alliums, by paper chromatography, 141
in alliums, by LC-MS, **147**
in crushed fresh garlic, 169
direct mass spectrometric detection with DART, **158**, 159, 161
formation from reaction of alliin with methanesulfenic acid, **161**
- allyl methyl trisulfide (AllS₃Me), synthesis of, **181**
- allyl 1-propenyl thiosulfates
(MeCH=CHS(O)SAll, MeCH=CHSS(O)All)
in alliums, by LC-MS, **147**
E/Z isomerization of, 148, **150**
synthesis of, **149**
- Alzheimer's disease, onions and, 267
- aminoacrylic acid, 106, 134, 158
- analytical methods, *see* capillary electrophoresis, chromatography, infrared, nuclear magnetic resonance, ultraviolet and X-ray absorption spectroscopy, circular dichroism spectra, atomic force microscopy
- anthocyanins, in garlic and onions, 89, 90
- antioxidants, 193–195, 266
alliin as, 193
2,4-dihydroxy-2,5-dimethylthiophene-3-one (thiacremonone) as, 194
from garlic, 267
health benefits of, 266
metal-coordinating ability and, 194
organoselenium compounds in alliums as, 194
pro-oxidants and, 194, 195
2-propenesulfenic acid as peroxy radical trap, 193
quercetin and other flavonols from onion, 94, 194
reactive oxygen species (ROS) and, 193
from skins of garlic and onion, 90
- Apitz-Castro, Rafael, 190
- Aristophanes, on alliums, 35, 58, 225
- artifact formation in *Allium* chemistry, 154, 175, 176, 201
- atomic emission detector (AED), *see under* chromatography
- atomic force microscopy (AFM), examination of antimicrobial action of garlic extracts with, 245
- Auger, Jacques, 154, 198, 301
- Bayer, Thomas, 196, 199, 204
- beekeeping (apiculture)
garlic extracts sprays as miticides for, 317
- biosensors, specific for cysteine sulfoxides, 165
- birds, garlic extracts and oils as repellents for, 321, 322
- bis(1-propenyl) disulfide
[(MeCH=CHS)₂], 176, 199–202
elevated levels of, from tearless onions, 208, 209
oxidation of, **202**, 203
synthesis of individual stereoisomers, 200
in volatiles from forest air near *A. ursinum*, 304, 306
- bis-sulfine (2,3-dimethyl-1,4-butane-dithial 1,4-dioxide)
mechanism of formation, **205**
from onion, 204–206
role in greening of garlic and pinking of onions, 209–212
stereochemistry of, 204, 205
synthesis, **205**
- Blank, Les, on garlic, 43, 44

- Block, Eric, 68, 132, 154, 176, 186, 190, 191, 199, 210, 217
- bond strengths, in *Allium* sulfur compounds
 diallyl disulfide, S–S and C–S, 186
 α -disulfoxide, S–S, 206
 sulfenic acids, O–H, 194
 tetrasulfides, S–S, 190
 thiosulfonates, S–S, 117
 trisulfides, S–S, 190
- Bower Manuscript*, 57, 228, 229
- botulism from garlic-in-oil preparations, 285, 286
- British Pharmaceutical Codex*, garlic uses, 232
- Brodnitz, M. H., 113
- Browning, Elizabeth Barrett, on alliums, 37
- Bulbus Allii Cepae* (World Health Organization)
 health benefits of onion, 237, 238
- Bulbus Allii Sativi* (World Health Organization)
 health benefits of garlic, 237–239
- butanethial S-oxide (PrCH=S=O), **114**, 132
- 1-butenesulfenic acid (EtCH=CHS–O–H), 112, 114
- butiin (*S*-(1-butyl)cysteine sulfoxide), **143**
 enzymatic breakdown, rate of, 132
A. sativum alliinase, **136**
A. ursinum alliinase, **136**
 in *A. siculum*, 152
- S*-(buten-1-yl)cysteine sulfoxide, **112**, **143**, 151, 152
- cadmium (Cd) ion toxicity, diallyl tetrasulfide as antidote for, 183
- Cahours, Auguste, 61, 62, 64, 65
- Calvey, Elizabeth, 198
- cancer and garlic consumption, 256–258
- capillary electrophoresis (CE), 165
- Carson, J.F., 109
- catenation, 176
- Cavallito, Chester J., 66, **67**, 69, 72, 100–102, 135
- cepaenes [RS(O)CH₂SSR'], 153, 196, **197**, 198
 anti-inflammatory properties, 197, 280
 discovery of, 196–198
 formation, mechanism of, 196, **197**
 platelet aggregation inhibitors, 196, 198
 stereoisomers of, 197, 198
 synthesis, 198
 in wound-healing preparations, 281
- Cervantes, Miguel de, on alliums, 36
- Chaucer, Geoffrey, on alliums, 36
- chemotaxonomy, 2, 152
- Child, Julia, 93
- China
 growing and harvesting garlic in, 27, **28**
- Chinese chives
 allelopathic effects of, 307
 flavor precursor content, 141, 397
 as food crop, 3, 24, 31
 traditional medicine usage in Korea, 260
- Chipollino (The Little Onion)*, 40, 41, 44, 53, **54**
- chives
 culinary usage of, 31
 cultivation of, 31
 geographic distribution, 12
 herbal remedies involving, 225
 selenium compounds from, 219
- cholesterol, garlic and garlic supplements and, 267–269
- Chopping Garlic* (David Young), 42
- chromatography
 gas (GC), 152–155, 175, 176
 analytical method for LF, 128, 129
 atomic emission detection (GC-AED), 217, **218**, 219
 artifact formation using, 154, 176, 201
 chiral-phase, 200
 with coupled mass spectrometer (GC-MS), 128, 131, 152–154, 185
 headspace sampler with (HS-GC), 217, 218
 preparative, 114, 152
- high performance liquid (HPLC), 142, 144–148
 cation-exchange, **167**
 chiral-phase, 198
 with ICP-MS, 219, 220
 normal-phase, 144, 145
 preparative, 148, 198
 reversed-phase, 144, 145, 176

- with coupled mass spectrometer (LC-MS), 142, 144–146, 154, 303
- with inductively coupled plasma mass spectrometer (HPLC-ICP-MS), 219
- ion-exchange, 108, 167
- paper, 108, 139, 131, 141, 167
- supercritical fluid (SFC), 165
- thin layer (TLC), 141
 - preparative, 148
- ultra performance liquid (UPLC), 177, 178, 185
- circular dichroism (CD) of chiral sulfoxides, 198
- clinical trials
 - garlic supplements and constituents, 267–271, 296
 - bacterial infections, 249, 250
 - basal cell carcinoma, 258, 259
 - Chinese, 250
 - cholesterol and lipid lowering, 267–271, 275
 - colorectal cancer, 258
 - common cold, 254
 - diabetes, 278
 - gastric (stomach) cancer including adenocarcinoma, 257–259
 - hypertension, 275
 - nonmelanoma skin cancer, 258–260
 - precancerous lesions, 249
 - types of, 241, 242
 - onion preparations, wound healing, 281, 282
 - types, 241, 242
- Codex Ebers (Ebers Papyrus)*, 225
- Cody, R.B., 159
- Colchicum autumnale* (meadow saffron)
 - mistaken in wild for *Allium ursinum*, 32
- companion planting with alliums, 322–325
- cooking, effects on *Allium* compounds, 93–99
- Cremer, Dieter, 126
- cultivars, 3
- cyanide poisoning, diallyl disulfide as antidote for, 183, 278, 279
- [2+2]-cycloaddition, intramolecular, in zwiebelane formation, 203, 204, 206
- [3+2]-cycloadditions, *see* 1,3-dipolar cycloadditions
- [4+2]-cycloadditions, *see* Diels-Alder reaction
- cycloalliin, 109, 167
- Dane, A.J., 159
- DART, *see* mass spectrometry, direct analysis in real time
- Dasuansu, *see* diallyl trisulfide
- De Materia Medica*, 228
- de Maupassant, Guy, on alliums, 38
- deuterium isotope effect, 128
- diallyl disulfide [DADS; All₂S₂ or (CH₂=CHCH₂S)₂]
 - allergy to, 288
 - antibiotic activity, 399–401
 - antiparasitic activity
 - Giardia intestinalis*, 252
 - bird repellent, 321, 322
 - bond strengths, S–S and C–S, 186
 - cyanide poisoning, antidote for, 183, 278, 279
 - environmental persistence, 315
 - formation from allicin, 172, 173
 - fumigant, 312, 313
 - fungicide, 312, 319
 - garlic oil component, 66, 68, 172, 175–180
 - germination trigger for onion white rot fungus, 319, 320
 - glove penetration by, 288
 - hydrogen sulfide formation from, 81
 - metabolism of, 79
 - oxidation to allicin
 - by peracids, 68
 - by P450 enzymes, 79
 - pungency of, 74
 - reduction to H₂S, by glutathione, 83
 - thiosulfoxide isomer (All₂S=S)
 - formation, 182
 - reaction with cyanide ion, 183
 - reaction with elemental sulfur, 182
 - toxicity toward mosquito larvae and pupae, 315
- diallyl hexasulfide (All₂S₆), 176, 177–180
- diallyl pentasulfide (All₂S₅), 176, 177–180

- diallyl polysulfides (polysulfanes; All₂S_n)
 analysis by UPLC-(Ag⁺)CIS-MS, 177, 185
 antibiotic activity, 182, 399–401
 anticandidal activity, 247
 antiparasitic activity of, in *A. keratitis*,
 toward *Acanthamoeba castellanii*,
 253
 biological activity as a function of
 number of sulfur atoms, 182, 183
 disproportionation of, 186, 190
 formation
 from allicin, 172, **173**
 from alliin, cystine and alliinase, 183,
184
 from diallyl disulfide and sulfur, **182**
 from 2-propenethiol and S₂Cl₂, **181**
 garlic oil component, 66, 70, 172,
 175–180, 182
 isomerization of, to thiosulfoxide forms,
 186
 mechanism of anticancer activity, 263
 metal chelating ability, biological
 relevance of, 183
 separation
 HPLC, **183**
 thermal instability of, 176
 diallyl sulfide (All₂S; DAS)
 antibiotic activity, 399–401
 early studies of, 62–66
 in garlic oil, 64–66, 175–180
 pungency of, 74
 pyrolysis of, **155**, 156
 in sweat following garlic consumption, 83
 synthesis of, **63**
 thioacrolein from, **155**, 156
 toxicity toward mosquito larvae, 315
 diallyl tetrasulfide (All₂S₄)
 antibiotic activity, 175, 399–401
 toward *H. pylori*, 249
 anticandidal activity, 247
 bird repellent, 321, 322
 cyanide poisoning, antidote for, 278, 279
 disproportionation of, to trisulfide and
 pentasulfide, 186, 190
 in garlic oil, 66, 175–180
 synthesis of, 181
 diallyl trisulfide (*also* DAT, allitridin or
 Dasuansu; All₂S₃), 66, 74
 antibiotic activity, 246, 399–401
 toward *H. pylori*, 249
 anticandidal activity, 247
 antifungal activity, 246
 antiparasitic activity, 246
 amoebic dysentery (*Entamoeba*
histolytica), 252
 sleeping sickness (*Trypanosoma*
brucei), 253
 antitumor activity, 262
 bird repellent, 321, 322
 Chinese proprietary drug Dasuansu, 246
 cryptococcal meningitis treatment by, 246
 disproportionation of, 190
 formation from allicin, 172, **173**
 fumigant, 312
 garlic oil, dominant component in, 66,
 172, 175–180
 gastric cancer and, 257
 mechanism of anticancer activity, 262,
 263
 platelet aggregation inhibition by, 273
 pungency of, 74
 reactive oxygen species (ROS)
 generation by, 195
 reduction to H₂S by glutathione, 83
 synergistic activity with amphotericin B,
 247
 toxicity
 human, 246, 27
 mosquito larvae, 315
 3,5-diethyl-1,2,4-trithiolanes (from onions),
 159, **160**
 Dietary Supplement Health Education
 Act of 1994 (DSHEA), 234
 Dietary Supplement and Non-
 prescription Drug Consumer
 Protection Act of 2006, 235
 dietary supplements
 characterization of, requirements for
 publications on, 236
 garlic, 232, **233**, 234
trans-3,4-diethyl-1,2-dithietane 1,1-dioxide
 (LF dimer), **131**

- 2,3-dimethyl-1,4-butanedithial 1,4-dioxide,
from onion, *see* bis-sulfine
- dimethyl disulfide (MeSSMe)
oxidation with peracids, 68
S–S bond strength in, 117
in sweat following garlic consumption,
83
toxicity toward stored-product insect
pests, 313
- 2,2-dimethylpropanethial S-oxide
(Me₃CCH=S=O)
absence of lachrymatory activity, 125
(*E*)- and (*Z*)-isomers of, 125
preparation, 125
- dimethyl selenide, in human garlic breath,
81
- 3,4-dimethylthiophene
from forest air near *A. ursinum*, 306
from onion oil, 153, 201
- Dioscorides, 228
- 1,3-dipolar cycloadditions, 131, 203, 204
- Directive on Traditional Herbal Medicinal
Products 2005 (E.U.), 236
- α -disulfoxides
intermediacy of, 205, 206
S–S bond energy in, 206
- 1,3-dithietane 1-oxide, 121
- 1,3-dithietane 1,3-dioxide, 121, 130
- dithiins, 213, 239, 270, 275
see also 3-vinyl-4*H*-1,2-dithiin and 2-
vinyl-4*H*-1,3-dithiin
- 2,2'-dithio-bis-pyridine derivatives in *A.*
stipitatum, 213, 214
- 3*H*-1,2-dithiole
formation of, **156**
in garlic extracts, 156
- 3,3'-dithio-2,2'-pyrrole, 213
- Doran, J. A., 150, 151
- Dumuzid's ('Shepherd's') Dream, 35
- dyes, onion skin derived, 86
- Egypt
ancient use of alliums, 21, 22, **23**
modern use of alliums, 24, **25**
- elephant garlic, 30, 31, **350**
selenium compounds in, **217**
- epidemiological studies involving alliums,
249, 258, 265, 266
- Esquivel, Laura, on alliums, 42
- essential oil, definition of, 69
- ethanethial S-oxide (MeCH=S=O)
(*E*)- and (*Z*)-isomers of, 114, 125
enhanced stability of (*Z*)-isomer of
(‘syn effect’), 126
formation from ethanesulfinyl
chloride, 114
rearrangement from ethenesulfenic
acid, transition state for, 129, 130
- ethenesulfenic acid (CH₂=CHS–O–H)
acetaldehyde from, 124
decomposition, FVP, to thioketene, 123
formation
from *t*-butyl ethenyl sulfoxide, by
pyrolysis, 123
from *S*-ethenylcysteine sulfoxide and
alliinase, 112
reassignment as ethanethial S-oxide,
114
rearrangement to ethanethial S-oxide,
transition state for, 129, 130
trapping, 123
- S*-ethenylcysteine sulfoxide, 112
- ethiin (*S*-ethylcysteine sulfoxide), **143**
in leek, 151
reactivity toward alliinase, **136**
- European Scientific Cooperative on
Phytotherapy (ESCOMP; E.U.)
information on health benefits of garlic,
237, 238
- extraction, supercritical fluid (SFE), 70,
145, 153
- Food and Drug Administration ((U.S.)
FDA), 234, 235, 240–242
- flash distillation
apparatus for, **124**
- flash vacuum pyrolysis (FVP)
apparatus for, 117, **118**
of 1,3-dithietane *S*-oxides, 121
of *t*-butyl ethenyl sulfoxide, 122, **123**
of *t*-butyl 1-propenyl sulfoxide, 122
thioacrolein formation by, 155, 156

- flavonoids
 from onions and shallots, 88, 94, 95
 loss on cooking onions, 95
 Franklin, Benjamin, on alliums, 37
 fructans in garlic, 97, 98
- Garlic is as Good as Ten Mothers* (film), 43
The Garlic Song, 43
- garlic
 allergies to, 288
 antidote for cyanide, arsenic and lead-poisoning, 278, 279
 antihypertensive activity of, 273–275, 296
 hydrogen sulfide and, 274
 TRPA1 and, 274
 antitumor and cancer-preventive activity, 254, **255**, 256, 264
 aspirin, risks of bleeding from combination, 272
 bacterial infection treatment, paucity of clinical trials on, 249, 250
 bleeding, risk from use of, 295
 botulism from garlic-in-oil products, 285, 286
 burns from, 291, **292**, **293**, 294
 choking on cloves, 286, **287**
 cholesterol lowering, 267–269, 296
 cardiovascular benefits, 264, 277
 center of origin, 10
 clay models of, ancient, 21
 contact dermatitis from, 288
 cooking, 96, 97
 crushing, methods of, 95, 96
 cultivars, 8, **9**
 cultivation, distribution today, 24, 28–30
 dehydration (drying) of
 commercial methods, 98
 historical, 21
 diabetes and, 277, 278
 Diels-Alder reactions, of thioacrolein dimerization, 155
 with pyrroles, 210
 thioallylic double bonds, 186, 189
 dietary supplements, 232, **233**, 234–240
 legal ruling on, 239
 types, 239
 distillation of, 62, 65, 66
- dome (architecture)
 Casa Batlló (Barcelona), 51, 52
 and ‘evil eye,’ 57, 58
- extracts
 aged, 239
 in cancer trial, 249
 in cholesterol-lowering trial, 267–269
 in hyperhomocysteinemia, 276
 sulfur-containing components, 168, 169
- anti-feeding effect toward sandflies, 314
 antifungal activity, 245, 247, 319
 antimicrobial action
 atomic force microscopy (AFM) examination of, 245
 toward oral bacteria causing periodontitis, 248
- antiparasitic activity
Giardia intestinalis, 252
Leishmania major, 253
Loa loa, 253
- arsenic poisoning antidote, 279
 insect and nematode repellent, 308, 309, 314, 316, 323
- insecticide
 Asian bee mite (*Tropilaelaps clareae*), 317
 cabbage root fly (*Delia radicum*), 316
 housefly (*Musca domestica*), 316
 legume pod borer moth (*Maruca vitrata*), 312, 314
 northern fowl mites (*Ornithonyssus sylviarum*), 316
 poultry red mite (*Dermanyssus gallinae*), 316, 317
- lead poisoning antidote, 279
 molluscicide, 317, 318
 nematicide, 308–311
 nitric oxide synthase stimulation by, 252
- pesticides, batch inconsistency with, 315, 316
- toxicity
 animal, 288, 289
 mosquito larvae, 315
 stored-product insect pests, 313

face mask, for treatment of tuberculosis, 250, **251**

flavor precursor content, 141, 397

alliin, 141, 397

N-(γ -glutamyl)-*S*-allylcysteine (Glu-AC), 167, 168

N-(γ -glutamyl)-*S*-(*E*)-1-propenylcysteine (Glu-PEC), 167, 168

food, ancient, 4, 19–22, 24

fructans from, 97, 98

as germination inhibitor, 307

glue from, used in ancient gildings, 47, 90, 91

green (meaning ‘uncured’), 30

greening of

cause of, 209–212

prevention of, 211, 212

use in making ‘Laba’ pickled garlic, 212

harvesting of, **12**

heartburn (gastric reflux) and, 285

hematoma, from excess consumption of, 295

herb-drug interactions, adverse, from

290, 291, 294, 295

anti-HIV drugs, 294

Plavix[®], 294

hepatopulmonary syndrome and, 277

herbal remedies involving, 227–232

high-altitude sickness and, 276, 277

‘impure food’, 57

irritation of

digestive tract, 284

skin, 291, **292**, **293**, 294

jewelry, **52**

Jews

anti-Semitism and, 56

‘garlic eaters’, 54

garlic talisman and ‘evil eye’, 57, **58**

Talmudic discussions concerning, 54, 56

tuberculosis and, 56

largest, 11

liver damage, from excessive consumption, 283

macerate

effect on blood pressure, 275

effect on lipid levels, 275

marketing of, 24, **25**

metabolism, 79–84

acetone from, 81

N-acetyl-*S*-allylcysteine from, 81

allyl methyl sulfide from, 81

dimethyl selenide from, 81

hydrogen sulfide from, 81–83

odor of

in amniotic fluid of pregnant women following ingestion of, 284

in breath, 79, 80

allyl methyl sulfide in, 80, 81, 83

ancient fertility test, 85

chlorophyll effect on, 84

forensic significance of, 84, 85

gut (stomach) origin of, 80

halitosis due to impaired sulfoxidation ability, 284

hydrogen sulfide in, 82, 83

ingestion of arsenic, phosphorus, selenium, or tellurium compounds as cause, 85

mouth (buccal) origin of, 80

mushroom effect on, 84

neutralization of, 84

of newborn babies, 284

organoselenium compounds in, 81

2-propenethiol in, 80, 81

pulmonary (alveolar) origin of, 80

in human breast milk, suckling behavior of infants and, 284, 285

plant, 14, 78

in skin from perspiration, 79, 83, 85

enhanced due to impaired sulfoxidation ability, 284

oil of garlic, distilled, 66, 70

analysis of

by GC and HPLC, 175–178

by LC-coordination ion spray mass spectrometry (LC-(Ag⁺)CIS-MS), 177, 178, 180, 185

anticancer activity in clinical trials, 249

bird repellent, 321, 322

diallyl trisulfide as major component of, 175

formation from allicin, 172, **173**, 174

- H. pylori* activity in clinical trial, 249
 in garlic supplements, 239
 sulfur-treated, 178
 yield of, from fresh garlic, 175
 origin of
 derivation of name, 1, 3, 4
 Moslem legend, 57
 pickled (*also* Laba), 97, 212
 platelet aggregation and, 271
 pre-eclampsia and, 285
 press, 95, **96**
 propagation of, 9–11
 pungency of, 73, 75
 repellency by, 75
 consumed, toward mosquitoes, 315
 religious bans on usage, 2, 56, 57
 scapes, **8**
 Skira (Skiraphoria; Greek festival), 58
 sterility of, 9–11
 storage of, 30
 sub-species, 7, 8
 supplements
 antihypertensive activity of, 273–275
 anti-inflammatory activity, 276
 cholesterol lowering and, 267–269
 herb-drug interactions, adverse, from
 use, 290, 291
 hyperhomocysteinemia and, 276
 platelet aggregation and, 270, 271
 as talisman, 57, **58**
 in Talmudic legend, 40
 tuberculosis treatment and, 250, **251**
 wild ancestors, 10
 garlic chives, repellency toward Japanese
 beetles, 324, 325
 Garlicin (garlic supplement), 169, 268
 Gaudí, Antonio, 51, 52
 germanium (Ge) compounds in alliums,
 222
 giardia, garlic and, 252
 Gillies, Charles, 126
 Gillies, Jennifer, 126
N-(γ -glutamyl)-*S*-allylcysteine (Glu-AC),
 166, 167, 168, 169, 171
N-(γ -glutamyl)-*S*-allylcysteine sulfoxide
 (Glu-ACSO), **166, 167**
N-(γ -glutamyl)-*S*-(β -carboxypropyl)-
 cysteinylglycine, 170, 171
N-(γ -glutamyl)-*S*-(methyl)cysteine (Glu-
 MC), **166, 167**, 171
N-(γ -glutamyl)-*S*-(methyl)cysteine
 sulfoxide (Glu-MCSO), **166, 167**, 171
N-(γ -glutamyl)-*S*-(*E*)-1-propenylcysteine
 (Glu-PEC), **166, 167**, 168, 169, 171
N-(γ -glutamyl)-*S*-(*E*)-1-propenylcysteine
 sulfoxide (Glu-PECSO), **166, 167**,
 169, 171
 γ -glutamyl transpeptidase enzymes, 170,
 210
 Granroth, Bengt, 175
 Grant, Ulysses S., 27
 Greek magical papyrus, 225
 Hardy, Thomas, on alliums, 38
 Harpp, David, 181
 Hawthorne, Nathaniel, on alliums, 37
 HDL, *see* cholesterol
 Health Canada, Internet information on
 health benefits of garlic, 237, 238
 hepatitis A, from green onions, 286
 2-*n*-hexyl-5-methyl-3(2*H*)furanone, in
 onions, 153
 Hofmann, August Wilhelm von, 62, **63**,
 65
 Horace, on garlic, 41
 hydrogen sulfide (H₂S)
 in human breath following garlic
 consumption, 82
 as cell signaling agent, 81
 formation
 from diallyl disulfide and trisulfide, 81
 from garlic by red blood cells, 81, 82
 from hydrolysis of onion LF, 83
 from 2-mercapto-3,4-dimethyl-2,3-
 dihydrothiophene, 201
 in onion volatiles, 112, 159, 160
 prevention of damage from heart
 attacks by, 81, **82**
 reaction, with 2-methyl 2-pentenal, 207
 source of sulfur for alliums, 169
 as vasodilator, 81, 265
 hyperlipidemia, *see* cholesterol

- Imai, S., 138
- inductively coupled plasma mass spectrometry (ICP-MS), *see under* chromatography
- infrared spectroscopy
- isoalliin S=O, 109
- onion LF, 113
- onion LF dimer, 130
- thiosulfinate versus sulfoxide S=O, 191, 198
- Inside the Onion* (Howard Nemerov), 42
- intercropping with alliums, 322–325
- International Symposium on Edible Alliaceae, 2
- Internet, quality of information on garlic supplements, 236, 237
- IR, *see* infrared spectroscopy
- isoalliin (*S-E*)-1-propenylcysteine *S*-oxide) *see also S*-alk(en)ylcysteine sulfoxides, **143**
- concentration in leek, 151
- concentration in onions, 150, 208
- characterization by IR spectroscopy, 109
- double-bond stereochemistry by NMR spectroscopy, 109
- enzymatic breakdown
- by garlic alliinase in absence of LFS, 138
- rate of in *A. sativum*, **136**
- rate of in *A. ursinum*, **136**
- role in greening of garlic and pinking of onions, 209–212
- mis-identification as propiin in alliums, 144
- isolation, 108
- onion LF precursor, 70, **71**, 77, 113–115, 138, 139
- synthesis, **110**
- Iyer, Raji, 185
- Jain, Mahendra K., 190
- Kawakishi, Shunro, 196
- Khachaturian, Karen, on onions, 44, 53, 54
- Kice, John, 191
- Kipling, Rudyard, on alliums, 30, 308
- Kyolic (garlic supplement), 168, 169, 268 *see also* 'garlic, extracts, aged'
- lachrymatory factor (LF) of onion
- analytical method for, 128, 129
- detection using X-ray absorption spectroscopy, 163
- deuterium-labeled, 127
- dimer of, 131
- direct mass spectrometric detection with DART, 129, **158**
- formation, 71, 110–115, 122, 127
- GC-MS analysis, **128**
- isolation, 107, 122, 128
- levels of, in onions, 129
- mechanism of action, 76, 125, 126
- neutralizing effect, 76
- precursor, 70, 127
- pyruvate levels, correlation with, 129
- reaction with cysteine, 74
- reduction in levels of, through genetic engineering, 77
- structure, 110–115, 122
- lachrymatory factor synthase (LFS)
- of onion, 71, 138–139, **140**
- silencing, 77, 78, 207–209
- Lawson, Larry D., 161, 247
- LDL, *see* cholesterol
- leishmaniasis, garlic and, 253
- leek
- antitumor activity, **255**, 256
- coin, 52, **53**
- culinary usage of, 31
- cultivation of, 31
- food, ancient, 4, 20, 26
- herbal remedies involving, 53, 225, 227, 230
- moth (*Acrolepiopsis assectella*), 301, **302**
- origin of name, 4
- response to herbivore attack by, 301, **302**, 303, 304
- storage of, 31
- LF, *see* lachrymatory factor (LF) of onion
- Lindgren, Carl, 244
- loiasis (African eyeworm), garlic and, 253
- Loudon, Mrs. Jane Webb, 14–16
- Maillard reaction of alliums, 98, 99
- Markovnikov and anti-Markovnikov radical additions, 186

- malaria, garlic and, 252, 253
- mass spectrometry
- ambient
 - desorption electrospray ionization (DESI), 157, 161, 162
 - direct analysis in real time (DART), positive ion (PI-DART) and negative ion (NI-DART), 121, 132, 157–161
 - extractive electrospray ionization (EESI), 157, 162
 - silver ion facilitated, 162, 180
 - plasma-assisted desorption/ionization (PADI), 157, 162
 - chemical ionization (CI) (also atmospheric pressure chemical ionization (APCI)), 154, 165
 - coordination silver ion spray (LC- $(\text{Ag}^+)\text{CIS-MS}$), 177, 178, 180, 185
 - deuterium isotope exchange studies and, 111
 - high resolution (HRMS), 158–160
 - isotopic dilution methods of analysis, 207
 - onion LF measurement, 108, 110–112
- medical studies, of food and dietary supplements
- case-control studies, 242
 - disease risk determination, 243
 - in vitro*, 243
 - in vivo*, 242, 243
 - prospective (retrospective) observational studies, 241, 242
 - randomized controlled trials, 241
- Melanocrommyum*, as *Allium* subgenus, 17, 18
- 2-mercapto-3,4-dimethyl-2,3-dihydrothiophene
- elevated, from tearless onions, 208, 209
 - precursor of 3,4-dimethylthiophene, 201
- 3-mercapto-2-methylpentan-1-ol, 207
- methane (CH_4)
- reduction in ruminant production of, by alliums, 19
- methanesulfinic acid (MeSO_2H), 119, **120**
- acidity of ($\text{p}K_a$), 120
- methanesulfenic acid (MeS-O-H), *see also* sulfinic acids
- acidity of ($\text{p}K_a$), 120
 - formation, 115–120, 191, 192
 - deuterium exchange, 119
 - lifetime in gas phase, 119
 - pyrolysis giving thioformaldehyde, 119
 - self-condensation giving methyl methanethiosulfinate, 119–121
 - structure, 119, **120**
 - trapping, 116, 117, 192
- methanesulfonic acid (MeSO_3H), 119, **120**
- acidity of ($\text{p}K_a$), 120
- methiin (*S*-methylcysteine *S*-oxide)
- see also S*-alk(en)ylcysteine sulfoxides
 - absolute configuration at sulfur by X-ray crystallography, 104, **105**
 - concentration in leek, 151
 - concentration in onions, 150
 - concentration in ornamental alliums, 151
 - enzymatic breakdown, rate of
 - in *A. sativum*, **136**
 - in *A. ursinum*, **136**
 - synthesis of, 104
- methyl methanethiosulfinate (MeS(O)SMe)
- see also* thiosulfonates
 - reactions
 - disproportionation to MeSSMe and MeSO_2SMe , 207
 - methanesulfenic acid and thioformaldehyde from, 115, **116**
 - 2,3,5-trithiahexane 5-oxide from, 191, **192**
 - formation
 - from dimethyl disulfide, **68**, **116**
 - from methiin, 104
 - platelet aggregation inhibition by, 273
 - properties, 115
- methyl methanethiosulfonate (MeSO_2SMe)
- see also* thiosulfonates
 - in alliums, by paper chromatography, 141
 - from disproportionation of MeS(O)SMe , 115, **116**
 - synthesis from dimethyl disulfide, **116**
- 2-methyl-2-pentenal
- hydrogen sulfide adduct of, 207
 - propanal (aldol) self-condensation product, 112, 306

- methyl 1-propenyl thiosulfinates
 (MeCH=CHS(O)SMe,
 MeCH=CHSS(O)Me)
see also thiosulfinates
 in alliums, by LC-MS, **147**
E/Z isomerization of, 148, **150**
 synthesis of, **149**
- microwave spectroscopy
 description of, 117, 126
 structure of methanesulfenic acid by,
 119, 120
 structure of propanethial *S*-oxide (LF)
 by, 122, 127
 structure of thioformaldehyde by, 117
 structure of thioformaldehyde *S*-oxide
 by, 121, 122
- milk
 garlic-fortified, for Brahmins, 229
 tainting of, by wild garlic, 18, 85
- Minchin, William C., 250, 251
- Morimitsu, Yasujiro, 196
- mosquitoes
 repellency of consumed garlic towards,
 315
 toxicity of garlic extracts towards, 312
- Nash, Thomas, 51
- nematodes
 avoidance of garlic by, 308, **309**
 damage to carrots, **309**
 numbers in soil, 308
 toxicity of garlic preparations towards,
 308–310
 toxicity of onion oil towards, 310
 toxicity of thiosulfinates and
 thiosulfonates towards, 310
- National Center for Complementary and
 Alternative Medicine (NCCAM;
 U.S.A.), garlic health benefit
 information, 237, 238
- The Natural History* (Pliny the Elder),
 225, **226**
- Nectascordum siculum*, *see Allium*
siculum
- nematicides (preferred over ‘nematocides’),
 garlic oil based, 223, 308–311
- Nemerov, Howard (*Inside the Onion*), 42
- Neszmelyi, Andras, 199
- nitric oxide (NO) synthase
 cardiovascular disease role, 265
 parasite killing role, 253
 stimulation by garlic extracts, 252, 265,
 277
- NMR, *see* nuclear magnetic resonance
 spectroscopy
- nociceptors (pain receptors), 73
- nuclear magnetic resonance (NMR)
 spectroscopy
 of allicin, 199
 of garlic oil, 177, 178, **179**, 180, 181
 isoalliin C=C stereochemistry, 109, 110
 low temperature, 202
 nonlinearity of sulfines, 113
 of onion oil, 181
 of onions, LF identification by, 123–125
 of propanal from onions, 125
 of 1-propenyl 1-propenethiosulfinate
 isomers, 202
 of synthetic 1-propenyl thiosulfinates,
 148
 of zwiebelanes, 199
- O’Henry (William Sydney Porter), on
 onion, 40
- olfactory sensitivity to sulfur compounds
 low threshold, 207
 as protection against toxins, 75
 role of metal ions in, 75
- onion
 antibiotic and antifungal activity of
 extracts and oils, 246, 247
 anti-inflammatory activity, 279, 280
 mechanism of, 280
 antitumor activity, **255**, 256
 bone loss decrease from, 282, 283
 burial relic, **23**
 braiding (tying), 22, **23**
 burns, treatment for involving onion
 extracts, 229
 cardiovascular benefits of, 264, 265
 cells, sulfur imaging using XAS and
 XFS, 163, **164**
Cipollino (Italian, ‘little onion’) story, 40
 cooking temperature, proper, 93, 94

- depiction of, ancient, 21
 discoloration by carbon steel knives, 89, 93
 distilled oil of, 66, 153
 dome (in architecture), 47–54, **55**
 Church of Saint Mary Magdalene (Jerusalem), **50**
 Church of the Savior on Spilled Blood (St. Petersburg), **50**
 lacquer boxes, 54, **55**
 porcelain, 54, **55**
 Royal Pavilion, Brighton, England, **50**
 Saint Basil's Cathedral (Moscow), **49**
 Taj Mahal (Agra), 48, 49
 extracts and homogenates, antiparasitic activity
 Leishmania major, 253
 Loa loa filariasis, 253
 flavor precursor content, 141, 169, 396
 fly (*Delia antiqua*), 299
 food, ancient, 3, 20
 genetic engineering of, 77
 germination inhibitor, 307
 growth in sulfur-deficient soils, 77
 heartburn (gastric reflux) and, 285
 hepatitis A from, 286
 herbal remedies involving, 227–232
 insect repellency
 capuchin monkeys, use by, 320
 toward carrot flies, in intercropping, 324
 insect stings, anti-inflammatory activity
 toward, 279, 280
 mechanism of action, 280
 lacrymatory factor (LF), *see as separate index entry*
 see also propanethial *S*-oxide
 largest, 11
 laws on usage, 58, 59
 name, derivation of, 4
 pinking, 209–212
 pungency of, 73, 129
 red onion pigments, **90**
 religious bans on usage, 2
 selenium compounds from, 219
 skins, as source of ancient dye, **86**
 snake repellent, 307
 storage, 27
 sweet, 27
 tearless, 77, 207–209
 wound-healing, using onion preparations, 281, 282
The Onion, 33
The Onions, 45
 organoselenium compounds, *see* selenium compounds
 oxidase enzymes
 in biosynthesis of cysteine sulfoxides, 170
 oxathiiranes, 113, 123

 Pascale, J. V., 113
 Pasteur, Louis, 244
 Penn, Robert, 118, 121, 122
S-(E)-3-pentenylcysteine sulfoxide, 142, 151, 152
 Perrin, Mrs. Henry, 2
 perthiol, *see* 2-propene-1-sulfenothioic acid
 perthiyl radical (RSS•), 195
 phase I and II detoxification, 263
 phytoalexins, 300
 phytoanticipins, 300
 phytochemistry, 12
 plants, defensive strategies, 299
 Plautus, Titus Maccius, 56
 Pliny the Elder (Gaius Plinius Secundus), 56, 57, 225, 308
 Plutarch, on alliums, 35
 polysulfides (polysulfanes; R₂S_n)
 redox chemistry of, 195
 synthesis of, 181, 182
 Pomponius, Titus, 56
 pro-oxidants, 194, 195
 propanal (EtCH=O)
 from onion LF decomposition, 112, 113, 125
 self-condensation to 2-methyl-2-pentenal, 112
 propanethial *S*-oxide (EtCH=S=O)
 decomposition to propanal, 113
 deuterium-labeled, 127
 dimerization, 113, **131**
 GC-MS detection of, 128
 isomers of, (*Z*) and (*E*), 122–125

- formation of
from propanesulfinyl chloride, 113, 114, 122
from 1-propenesulfenic acid, by FVP, 122
- onion LF, 113, 122
'syn effect' in, 126
- propene ($\text{CH}_3\text{CH}=\text{CH}_2$), from garlic, 159, 172, 173
- 1-propenesulfenic acid ($\text{CH}_3\text{CH}=\text{CHS}-\text{O}-\text{H}$)
see also sulfenic acids
as intermediate in onion chemistry, **71**, **111**, 115, 127, 138
deuterium exchange, 127
rearrangement to propanethial *S*-oxide
LFS-promoted, 139, **140**
transition state for, 129, 130
self-condensation of, 77, 138, 199
structure of, **111**, 115
- 2-propenesulfenate ($\text{CH}_2=\text{CHCH}_2\text{SO}^-$),
direct detection in garlic by NI-DART, 159, **160**
- 2-propenesulfenic acid ($\text{CH}_2=\text{CHCH}_2\text{S}-\text{O}-\text{H}$)
see also sulfenic acids
from alliin, **155**, 156
antioxidant, 172
direct observation of, 120, 159, 160
as intermediate in garlic chemistry, **71**, **106**, 133, 134
self condensation, 136, 172
structure of, **106**
- 2-propene-1-sulfenothioic acid
($\text{CH}_2=\text{CHCH}_2\text{SSH}$), 174, 195
- 2-propenesulfinate ($\text{CH}_2=\text{CHCH}_2\text{SO}_2^-$),
direct detection in garlic by NI-DART, 159, **160**
- 2-propenesulfonic acid ($\text{CH}_2=\text{CHCH}_2\text{SO}_2\text{H}$)
in garlic
direct detection by NI-DART, 159, **160**
instability of, 173, 174
- 2-propenethiol ($\text{CH}_2=\text{CHCH}_2\text{SH}$)
allergy to, 288
antiparasitic activity
Giardia intestinalis, 252
metabolic formation of, from diallyl disulfide, 79, 81
role in biosynthesis of *S*-allylcysteine, 170
- 2-propenyl compounds, *see* corresponding allyl compounds
- 1-propenyl 1-propenethiosulfinate
see also thiosulfonates
characterization of by low-temperature NMR, 202
formation from isoalliin, and subsequent reactions of, 77
[3,3]-sigmatropic rearrangement, **203**, 204
role in greening of garlic and pinking of onions, 209–212
synthesis of individual stereoisomers of, **202**
tearless onions, 208
unknown alliin isomer from 1-propenesulfenic acid, 113, 199
- 2-propenyl 2-propenethiosulfonate (pseudoalliin)
see also thiosulfonates
biological activity, 174
formation from garlic, 173, 174
synthesis of, 173, 174
- 1-propenyl propyl thiosulfonates
[$\text{MeCH}=\text{CHS}(\text{O})\text{SPr}$,
 $\text{MeCH}=\text{CHSS}(\text{O})\text{SPr}$], 148, 149, 159
see also thiosulfonates
- 1-propenyl *n*-propyl disulfide
($\text{MeCH}=\text{CHSSPr}$), 66
elevated levels, from tearless onions, 208, 209
- propiin (*S*-1-propylcysteine *S*-oxide), **143**
see also S-alk(en)ylcysteine sulfoxides
absolute configuration, 104, **105**
content in leek, 150, 151, 301–303
content in onions, 150
enzymatic breakdown, rate of
in *A. sativum*, **136**
in *A. ursinum*, **136**
misassignment for isoalliin in alliums, 144
synthesis of, 104
- propyl polysulfides (Pr_2S_n), 150, 153
- propyl propanethiosulfinate ($\text{PrS}(\text{O})\text{SPr}$)
in alliums, by paper chromatography, 141
from propiin, 104
GC analysis from leek, decomposition during 154
synthesis from dipropyl disulfide, **68**

- PubMed* (United States National Library of Medicine), *Allium* information source, 237
- pyrazines, from heating garlic, 99
- S*-(3-pyrrolyl)cysteine sulfoxide, 212, **213**
- pyrroles
 conversion to multi-pyrrole compounds, 209–212
 role in greening of garlic and pinking of onions, 209–212
- pyruvate [MeC(O)CO₂⁻]
 direct detection in onions by (NI-DART), 159
 enzymatic formation from alliinase action, 106, 133, **134**
 pungency of onions, measure for, 129
- quercetin, in onions
 antioxidant, 94, 264
 basis for onion dyes, 88, **89**
 protection of onion against pathogens, 88
 in wound-healing preparations, 281
- randomized controlled trials (RCT), 241
- ramp
 cultivation of, 32
 as food crop, 3, 32
 selenium compounds in, 219
 thiosulfates from, 145, **146**, 147
- reactive oxygen species (ROS), 193, 195
- Regel, Eduard, 4, **5**, 14
- Reichenbach, Ludwig, 12, 405
- Renoir, Pierre-Auguste, on alliums, **45**, 46
- Rodari, Gianni,
 children's story about onion character, 40
- scallions
 bacterial contamination of, 29
 cultivation of, 29
 storage of, 29
- Schieberle, Peter, 207
- secondary metabolites, 13, 299, 300
 storage of, within plants, 300
- Seebeck, Ewald, 101, 102, 104, 106, 110
- Selenium and Vitamin E Cancer Prevention Trial (SELECT), 264
- selenium (Se) compounds
 accumulation of Se in tissues and liver, structural dependence of, 221, 263
 in alliums, 214–222
 anticancer activity of, 221, 263
 atomic emission detection head space GC analysis (HS-GC-AED), 217, **218**
 concentrations relative to sulfur compounds, 217
 enriched through fertilization with Se compounds, 218
 γ-glutamyl-*Se*-methylselenocysteine from, 219
 inductively coupled plasma mass spectrometry HPLC analysis (HPLC-ICP-MS), 219
 prostate cancer and, 264
 Se-methylselenocysteine from, 219
 Se-methylselenocysteine *Se*-oxide from, 220
 μ-XANES studies of, 220, 221
 X-ray absorption spectroscopy (XAS) of, 220
 anticancer activity, 215, 216, 221
 antioxidant activity, 221
 biosynthesis of natural organoselenium compounds, 216
 'garlic breath' from, 216
 metabolism of, 221
 risk of diabetes and, 216
 role as micronutrient, 214, 215
 selenoamino acids, derivatization of, 219
 selenate (SeO₄⁻²), 216
 selenite (SeO₃⁻²), 216
 ⁷⁵Se selenite, 216
 selenium-enriched garlic, 219, 221
 selenium-enriched onion, 219
 selenium-enriched yeast, 215
 selenocysteine, **215**
 selenomethionine, **215**, 218, 221
 selenoproteins, 215, 216
 synthesis of standard selenoamino acids, 219
 toxicity of, 216

- Semmler, F.W., 66
Shakespeare, William
 on alliums, 36, 37, 53, 60
shallot
 botany of, 29
 cooking of, 29
 storage of, 29
[3,3]-sigmatropic rearrangements
 of bis(1-propenyl) disulfide, 201, 202, 206
 of bis(1-propenyl) disulfide, 206
 generalized, 201, 202
 of 1-propenyl 1-propenethiosulfinate, 206
 of bis-pyrrole thiosulfinate, 213
Sheridan, Robert, 178
Stanford Clinical Trial, 267–269
Stoker, Bram, on garlic and vampires, 39, 40
Stoll, Arthur, 100, **101**, 102, 137
sugars in alliums, 94, 98
sulfate (SO_4^{2-})
 reduction to sulfite by APS reductase in plants, 170
 source of sulfur for alliums from soil, 168–170
 sulfate transporter proteins in sulfur fixation, 169
 sulfur-35, for biosynthetic studies, 168, 169
sulfenic acids (RS-O-H), 111, 115, 119, 144
 see also specific compounds
 stable, 120
sulfines ($\text{RR}'\text{C=S=O}$), 113, 121–126, 131
 bis-, 159
sulfinyl chlorides (RS(O)Cl), 113, 114
sulfinyl radical ($\text{RSO}\cdot$), delocalization in, 194
sulfite (SO_3^{2-})
 from reduction of sulfate by APS reductase in plants, 170
 reduction to sulfide in plants by sulfite reductase, 170
sulfur dioxide (SO_2)
 from alliin decomposition, 154, 172, 173
 direct detection from onion using NI-DART, 159, 160
sulfur (S_8), elemental, from heating garlic oil, 175, **176**
Sumerian stone tablets, 34
supercritical fluid extraction (SFE), 70, 145, 153
Swift, Jonathan, on alliums, 37
'syn effect' of sulfines, 126
tellurium (Te) compounds in alliums, 222
Thibout, E., 301
thioacrolein ($\text{CH}_2=\text{CHCH=S}$)
 Diels-Alder addition to allylic double bonds, 186, **189**
 dimerization of, **155**, 156
 formation
 from alliin, 155
 from diallyl disulfide, 186
 from diallyl sulfide, **155**, 156
 possible role in greening of garlic and pinking of onions, 209–212
thioformaldehyde ($\text{CH}_2=\text{S}$)
 formation
 from 1,3-dithietane 1-oxide, 121
 from methyl methanethiosulfinate, 115, 116
 lifetime in gas phase, 119
 microwave structure, 117
 trimerization to 1,3,5-trithiane, 116, 117
thioformaldehyde *S*-oxide ($\text{CH}_2=\text{S=O}$; sulfine)
 formation, 121, 122
 lifetime in gas-phase, 122
 structure, 121, 122
thiosulfonates, 68, 73, 115
 see also individual compounds
 anti-inflammatory action, 280
 artifact problems during GC analysis of, 154
 from alliums, by paper chromatography, 141
 antitumor activity, 260, 261
 apoptosis induction by, 260
 chiral, 135
 from cytochrome P450 oxidation of disulfides, 79
 decomposition during GC analysis, 154, 155
 from leeks, 154, 155, 303

- mixtures, from mixed precursors, 141, 142, 145
 from onions, by GC-MS, **128**
 platelet aggregation inhibition by, 273
 1-propenyl, 153
 S–S bond strength in, 117
 toxicity toward stored-product insect pests, 313
 thiosulfonates, 73
 see also individual compounds
 from disproportionation of thiosulfonates, 207
 odor threshold for, 207
 in onion extracts, 207
 as reagents in synthesis, **149, 200**
 transient receptor potential ion-channel proteins, 73
 see also TRPA1, TRPV1
 1,3,5-trithiane, 116–118
 from trimerization of thioformaldehyde, 116–118
 TRPA1, 73–76, 274, 300
 TRPV1, 73, 74, 76
- Ultraviolet (UV) spectroscopy
 detectors for HPLC, 145, 147, 148, 168
 pigments from greening of garlic and pinking of onions, 211
 pigments from drumstick alliums, 212
United States Dispensatory, garlic and onion uses, 232
- Van Gogh, Vincent, on alliums, **46**
 Velásquez, Diego, on garlic, **44**
 vampire legend, 39
 vasodilation, by garlic extracts, 75, 81, 265, 277
 Vidalia onions, 77
 Vinegar of Four Thieves, 26
 3-vinyl-4*H*-1,2-dithiin, **155**, 172, 190
 in oil-macerated garlic supplements, 239
 2-vinyl-4*H*-1,3-dithiin, **155**, 172, 190
 in oil-macerated garlic supplements, 239
 Virtanen, Artturi, I., **107**, 108, 114, 198, 199, 216, 217, 220
 Volk, Gayle, 8
- Wagner, Hildebert, 196, 199
 warfarin, interaction with garlic, 295
 Wertheim, Theodor, 62, 64–66
 Wilkens, W. F., 113
 Woodville, William, 78
 World Onion Congress, 2
 wound-healing (scar-healing)
 using onion preparations, 281, 282
- X-ray crystallography
 alliinase, 132, 133
 methiin absolute stereochemistry determination by, 104, 106
 sulfenic acids, stable, 120
 X-ray absorption spectroscopy (XAS), 162–**164**
 X-ray fluorescence imaging (XFI), 163
- Yale culinary tablets, 20
 Young, David (*Chopping Garlic*), 42
- zwiebelanes
 chirality of, 200
 direct mass spectrometric detection with DART, **158**
 discovery of, 198–200
 name
 detailed chemical, 200
 derivation of, 199
 isomers, 199, 200
 from onions, by GC-MS, **128**
 from ‘tearless onions’, 207, 208
 significance of, 207
 structures of, 199, **200**