

# Geometrical and energetical structural changes in organic dyes for dye-sensitized solar cells probed with photoelectron spectroscopy and DFT

-- Supporting Information --

*Susanna K. Eriksson,<sup>a</sup> Ida Josefsson,<sup>b</sup> Hanna Ellis,<sup>a</sup> Anna Amat,<sup>c</sup> Mariachiara Pastore,<sup>c</sup> Johan Oscarsson,<sup>d</sup> Rebecka Lindblad,<sup>d</sup> Anna I. K. Eriksson,<sup>a</sup> Erik M. J. Johansson,<sup>a</sup> Gerrit Boschloo,<sup>a</sup> Anders Hagfeldt,<sup>e</sup> Simona Fantacci,<sup>c</sup> Michael Odelius,<sup>\*b</sup> and Håkan Rensmo<sup>\*d</sup>*

a) Department of Chemistry-Ångström, Uppsala University, Box 523, SE-751 20 Uppsala, Sweden.

b) Department of Physics, Stockholm University, Alba Nova University Center, SE-106 91 Stockholm, Sweden. E-mail: odelius@fysik.su.se

c) Istituto CNR di Scienze e Tecnologie Molecolari (CNR-ISTM), Computational Laboratory for Hybrid/Organic Photovoltaics (CLHYO), via Elce di Sotto 8, I-06123 Perugia, Italy.

d) Department of Physics and Astronomy, Uppsala University, Box 516, SE-751 20 Uppsala, Sweden. Fax: +46 18 471 5999; Tel: +46 18 471 3547.

E-mail: hakan.rensmo@physics.uu.se

e) Laboratory of Photomolecular Science, Institute of Chemical Sciences and Engineering, School of Basic Sciences, Ecole Polytechnique Fédérale de Lausanne (EPFL), CH-1015 Lausanne, Switzerland.




Figure S1. Absorbance of the organic dyes D35 and D45 sensitized on spin coated TiO<sub>2</sub> films.