

Electronic Supplementary Information

Synthesis of Nitrogen Doped Mesoporous Carbons for Carbon Dioxide Capture

Chitrakshi Goel, Haripada Bhunia, and Pramod K. Bajpai*

chitrakshigoel@yahoo.co.in, hbhunia@thapar.edu, pkbajpai@thapar.edu

Department of Chemical Engineering, Thapar University, Patiala-147004, Punjab, India

*Correspondence to: Pramod K. Bajpai

Email address: pkbajpai@thapar.edu

Phone: +91-175-2393438; fax: +91-175-2393005

Content:

Fig. S1 Schematic diagram of the adsorption-desorption setup.

Fig. S2 TEM images (a) & (b), SEM images (c) & (d) of MF-700.

Fig. S3 Pore size distribution of prepared carbons.

Fig. S4 Elemental composition of the mesoporous carbons.

Fig. S5 FTIR spectra of prepared carbon materials.

Fig. S6 XPS survey scan spectra of prepared mesoporous carbons.




Fig. S1 Schematic diagram of the adsorption-desorption setup.




Fig. S2 TEM images (a) & (b), SEM images (c) & (d) of MF-700.




Fig. S3 Pore size distribution of prepared carbons.




Fig. S4 Elemental composition of the mesoporous carbons.




Fig. S5 FTIR spectra of prepared carbon materials.




Fig. S6 XPS survey scan spectra of prepared mesoporous carbons.