

Supplementary Information



Synthesis and in vitro antibacterial activity of novel fluoroalkyl-substituted pyrazolyl oxazolidinones



Lili Yan,^a Jingjing Wu,^{*a} Heng Chen,^a Shaowu Zhang,^a Zhi Wang,^a Hui Wang^b and Fanhong Wu^{*a}

^a Department of Pharmaceutical Engineering, School of Chemical and Environmental Engineering, Shanghai Institute of Technology (*SIT*), Shanghai 201418, China. E-mail: wujj@sit.edu.cn; wfh@sit.edu.cn; Fax: +86 21 60877231; Tel: +86 21 60877220.


^b Department of Microbiology, School of Life Science and Technology, China Pharmaceutical University, Nanjing 210009, China.



HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13a**








HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR of **13b**








HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13c**








HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13d**









HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13e**








HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13f**








HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13g**








HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13h**








HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13i**








HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13j**





HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13k**





HRMS, ^1H NMR, ^{13}C NMR and ^{19}F NMR spectra of **13I**

