

Ultra-efficient, widely tunable gold nanoparticles-based fiducial markers for X-ray imaging

G. Maiorano^{a,b}, E. Mele^{c,d}, M.C. Frassanito^e, E. Restini^e, A. Athanassiou^c, and P.P. Pompa^{a,b*}

- a) Nanobiointeractions&Nanodiagnostics, Istituto Italiano di Tecnologia (IIT), Via Morego 30, 16163, Genoa (Italy).*
- b) Center for Bio-Molecular Nanotechnologies, Istituto Italiano di Tecnologia, Via Barsanti – 73010 Arnesano (Lecce), Italy.*
- c) Smart Materials, Nanophysics Department, Istituto Italiano di Tecnologia (IIT), Via Morego 30, 16163, Genoa (Italy).*
- d) Department of Materials, Loughborough University, Leicestershire LE11 3TU, United Kingdom.*
- e) Mater Dei Hospital, C.B.H. Città di Bari Hospital s.p.a., Via Hahnemann 10, 70126 Bari, Italy.*




Fig. S1. Physico-chemical characterization of 70 nm HEPES-cappedAuNPs in $\text{H}_2\text{O}/\text{glycerol}$ solution, pH 7.4. (a) TEM image and size distribution; (b) UV-vis absorption spectroscopy; (c) Dynamic Light Scattering; (d) Z-potential analysis. Values are given as mean \pm standard deviation. D=diameter, D_H =hydrodynamic diameter, PdI = polydispersion index.