

Supplementary

Table1.Body weights of different groups in treatment and recovery period($g, \bar{X} \pm S$)

Groups	Gender	Treatment Period					Recovery Period	
		d1	d8	d15	d22	d29	d36	d43
I	♂	223.0±6.9	275.4±13.0	310.1±16.0	341.1±19.6	372.9±24.7	399.8±27.1	424.6±27.1
	♀	193.1±8.9	205.9±11.3	219.5±17.2	228.1±19.8	238.9±18.8	264.6±13.1	275.2±11.5
II	♂	225.7±8.6	278.6±13.6	320.0±19.0	356.2±23.3	388.6±26.2	432.0±30.9	456.6±29.7
	♀	194.8±7.5	212.0±12.8	227.0±14.5	235.7±17.6	246.6±19.4	254.8±15.3	261.4±21.4
III	♂	226.5±7.7	280.9±14.6	320.5±23.4	356.2±29.7	387.9±36.1	438.6±39.0	461.4±45.6
	♀	197.8±11.8	214.0±16.4	227.8±25.7	238.5±22.5	249.4±23.9	267.0±11.5	273.8±10.5
IV	♂	226.4±7.6	276.4±10.9	310.9±15.3	340.1±18.7	372.1±22.9	390.0±14.4	414.4±19.2
	♀	193.7±7.5	208.4±14.8	217.9±18.8	225.5±20.5	236.2±21.9	252.8±16.0	258.6±19.6
V	♂	223.6±8.0	276.1±12.4	310.6±17.5	339.9±22.5	369.1±27.1	407.0±27.7	441.2±31.6
	♀	196.0±10.3	213.5±9.7	229.8±14.5	240.3±15.5	251.8±15.8	265.2±12.5	281.2±13.5
VI	♂	223.0±8.1	263.9±11.3	301.0±16.5	328.8±19.8	358.9±24.7	374.3±31.2	388.3±26.3
	♀	195.6±9.2	211.6±11.5	223.8±15.4	230.7±16.5	242.6±17.4	252.2±16.5	261.4±17.3

Note: Compared with animals in control group of same sex, *P<0.05, **P<0.01. □n=15, ■n=4

