

Supplementary Information

for

A highly efficient PtCo/C electrocatalyst for the oxygen reduction reaction

Yan-Jie Wang,^{a,b} Nana Zhao,^b Baizeng Fang,^a Hui Li,^{*,c} Xiaotao T. Bi,^{*,a} and Haijiang Wang^{*,c}

^a Department of Chemical and Biological Engineering, University of British Columbia, 2360 East Mall, Vancouver, BC, V6T 1Z3, Canada. E-mail: xbi@chbe.ubc.ca (X. Bi)

^b Vancouver International Clean-Tech Research Institute Inc., 4475 Wayburne Drive, Burnaby, BC, V5G 4X4, Canada.

^c Department of Materials Science & Engineering, South University of Science and Technology, 1088 Xueyuan Road, Nanshan District, Shenzhen, Guangdong, China. Tel: (86) 755-88018909. E-mail: hui.li@sustc.edu.cn (H. Li), wanghj@sustc.edu.cn (H. Wang).




Figure S1 XRD patterns of the in-house Pt/C, commercial Pt/C(TKK), PtCo/C_S#1, PtCo/C_S#2, leached PtCo/C_S#1, and leached PtCo/C_S#2 catalysts.




Figure S2. Cyclic voltammograms and linear sweep voltammograms for the in-house Pt/C and commercial Pt/C (TKK) catalysts before and after the accelerated durability test (ADT): 500 continuous potential cycles from 0.6 to 1.0 V at 50 mV s⁻¹.