

Supporting information

Structural characterization of a novel comb-like branched α -D-glucan from *Arca inflata* and its immunoregulatory activities *in vitro* and *in vivo*

Chunlei Li ^{†a,b}, Dan Peng ^{†b}, Weijuan Huang ^c, Xiaozheng Ou ^d, Liyan Song ^{a,c*},
Zhongyi Guo ^{a,c}, Haoran Wang ^{e*}, Wanying Liu ^b, Jianhua Zhu ^{a,d}, and Rongmin Yu ^{a,b}

^a *International Cooperative Laboratory of Traditional Chinese Medicine Modernization and Innovative Drug Development of Chinese Ministry of Education (MOE), School of Pharmacy, Jinan University, 601 Huangpu Avenue West, Guangzhou 510632, China*

^b *Biotechnological Institute of Chinese Materia Medica, Jinan University, 601 Huangpu Avenue West, Guangzhou 510632, China.*

^c *Department of Pharmacology, Jinan University, 601 Huangpu Avenue West, Guangzhou 510632, China.*

^d *Department of Natural Product Chemistry, Jinan University, 601 Huangpu Avenue West, Guangzhou 510632, China.*

^e *Broad Institute of MIT and Harvard, 75 Ames Street, Cambridge, MA, 02142, USA.*

[†] The authors contribute equally to this work.

* Correspondence: Tel: +86-20-85228205; E-mail Address: tsly@jnu.edu.cn (L. Y. Song). Tel: +1-410-5854410; Tel: +1-410-5854410; E-mail Address: Haoran.wang@neolandbio.com (H. R. Wang).

Figure S1. FT-IR spectrum of JNY2PW after complete methylation (A) and GC-MS spectrum of JNY2PW after fully acid hydrolysis and methylation (B).



