

checkCIF/PLATON (standard)

You have not supplied any structure factors. As a result the full set of tests cannot be run.

No syntax errors found.
Please wait while processing

[CIF dictionary](#)
[Interpreting this report](#)

Datablock: 9APDMCPA

Bond precision:	C-C = 0.0041 Å	Wavelength=0.71075
Cell:	a=9.666(3) b=22.449(6) c=29.445(8)	
	alpha=90 beta=90 gamma=90	
Temperature:	93 K	
	Calculated	Reported
Volume	6389(3)	6389(3)
Space group	P b c a	Pbca
Hall group	-P 2ac 2ab	?
Moiety formula	C42 H33 N O4	?
Sum formula	C42 H33 N O4	C42 H33 N O4
Mr	615.69	615.69
Dx, g cm ⁻³	1.280	1.280
Z	8	8
Mu (mm ⁻¹)	0.082	0.082
F000	2592.0	2592.0
F000'	2593.15	
h,k,lmax	11,26,35	11,26,35
Nref	5629	5622
Tmin,Tmax	0.985,0.992	0.976,0.992
Tmin'	0.976	
Correction method=	MULTI-SCAN	
Data completeness=	0.999	Theta(max)= 25.000
R(reflections)=	0.0799(5262)	wR2(reflections)= 0.1455(5622)
S =	1.301	Npar= 429

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.

● Alert level C

[PLAT340_ALERT_3_C](#) Low Bond Precision on C-C Bonds 0.0041 Ång.

● Alert level G

[PLAT005_ALERT_5_G](#) No _iucr_refine_instructions_details in the CIF Please Do !

[PLAT066_ALERT_1_G](#) Predicted and Reported Tmin&Tmax Range Identical ? Check

[PLAT083_ALERT_2_G](#) SHELXL Second Parameter in WGHT Unusually Large. 8.01 Report

- 0 **ALERT level A** = Most likely a serious problem - resolve or explain
- 0 **ALERT level B** = A potentially serious problem, consider carefully
- 1 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
- 3 **ALERT level G** = General information/check it is not something unexpected

- 1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
- 1 ALERT type 2 Indicator that the structure model may be wrong or deficient
- 1 ALERT type 3 Indicator that the structure quality may be low
- 0 ALERT type 4 Improvement, methodology, query or suggestion
- 1 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all


CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E*, you should make sure that [full publication checks](#) are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

PLATON version of 24/07/2014; check.def file version of 24/07/2014

Datablock 9APDMCPA - ellipsoid plot



[Download CIF editor \(publCIF\) from the IUCr](#)
[Download CIF editor \(enCIFer\) from the CCDC](#)
[Test a new CIF entry](#)