

Supporting Information for

Three three-dimensional anionic metal-organic frameworks with (4,8)-connected alb topology constructed from a semi-rigid ligand and polynuclear metal clusters

Shengqun Su^{ab}, Chao Qin^a, Shuyan Song^a, Zhiyong Guo^a, Ruiping Deng^a, Wan Chen^{ab}, Xuezhi Song^{ab}, Song Wang^{ab}, Guanghua Li^c, Hongjie Zhang^{*a}

^a State Key Laboratory of Rare Earth Resource Utilizations, Changchun Institute of Applied Chemistry, Chinese Academy of Sciences, Changchun 130022, P. R. China.
Tel.: +86 431 85262127; fax: +86 431 85698041. E-mail address: hongjie@ciac.jl.cn (H.-J. Zhang).

^b Graduate School of the Chinese Academy of Sciences, Beijing, 100039, P. R. China.

^c State Key Laboratory of Inorganic Synthesis and Preparative Chemistry, College of Chemistry, Jilin University, Changchun 130012, P. R. China.




Fig.S1 The X-ray powder diffraction patterns for complex **1**.




Fig.S2 The X-ray powder diffraction patterns for complex **2**.




Fig.S3 The X-ray powder diffraction patterns for complex **3**.




Fig.S4 TGA curve for **1-3**. The sample was heated to 700 °C at the heating rate of 10 °C/min.