

Pyrido[1,2-c][1,2,4]triazol-3-ylidene: Reactivity and Its Application in Organocatalysis and Organometallic Catalysis


*Siping Wei, Bo Liu, Dongbing Zhao, Zhen Wang, Jie Wu, Jingbo Lan, and Jingsong You **

Key Laboratory of Green Chemistry and Technology of Ministry of Education, College of Chemistry, and State Key Laboratory of Biotherapy, West China Hospital, West China Medical School, Sichuan University, 29 Wangjiang Road, Chengdu 610064, PR China


Fax: 86-28-85412203; *E-mail:* jsyou@scu.edu.cn


Supporting Information


Copies of ^1H and ^{13}C NMR spectra for compounds 8-13, 19, 21, and 23





YJS-3-0710_20
Pulse Sequence: s2pul

















MYJ-S 13C



Current Data Parameters
NAME MYJ-S 13C
EXNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20070810
Time_ 9.36
INSTRUM av300
PROBHD 5 mm FAPBO BB-
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 1313
DS 16
SWH 18832.393 Hz
FIDRES 0.287360 Hz
AQ 1.7400308 sec
RG 6502
DW 26.550 usec
DE 6.00 usec
TE 297.7 K
D1 1.00000000 sec
d11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 13C
P1 5.90 usec
PL1 -6.00 dB
SFO1 75.4752960 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 -5.00 dB
PL12 15.22 dB
SFO2 300.1314410 MHz

F2 - Processing Parameters
SI 32768
SF 75.4677490 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

