

Supplementary Information to:

Anti-fouling phosphorylcholine bearing polyelectrolyte multilayers. Cell adhesion resistance at rest and under stretching.

Andreas Reisch^{a‡}, Joseph Hemmerlé^{b,c}, Armelle Chassepot^{b,c}, Mathias Lefort^{a,c}, Nadia Benkirane-Jessel^{b,c}, Ermanno Candolfi^d, Philippe Mésini^a, Valérie Letscher-Bru^d, Jean-Claude Voegel^{b,c}, Pierre Schaaf^{a*}

^a Institut Charles Sadron, Université de Strasbourg, CNRS UPR 22, 23 rue du Loess, BP 84047, 67034 Strasbourg Cedex 2, France. Fax: 33 388 414099; Tel: 33 388 414012; E-mail: schaaf@ics.u-strasbg.fr

^b Université de Strasbourg, Faculté de Chirurgie Dentaire, 1 Place de l'Hôpital, 67000 Strasbourg, France.

^c Institut National de la Santé et de la Recherche Médicale, UMR 977, 11 rue Humann, 67085 Strasbourg Cedex, France.

^d Institut de Parasitologie et de Pathologie Tropicale, 3 rue Koeberlé, 67000 Strasbourg, France.

* Current address: Department of Chemistry and Biochemistry, The Florida State University, Tallahassee, Florida, 32306, U.S.A.




Figure S1 : Atomic force microscopy images of a $(\text{PAH}/\text{PSS})_2(\text{PAH}/\text{PAA-(EO)}_3\text{PC})_2$ multilayer deposited on a silicone sheet non stretched (a) and stretched to 1.5 times its original length (b). The lateral size of the images is 5 μm and the z-scale is 50 nm.