

Electronic Supplementary information

A Facile Biliquid-Interface Co-assembly Synthesis of Mesoporous

Vesicles with Large Pore Sizes

Yu Zhang^a, Qin Yue^a, Yongjian Jiang^{*b}, Wei Luo^{*c}, Ahmed A. Elzatahry^d, Abdulaziz Alghamdi^e, Yonghui Deng^{*a,f} and Dongyuan Zhao^a

^aDepartment of Chemistry, State Key Laboratory of Molecular Engineering of Polymers, and Shanghai Key Laboratory of Molecular Catalysis and Innovative Materials, State Key Laboratory of ASIC & System, Collaborative Innovation Center of Chemistry for Energy Materials, Fudan University, Shanghai 200433, P. R. China. Email: yhdeng@fudan.edu.cn

^bDepartment of Pancreatic Surgery, Huashan Hospital, Fudan University, Shanghai, China. Email: yongjianjiang@fudan.edu.cn

^cState Key Laboratory for Modification of Chemical Fibers and Polymer Materials, College of Materials Science and Engineering, Donghua University, Shanghai 201620, P. R. China. Email: wluo@dhu.edu.cn

^dMaterials Science and Technology Program, College of Arts and Sciences, Qatar University, PO Box 2713, Doha 2713, Qatar

^eDepartment of Chemistry, College of Science, King Saud University, Riyadh 11451, Saudi Arabia

^fState Key Lab of Transducer Technology, Shanghai Institute of Microsystem and Information Technology, Chinese Academy of Sciences, Shanghai 200050, P. R. China.




Figure S1, TEM (A, B) and FESEM (C) images of self-assembled porous foams with mesoporous silica framework by replacing the water with 0.3 mol/L Na_2SO_4 aqueous solution while maintaining other conditions.