## **Supporting Information**


Magnetic nanoparticles-supported phosphine gold(I) complex: A highly efficient and recyclable catalyst for the direct reductive amination of aldehydes and ketones

Weisen Yang, a,b Li Wei, a Feiyan Yia and Mingzhong Caia\*


<sup>a</sup> Key Laboratory of Functional Small Organic Molecule, Ministry of Education and College of Chemistry & Chemical Engineering, Jiangxi Normal University, Nanchang 330022, P. R. China

<sup>b</sup> College of Ecology and Resources Engineering, Wuyi University, Wuyishan City 354300, P. R. China mzcai@jxnu.edu.cn


Copies of <sup>1</sup>H NMR, <sup>13</sup>C NMR spectra for compounds 3a–3d'......S2–S31




 $^1\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound  ${\bf 3a}$ 




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound  ${\bf 3b}$ 




 $^{1}\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3c




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound  ${\bf 3d}$ 




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound 3e




 $^{1}\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3f




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound 3g




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound 3h




 $^{1}\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3i




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound 3j




 $^1\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3k




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound  $\pmb{3} \pmb{1}$ 




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound  ${\bf 3m}$ 







 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound 3n




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound 3o




 $^{1}\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3p




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound 3q




 $^{1}\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3r




 $^{1}\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3s




 $^{1}\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3t




 $^{1}\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3u




 $^{1}\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3v




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra for compound **3w** 




 $^1\mbox{H}$  NMR and  $^{13}\mbox{C}$  NMR spectra for compound 3x




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound 3y




 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound 3z




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra for compound **3a'** 



 $^{1}\text{H}$  NMR and  $^{13}\text{C}$  NMR spectra for compound 3b'



 $^1 H$  NMR and  $^{13} C$  NMR spectra for compound  $3c^{\prime}$ 



 $^1H$  NMR and  $^{13}C$  NMR spectra for compound  $\boldsymbol{3d'}$