

Supplementary Information

Long-lived Luminescent Soft Materials of Hexanitrato-samarate(III) Complexes with Orange Visible Emission

Ning Tang, Ying Zhao, Ling He*, Wen-Li Yuan and Guo-Hong Tao*

College of Chemistry, Sichuan University, Chengdu, Sichuan, 610064, China.

Email: lhe@scu.edu.cn, taogh@scu.edu.cn

Index:

S2-S6 Figure S1-S10 ^1H NMR and ^{13}C NMR Spectra of **1-5**.

S7-S9 Figure S11-S15 IR Spectra of **1-5**.

S9 Figure S16 PXRD spectra of complex **1** and **2**.




Fig. S1 ¹H NMR spectrum of complex 1.




Fig. S2 ¹³C NMR spectrum of complex 1.




Fig. S3 ^1H NMR spectrum of complex **2**.




Fig. S4 ^{13}C NMR spectrum of complex **2**.




Fig. S5 ^1H NMR spectrum of complex 3.




Fig. S6 ^{13}C NMR spectrum of complex 3.




Fig. S7 ^1H NMR spectrum of complex 4.




Fig. S8 ^{13}C NMR spectrum of complex 4.




Fig. S9 ^1H NMR spectrum of complex **5**.




Fig. S10 ^{13}C NMR spectrum of complex **5**.




Fig. S11 IR spectrum of complex 1.




Fig. S12 IR spectrum of complex 2.




Fig. S13 IR spectrum of complex 3.




Fig. S14 IR spectrum of complex 4.




Fig. S15 IR spectrum of complex **5**.




Fig. S16 PXRD spectra of complex **1** and **2**.