

Supplementary Information

Liquid-phase step-by-step growth of an iron cyanide coordination framework on LiCoO₂ particle surfaces

Rie Makiura^{*a,b,†}, Shingo Teragawa^c, Kohei Tsuchiyama^a, Akitoshi Hayashi^c,
Kiyoharu Tadanaga^c and Masahiro Tatsumisago^c

^a Nanoscience and Nanotechnology Research Center, Research Organization for the 21st Century, Osaka Prefecture University, Sakai, Osaka, Japan.

E-mail: r-makiura@mtr.osakafu-u.ac.jp

^b PRESTO, Japan Science and Technology Agency, Saitama, Japan

^c Department of Applied Chemistry, Graduate School of Engineering, Osaka Prefecture University, Sakai, Osaka, Japan

[†] Present address : Department of Materials Science, Graduate School of Engineering, Osaka Prefecture University, Sakai, Osaka, Japan




Figure S1. Morphology of the PBNL@LCO samples before and after immersion for 90 hours into the liquid electrolyte (1M LiPF_6 in ethylene carbonate–diethyl carbonate (EC–DEC)) was observed by a scanning electron microscope (SEM, SU-8010, HITACHI). SEM images of the PBNL1c@LCO, PBNL3c@LCO and PBNL5c@LCO before (left) and after (right) immersion into the electrolyte.