

Electronic Supplementary Information

Differences in XPS and solid state NMR spectral data and thermo-chemical properties of iso-structural compounds in the series KTaF_6 , K_2TaF_7 and K_3TaF_8 and KNbF_6 , K_2NbF_7 and K_3NbF_8

Miroslav Boča^{†}, Aydar Rakhmatullin[‡], Jarmila Mlynáriková[†], Eva Hadzimová[†], Zuzana
Vasková[†], Matej Mičušík[§].*

[†]Department of Molten Systems, Institute of Inorganic Chemistry, Slovak Academy of Sciences,
Dúbravská cesta 9, SK-845 36 Bratislava, Slovakia.

[‡]Conditions Extrêmes et Matériaux: Haute Température et Irradiation, CEMHTI, UPR 3079 -
CNRS Univ Orleans 450 71 Orléans, France.

[§]Polymer Institute, Slovak Academy of Sciences, Dúbravská cesta 9, SK-84541 Bratislava,
Slovakia.

KEYWORDS: ternary fluorides, XPS, solid state NMR, structure, DSC, molten salts

Fig. S1 Experimental (blue) and simulated (red) ^{93}Nb MAS NMR spectrum of KNbF_6 recorded at 9.4T and $\nu_{\text{rot}} = 31$ kHz.

