

Animated Vibrational Modes as GIF Files for:

Characterization of the [3Fe-4S]^{0/1+} cluster from the D14C variant of *Pyrococcus furiosus* ferredoxin via combined NRVS and DFT analyses

Lars Lauterbach,^{*a,b} Leland B. Gee,^a Vladimir Pelmentschikov,^{*b} Francis E. Jenney, Jr,^c Saeed Kamali,^{a,d} Yoshitaka Yoda,^e Michael W. W. Adams^f and Stephen P. Cramer^{a,g}

^a Department of Chemistry, University of California, Davis, CA 95616, USA

^b Institut für Chemie, Technische Universität Berlin, 10623 Berlin, Germany

^c Georgia Campus, Philadelphia College of Osteopathic Medicine, Suwanee, GA 30024, USA

^d Department of Mechanical, Aerospace and Biomedical Engineering, University of Tennessee Space Institute, Tullahoma, TN 37388, USA

^e JASRI, SPring-8, Sayo-gun, Hyogo 679-5198, Japan

^f Department of Biochemistry & Molecular Biology, Life Sciences Building, University of Georgia, Athens, GA 30602, USA

^g Physical Biosciences Division, Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA

* Corresponding authors. E-mails: lars.lauterbach@tu-berlin.de ; pelmentschikov@tu-berlin.de

Pf-Fd-D14C_3Fe-4S_X_YYY.YYcm-1.gif file of this archive illustrates a Pf Fd D14C [3Fe-4S]^X normal mode at YYY.YY cm⁻¹ animated following the present DFT calculations. The displayed orientation of the model corresponds to Fig. S2 of the ESI[†] document. The hydrogen atoms were omitted for clarity.