

Supporting Information

Electrochemically catalyzed amino-oxygenation of styrenes: a *n*-Bu₄NI induced C-N followed by C-O bond formation cascade for the synthesis of indolines

Sen Liang,^{a, b} Cheng-Chu Zeng,^{c,*} Xu-Gang Luo,^a Fa-zheng Ren,^a Hong-Yu Tian,^b Bao-Guo Sun,^{b,*} and R. Daniel Little^d

^a Beijing advanced innovation center for food nutrition and human health, College of Food Science & Nutritional Engineering, China Agricultural University, Beijing 100083, China

^b Beijing advanced innovation center for food nutrition and human health, School of Food and Chemical Engineering, Beijing Technology and Business University, Beijing 100048, China

^c College of Life Science & Bioengineering, Beijing University of Technology, Beijing 100124, China


^d Department of Chemistry & Biochemistry, University of California, Santa Barbara, Santa Barbara, California 93106, USA

Corresponding author: zengcc@bjut.edu.cn; sunbg@btbu.edu.cn


Table of contents for the supporting information

NMR and HRMS of 2a	S2
NMR and HRMS of 2b	S3
NMR and HRMS of 2c	S5
NMR and HRMS of 2d	S6
NMR and HRMS of 2e	S8
NMR and HRMS of 2f	S9
NMR and HRMS of 2g	S11
NMR and HRMS of 2h	S12
NMR and HRMS of 2i	S14
NMR and HRMS of 2j	S15
NMR and HRMS of 4	S17


¹H NMR of 2a




¹³C NMR of 2a





HRMS of 2a




¹H NMR of 2b




¹³C NMR of 2b




¹H NMR of 2c




¹³C NMR of 2c





HRMS of 2c




¹H NMR of 2d




¹³C NMR of 2d




¹H NMR of 2e




¹³C NMR of 2e




HRMS of 2e




¹H NMR of 2f




¹³C NMR of 2f




HRMS of 2f




¹H NMR of 2g



¹³C NMR of 2g




HRMS of 2g




Bruker Compass DataAnalysis 4.0 printed: 7/15/2015 12:27:19 PM Page 1 of 1


¹H NMR of 2h




¹³C NMR of 2h




HRMS of 2h




¹H NMR of 2i




¹³C NMR of 2i




HRMS of 2i




¹H NMR of 2j




¹³C NMR of 2j




HRMS of 2j




¹H NMR of 4



¹³C NMR of 4



HRMS of 4



Bruker Compass DataAnalysis 4.0

printed: 7/16/2015 10:19:29 AM

Page 1 of 1