## **Electronic Supplementary Information (ESI)**

## Structural diversification and photocatalytic properties of zinc(II) polymers modified by auxiliary N-containing ligands

Wen-Yu Yin,<sup>a</sup> Zuo-Long Huang,<sup>a</sup> Xiao-Yan Tang,<sup>\*a</sup> Jun Wang,<sup>a</sup> Hong-Jian Cheng,<sup>a</sup> Yun-Sheng Ma, Rong-Xin Yuan,<sup>\*a</sup> and Dong Liu<sup>\*b</sup>

<sup>a</sup> School of Chemistry and Materials Engineering, Jiangsu Key Laboratory of Advanced Functional Materials, Changshu Institute of Technology, Changshu 215500, Jiangsu, P. R. China.
<sup>b</sup> College of Chemistry and Materials Science, Huaibei Normal University, Huaibei 235000, P. R. China.

## **Table of Contents**

Fig. S1 IR spectra for H<sub>2</sub>bismip (a) and 1–4 (b-e).

Fig. S2 (a) PXRD patterns for 1. (b) PXRD patterns for 2. (c) PXRD patterns for 3. (d) PXRD patterns for 4.

Fig. S3 The TGA curves for complexes 1–4.

Fig. S4 The UV-Vis diffuse reflectance spectra of 1 (a), 2 (b), 3 (c) and 4 (d).

Fig. S5 UV-Vis absorption spectra of the MO solutions degraded without photocatalysts and by different photocatalysts under UV irradiation at different time intervals: (a) MO; (b) 1 in MO; (c) 2 in MO; (d) 3 in MO; (e) 4 in MO.









(d)



S4



Fig. S1 IR spectra for H<sub>2</sub>bismip (a) and 1–4 (b-e).





Fig. S2 (a) PXRD patterns for 1. (b) PXRD patterns for 2. (c) PXRD patterns for 3. (d) PXRD patterns for 4.



Fig. S3 The TGA curves for complexes 1–4.







Fig. S4 The UV-vis diffuse reflectance spectra of 1 (a), 2 (b), 3 (c) and 4 (d).



S11



Fig. S5 UV-Vis absorption spectra of the MO solutions degraded without photocatalysts and by different photocatalysts under UV irradiation at different time intervals: (a) MO; (b) 1 in MO; (c) 2 in MO; (d) 3 in MO; (e) 4 in MO.