

**A high selectivity fluorescent chemosensor for
cyanide anion based on a chalcone derivatives in
the present of iron (III) ion, and its capacity for live
cell imaging in mixed aqueous system**

Wen Yang^a, Zhongqin Cheng^b, Yunlong Xu^a, Jie Shao^a, Weiqun Zhou^{a*}, Juan Xie^a,
Mengying Li^{b*}

^aSchool of Chemistry & Chemical Engineering and Material Science, Soochow University, 199
Ren'ai Road, Suzhou, People's Republic of China, 215123

^bSchool of Biology and Basic Medical Sciences, Soochow University, 199 Ren'ai Road, Suzhou,
People's Republic of China, 215123

E-mail: wqzhou@suda.edu.cn

Supplementary data

Table of Content.....	1
1. Figure S1 The 2D-NMR (HSQC) of 1	2
2. Figure S2 The HRMS of 1-Fe³⁺	3

* Corresponding author, Tel: 86-0512-65884827 (Zhou); 86-0512-65880421 (Li).
E-mail: wqzhou@suda.edu.cn (Weiqun Zhou); lmysz@126.com (Mengying, Li).
Postal address: Soochow University, 199 Ren'ai Road, Suzhou, P. R. China, 215123.

1. Figure S1




Figure S1 The 2D-NMR (HSQC) of **1**(0.309M) in CD₃CN-*d*6.

2. Figure S2




Figure S2 The HRMS of **1**-Fe³⁺.