

Electronic Supplementary Material (ESI) for New Journal of Chemistry.
This journal is © The Royal Society of Chemistry and the Centre National de la Recherche Scientifique
2015

Supplementary Information

Synthesis, Optical and Electrochemical Properties of Polycyclic Aromatic Compounds with *S,S*-Dioxide Benzothiophene Fused Seven Rings

Yong Yang, Junfei Liang, Liwen Hu, Bin Zhang,* Wei Yang

Institute of Polymer Optoelectronic Materials and Devices, State Key Laboratory of Luminescent Materials and Devices, South China University of Technology, Guangzhou 510640, China. E-mail: msbzhang@scut.edu.cn




Figure S1. ¹H NMR spectrum of CzBT in *d*-chloroform




Figure S2. ¹³C NMR spectrum of CzBT in *d*-chloroform




Figure S3. Mass spectrum of CzBT




Figure S4. ¹H NMR spectrum of CzBTO in *d*-chloroform




Figure S5. ¹³CNMR spectrum of CzBTO in *d*-chloroform




Figure S6. Mass spectrum of CzBTO




Figure S7. 1H NMR spectrum of **FBT** in *d*-chloroform




Figure S8. ^{13}C NMR spectrum of **FBT** in *d*-chloroform




Figure S9. Mass spectrum of FBT




Figure S10. ¹H NMR spectrum of FBT in *d*-chloroform




Figure S11. ¹³CNMR spectrum of FBTO in *d*-chloroform




Figure S12. Mass spectrum of FBTO