

Electronic supplementary information (ESI)

Study of photocatalytic properties of bio-mimicked hollow SnO₂ microstructures synthesized with *Ceiba pentandra* (L.) Gaertn. (kapok) as a natural template

Young Jin Kim^{1a}, Xing Xing^{1b}, Do-Young Choi^c, Cheol-Ho Hwang^d, Chulmin Choi^e, Gunwoo Kim^a, Sungho Jin^{ae}, Kyung-Jun Hwang^{*ef}, and Ju-Young Park^{*g}

^aMaterials science and Engineering, University of California at San Diego, La Jolla CA 92093, USA.

^bDepartment of Nanoengineering, University of California at San Diego, La Jolla CA 92093, USA.

^cKHT Engineering Co., Ltd., Gunpo-si 435-833, South Korea.

^dInternational Climate and Environment Center, Gwangju 502-861, South Korea.

^eMechanical and Aerospace Engineering, University of California at San Diego, La Jolla CA 92093, USA.

^fAdvanced Materials and Strategic Planning Division, Cheorwon-gun 269-802, South Korea.

^gGreen Energy Institute, Mokpo-si 530-400, South Korea.

¹These authors contributed equally to this work.

*Corresponding author. E-mail address: kyhwang@ucsd.edu and kjhwang@cpri.re.kr (K.-J. Hwang); juyoungpark@gei.re.kr (J.-Y. Park).




Fig. S1. The schematics of the photodegradation apparatus.




Fig. S2. Methylene blue photo-decomposition curves of HSM after calcination at 500, 600 and 700 °C under UV irradiation after adsorption reaction.