

SUPPORTING INFORMATION

Application of Horner–Wadsworth–Emmons olefination for the synthesis of Granulatamide A, its *E* isomer and other amides of tryptamine

Deepali Pakhare^a, and Radhika Kusurkar*^a

^a*Department of Chemistry, Savitribai Phule Pune University (former University of Pune),*


Pune - 411 007, Maharashtra, India

*rsk@chem.unipune.ac.in


Contents


¹ H, ¹³ C NMR spectra and HRMS for compound 4	S2
¹ H, ¹³ C NMR spectra and HRMS for compound 5	S3
¹ H, ¹³ C, DEPT, NOE spectra and HRMS for compound 1	S5
¹ H, ¹³ C NMR spectra and HRMS for compound 7	S7
¹ H, ¹³ C, DEPT, NOE spectra and HRMS for compound 6	S9
¹ H and ¹³ C, DEPT spectra and HRMS for compound 8	S11
¹ H, ¹³ C NMR spectra and HRMS for compound 9	S13

DSP-AMIDE3 BR.ESP






DSP-AMIDE-3 BR CARBON.ESP






DSP CIS1.ESP







DSP CIS 1H.ESP




DSP CIS 13 C.ESP




DSP CIS DEPT.ESP




DSP-CIS-D2OEX
SELNOGP CDCl3 {D:\RSK} root 55








DSP T2.ESP




DSP T2.2.ESP




DSP TRANS 1H.ESP




DSP TRANS 13C.ESP




DSP TRANS DEPT.ESP




DSP-TRANS-D2OEX
SELNOGP CDCl3 {D:\RSK} root 56







DSP WITTIG 8 1H.ESP




DSP WITTIG 8 C.ESP



DSP WITTIG 8 DEPT.ESP





DSP P5 1H.ESP

