

Electronic Supplementary Information (ESI)

A Nanoglass Alloying Immiscible Fe and Cu at The Nanoscale

Na Chen,^{a,b,*c} Di Wang,^a Tao Feng,^a Robert Kruk,^a Ke-fu Yao,^c Dmitri V. Louzguine-
Luzgin,^b Horst Hahn^{a,d,e} and Herbert Gleiter^{a,d}

^a Institute for Nanotechnology, Karlsruhe Institute of Technology (KIT), Karlsruhe 76021, Germany

^b WPI Advanced Institute for Materials Research (WPI-AIMR), Tohoku University, Sendai 980-8577,
Japan

^c School of Materials Science and Engineering, Tsinghua University, Beijing 100084, P.R. China

E-mail: chennadm@mail.tsinghua.edu.cn, Tel: (+86) 10-62796591

^d Nanjing University of Science and Technology, Herbert Gleiter Institute of Nanoscience, Building
340, Nanjing, Jiangsu 210094, P. R. China

^e Joint Research Laboratory Nanomaterials, Technische Universität Darmstadt, Darmstadt 64287,
Germany




Figure S1 (a) BF-TEM image of the bulk MNG-2 alloy; Compositional analysis of Area 1: (b-1) the STEM-image and (b-2)-(b-4) the corresponding compositional mappings of Cu, Fe and Sc, respectively and Area 2: (c-1) the STEM-image and (c-2)-(c-4) the corresponding compositional mappings of Cu, Fe and Sc, respectively.