Electronic Supplementary Information

Copper (II) Tungstate Nanoflake Array Films: Sacrificial Template Synthesis, Hydrogen Treatment, and Their Application as Photoanodes in Solar Water Splitting

Dianyi Hu, Peng Diao, * Di Xu, Mengyang Xia, Yue Gu, Qingyong Wu, Chao Li, Shubin Yang

Key Laboratory of Aerospace Materials and Performance (Ministry of Education), School of Materials Science and Engineering, Beihang University, Beijing 100191, P. R. China

Corresponding Author: Peng Diao. Tel: 86-10-8233-9562 E-mail: pdiao@buaa.edu.cn



Fig. S1 TEM images and SAED patterns of WO₃ and CuWO₄ nanoflakes

Fig. S1 TEM images of WO₃ (a-d) and CuWO₄ (a'-d'). SEAD patterns of WO₃ (e) and CuWO₄ (e').

Fig. S2 Linear potential sweep measurements of CuWO₄ and H-treated CuWO₄ in 0.1 M phosphate buffer (pH 7)



Fig. S2 Current density-potential responses of the H-treated CuWO₄ photoanodes in 0.1 M sodium phosphate buffer solution (pH 7) at potential sweep rate of 10 mV·s⁻¹ in the dark and under illumination (100 mW·cm⁻²). The current density-potential response of the CuWO₄ photoanode is also presented for comparison.