

Supporting Information

Titanium carbenoid-mediated cyclopropanation of allylic alcohols: Selectivity and mechanism

María Jesús Durán-Peña,[†] José Manuel Botubol,[†] James R. Hanson,[‡] Rosario Hernández-Galán[†] and Isidro G. Collado^{†,*}

[†]Departamento de Química Orgánica, Facultad de Ciencias, Instituto de Biomoléculas, Campus Universitario Río San Pedro s/n, Universidad de Cádiz, 11510, Puerto Real, Cádiz, Spain

[‡]Department of Chemistry, University of Sussex, Brighton, Sussex, BN1 9QJ, United Kingdom.

E-mail: isidro.gonzalez@uca.es

Table of contents:

¹ H and ¹³ C spectra of compound (±)- 1c	S3-4
¹ H spectrum of compound (±)- 2c	S5
¹ H and ¹³ C spectra of compound (±)- 3c	S6-7
¹ H and ¹³ C spectra of compound (±)- 4c	S8-9
¹ H and ¹³ C spectra of compound 5c	S10-11

^1H and ^{13}C spectra of compound β - 6c	S12-13
^1H and ^{13}C spectra of compound ($\pm$)- 7c	S14-15
^1H and ^{13}C spectra of compound ($\pm$)- 8	S16-17
^1H and ^{13}C spectra of compound ($\pm$)- 12	S18-19
NOE effect of compound β - 6c	S20



























