

Electronic Supporting Information (ESI)

Synthesis and P-glycoprotein induction activity of colupulone analogs

Jaideep B. Bharate,^{a,b} Yazan S. Batarseh,^c Abubakar Wani,^d Sadhana Sharma,^{b,d} Ram A. Vishwakarma,^{a,b} Amal Kaddoumi,^{*,c} Ajay Kumar,^{d,*} and Sandip B. Bharate^{a,b,*}

^aMedicinal Chemistry Division, CSIR-Indian Institute of Integrative Medicine (CSIR), Canal Road, Jammu-180001, India; Fax: +91-191-2586333; Tel: +91-191-2585006; *E-mail: sbharate@iiim.ac.in (SBB).

^bAcademy of Scientific & Innovative Research (AcSIR), CSIR-Indian Institute of Integrative Medicine, Canal Road, Jammu-180001, India

^cSchool of Pharmacy, The University of Louisiana at Monroe, USA. E-mail: kaddoumi@ulm.edu (AK).

^dCancer Pharmacology Division, CSIR-Indian Institute of Integrative Medicine, Canal Road, Jammu-180001, India. E-mail: ajaykmahajan@hotmail.com (AK).

CONTENTS


Sr.No.	Title	Page no.
S1and S2	Spectral data scans of all compounds	S4-S57
S1.a.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 1-acetyl-2,4,6-trihydroxy benzene (2a)	S4
S1.b.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 1-isobutanoyl)-2,4,6-trihydroxy benzene (2b)	S6
S1.c.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 1-(3-methyl-butanoyl)-2,4,6-trihydroxy benzene (2c)	S8
S1.d.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 4-acetyl-2,2,6,6-tetraallyl-5-hydroxycyclohex-4-ene-1,3-dione (3a)	S10
S1.e.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 4-acetyl-5-hydroxy-2,2,6,6-tetra(prop-2-ynyl)cyclohex-4-ene-1,3-dione (3b)	S12
S1.f.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 4-acetyl-5-hydroxy-2,2,6,6-tetrakis(3-methylbut-2-enyl)cyclohex-4-ene-1,3-dione (3c)	S14
S1.g.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 5-hydroxy-4-(isobutyryl)-2,2,6,6-tetramethylcyclohex-4-ene-1,3-dione (3d)	S16
S1.h.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 2,2,6,6-tetraallyl-5-hydroxy-4-(isobutyryl)cyclohex-4-ene-1,3-dione (3e)	S18
S1.i.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 5-hydroxy-4-(isobutyryl)-2,2,6,6-tetra(prop-2-ynyl)cyclohex-4-ene-1,3-dione (3f)	S20
S1.j.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 5-hydroxy-4-isobutyryl-2,2,6,6-tetrakis(3-methylbut-2-en-1-yl)cyclohex-4-ene-1,3-dione (3g)	S22
S1.k.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 5-hydroxy-4-(isobutyryl)-2,2,6,6-tetrakis((E)-3,7-dimethylocta-2,6-dienyl)cyclohex-4-ene-1,3-dione (3h)	S24
S1.l.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 4-(3-methylbutanoyl)-5-hydroxy-2,2,6,6-tetramethylcyclohex-4-ene-1,3-dione (3i)	S26
S1.m.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 4-(3-methylbutanoyl)-2,2,6,6-tetraallyl-5-hydroxycyclohex-4-ene-1,3-dione (3j)	S28
S1.n.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 4-(3-methylbutanoyl)-5-hydroxy-2,2,6,6-tetrakis(3-methylbut-2-enyl)cyclohex-4-ene-1,3-dione (3k)	S30
S1.o.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 1,3-diacetyl-2,4,6-trihydroxy benzene (4a)	S32
S1.p.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 1,3-dipropanoyl-2,4,6-trihydroxy benzene (4b)	S34
S1.q.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 1,3-di-(3-Methyl-butanoyl)-2,4,6-trihydroxy benzene (4c)	S36
S1.r.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 2,6-diacetyl-3,5-dihydroxy-4,4-dimethylcyclohexa-2,5-dienone (5a)	S38
S1.s.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 2,6-diacetyl-4,4-diallyl-3,5-dihydroxycyclohexa-2,5-dienone (5b)	S40
S1.t.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 2,6-diacetyl-3,5-dihydroxy-4,4-bis(3-methylbut-2-enyl)cyclohexa-2,5-dienone (5c)	S42

S1.u.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 3,5-dihydroxy-4,4-dimethyl-2,6-dipropionylcyclohexa-2,5-dienone (5d)	S44
S1.v.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 4,4-diallyl-3,5-dihydroxy-2,6-dipropionylcyclohexa-2,5-dienone (5e)	S46
S1.w.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 3,5-dihydroxy-4,4-bis(3-methylbut-2-enyl)-2,6-dipropionylcyclohexa-2,5-dienone (5f)	S48
S1.x.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 1,1'-(4,6-dihydroxy-5,5-dimethyl-2-oxocyclohexa-3,6-diene-1,3-diyl)bis(3-methylbutan-1-one) (5g)	S50
S1.y.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 2,6-bis(3-methylbutanoyl)-4,4-diallyl-3,5-dihydroxycyclohexa-2,5-dienone (5h)	S52
S1.z.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 2,6-bis(3-methylbutanoyl)-3,5-dihydroxy-4,4-bis(3-methylbut-2-enyl)cyclohexa-2,5-dienone (5i)	S54
S2.a.	¹ H, ¹³ C and DEPT-135 NMR spectrum of 2,6-bis(3-methylbutanoyl)-3,5-dihydroxy-4,4-bis((E)-3,7-dimethylocta-2,6-dienyl)cyclohexa-2,5-dienone (5j)	S57


S.1. SPECTRAL DATA SCANS OF ALL COMPOUNDS

S1.a. ^1H , ^{13}C and DEPT-135 NMR spectrum of 1-acetyl-2,4,6-trihydroxy benzene (**2a**)


^1H NMR



^{13}C NMR




DEPT




S1.b. ^1H , ^{13}C and DEPT-135 NMR spectrum of 1-isobutanoyl)-2,4,6-trihydroxy benzene (**2b**)


^1H NMR



^{13}C NMR




DEPT




S1.c. ^1H , ^{13}C and DEPT-135 NMR spectrum of 1-(3-methyl-butanoyl)-2,4,6-trihydroxy benzene (**2c**)


^1H NMR



^{13}C NMR




DEPT




S1.d. ^1H , ^{13}C and DEPT-135 NMR spectrum of 4-acetyl-2,2,6,6-tetraallyl-5-hydroxycyclohex-4-ene-1,3-dione: (**3a**)


^1H NMR



^{13}C NMR




DEPT




S1.e. ^1H , ^{13}C and DEPT-135 NMR spectrum of 4-acetyl-5-hydroxy-2,2,6,6-tetra(prop-2-ynyl)cyclohex-4-ene-1,3-dione (**3b**)


^1H NMR



^{13}C NMR




DEPT




S1.f. ^1H , ^{13}C and DEPT-135 NMR spectrum of 4-acetyl-5-hydroxy-2,2,6,6-tetrakis(3-methylbut-2-enyl)cyclohex-4-ene-1,3-dione (**3c**)


^1H NMR



^{13}C NMR




DEPT




S1.g. ^1H , ^{13}C and DEPT-135 NMR spectrum of 5-hydroxy-4-(isobutyryl)-2,2,6,6-tetramethylcyclohex-4-ene-1,3-dione (**3d**)


^1H NMR



^{13}C NMR




DEPT




S1.h. ^1H , ^{13}C and DEPT-135 NMR spectrum of 2,2,6,6-tetraallyl-5-hydroxy-4-(isobutyryl)cyclohex-4-ene-1,3-dione (**3e**)


^1H NMR



^{13}C NMR




DEPT




S1.i. ^1H , ^{13}C and DEPT-135 NMR spectrum of 5-hydroxy-4-(isobutyryl)-2,2,6,6-tetra(prop-2-ynyl)cyclohex-4-ene-1,3-dione (**3f**)


^1H NMR



^{13}C NMR




DEPT




S1.j. ^1H , ^{13}C and DEPT-135 NMR spectrum of 5-hydroxy-4-isobutyryl-2,2,6,6-tetrakis(3-methylbut-2-en-1-yl)cyclohex-4-ene-1,3-dione (**3g**)


^1H NMR



^{13}C NMR




DEPT




S1.k. ^1H , ^{13}C and DEPT-135 NMR spectrum of 5-hydroxy-4-(isobutyryl)-2,2,6,6-tetrakis((E)-3,7-dimethylocta-2,6-dienyl)cyclohex-4-ene-1,3-dione (**3h**)


^1H NMR



^{13}C NMR




DEPT




S1.I. ^1H , ^{13}C and DEPT-135 NMR spectrum of 4-(3-methylbutanoyl)-5-hydroxy-2,2,6,6-tetramethylcyclohex-4-ene-1,3-dione (**3i**)


^1H NMR



^{13}C NMR




DEPT




S1.m. ^1H , ^{13}C and DEPT-135 NMR spectrum of 4-(3-methylbutanoyl)-2,2,6,6-tetraallyl-5-hydroxycyclohex-4-ene-1,3-dione (**3j**)


^1H NMR



^{13}C NMR




DEPT




S1.n. ^1H , ^{13}C and DEPT-135 NMR spectrum of 4-(3-methylbutanoyl)-5-hydroxy-2,2,6,6-tetrakis(3-methylbut-2-enyl)cyclohex-4-ene-1,3-dione (**3k**)


^1H NMR



^{13}C NMR




DEPT




S1.o. ^1H , ^{13}C and DEPT-135 NMR spectrum of 1,3-diacetyl -2,4,6-trihydroxy benzene (**4a**)


^1H NMR



^{13}C NMR




DEPT




S1.p. ^1H , ^{13}C and DEPT-135 NMR spectrum of 1,3-dipropanoyl-2,4,6-trihydroxy benzene (**4b**)


^1H NMR



^{13}C NMR




DEPT




S1.q. ^1H , ^{13}C and DEPT-135 NMR spectrum of 1,3-di-(3-Methyl-butanoyl)-2,4,6-trihydroxy benzene (**4c**)


^1H NMR



^{13}C NMR




DEPT




S1.r. ^1H , ^{13}C and DEPT-135 NMR spectrum of 2,6-diacetyl-3,5-dihydroxy-4,4-dimethylcyclohexa-2,5-dienone (**5a**)


^1H NMR



^{13}C NMR




DEPT




S1.s. ^1H , ^{13}C and DEPT-135 NMR spectrum of 2,6-diacetyl-4,4-diallyl-3,5-dihydroxycyclohexa-2,5-dienone (**5b**)


^1H NMR



^{13}C NMR




DEPT




S1.t. ^1H , ^{13}C and DEPT-135 NMR spectrum of 2,6-diacetyl-3,5-dihydroxy-4,4-bis(3-methylbut-2-enyl)cyclohexa-2,5-dienone (**5c**)


^1H NMR



^{13}C NMR




DEPT




S1.u. ^1H , ^{13}C and DEPT-135 NMR spectrum of 3,5-dihydroxy-4,4-dimethyl-2,6-dipropionylcyclohexa-2,5-dienone (**5d**)


^1H NMR



^{13}C NMR




DEPT




S1.v. ^1H , ^{13}C and DEPT-135 NMR spectrum of 4,4-diallyl-3,5-dihydroxy-2,6-dipropionylcyclohexa-2,5-dienone (**5e**)


^1H NMR



^{13}C NMR




DEPT




S1.w. ^1H , ^{13}C and DEPT-135 NMR spectrum of 3,5-dihydroxy-4,4-bis(3-methylbut-2-enyl)-2,6-dipropionylcyclohexa-2,5-dienone (**5f**)


^1H NMR



^{13}C NMR




DEPT




S1.x. ^1H , ^{13}C and DEPT-135 NMR spectrum of 1,1'-(4,6-dihydroxy-5,5-dimethyl-2-oxocyclohexa-3,6-diene-1,3-diyl) bis (3-methylbutan-1-one) (**5g**)


^1H NMR



^{13}C NMR




DEPT




S1.y. ^1H , ^{13}C and DEPT-135 NMR spectrum of 2,6-bis(3-methylbutanoyl)-4,4-diallyl-3,5-dihydroxycyclohexa-2,5-dienone (**5h**)


^1H NMR



^{13}C NMR




DEPT




S1.z. ^1H , ^{13}C and DEPT-135 NMR spectrum of 2,6-bis(3-methylbutanoyl)-3,5-dihydroxy-4,4-bis(3-methylbut-2-enyl)cyclohexa-2,5-dienone (**5i**)


^1H NMR



^{13}C NMR




DEPT




S2.a. ^1H , ^{13}C and DEPT-135 NMR spectrum of 2,6-bis(3-methylbutanoyl)-3,5-dihydroxy-4,4-bis((E)-3,7-dimethylocta-2,6-dienyl)cyclohexa-2,5-dienone (**5j**)

^1H NMR



^{13}C NMR



DEPT

