

Supplementary Information for

**Facile Synthesis of Acridines via Pd(0)-Diphosphine
Complex-Catalyzed Tandem Coupling/Cyclization Protocol**

Ting-Jun Wang,^{a,b} Wen-Wen Chen,^a Yi Li,^a and Ming-Hua Xu*^a



*State Key Laboratory of Drug Research, Shanghai Institute of Materia
Medica, Chinese Academy of Sciences, 555 Zuchongzhi Road,
Shanghai 201203, China*



E-mail: xumh@sim.ac.cn



Table of Content



Copies of ¹ H NMR and ¹³ C NMR spectra	S2
--	----



Copies of ^1H NMR and ^{13}C NMR spectra















































Acridine products **3a-b**,¹ **3d-e**,¹ **3j**,¹ **3k**,² **3l**,³ **3m**,⁴ **3n**,⁵ **3o**,⁶ **3p-s**,⁴ **3s**,⁴ and **6**² are known compounds.

Reference:

1. H.-M. Guo, R.-Z. Mao, Q.-T. Wang, H.-Y. Niu, M.-S. Xie and G.-R. Qu, *Org. Lett.*, 2013, **15**, 5460.
2. J. Wu, D. Talwar, S. Johnston, M. Yan, J. Xiao, *Angew. Chem., Int. Ed.*, 2013, **52**, 6983.
3. D. C. Rogness and R. C. Larock, *J. Org. Chem.*, 2010, **75**, 2289.
4. Q. Su, P. Li, M. He, Q. Wu, L. Ye, and Y. Mu, *Org. Lett.*, 2014, **16**, 18.
5. H. Graboyes, E. L. Anderson, S. H. Levison and T. M. Resnick, *J. Heterocyclic. Chem.*, 1975, **12**, 1225.
6. J. A. Spicer, S. A. Gamage, G. J. Atwell, G. J. Finlay, B. C. Baguley and W. A. Denny, *J. Med. Chem.*, 1997, **40**, 1919.