

Supplementary Information

One-Pot Synthesis of Benzoxaborole Derivatives from Palladium-Catalyzed Cross-Coupling Reaction of Alkoxydiboron with Unprotected o-Bromobenzylalcohols

Jianan Zhu,^{a,Δ} Ying Wei,^{a,Δ} Dongqing Lin,^a Changjin Ou,^b Linghai Xie,^{a,*} Yu Zhao,^a
and Wei Huang^{a,b,*}

^aCentre for Molecular Systems and Organic Devices (CMSOD), Key Laboratory for Organic Electronics and Information Displays & Institute of Advanced Materials (IAM), National Synergetic Innovation Center for Advanced Materials (SICAM), Nanjing University of Posts & Telecommunications, 9 Wenyuan Road, Nanjing 210023, China.

^bKey Laboratory of Flexible Electronics (KLOFE) & Institute of Advanced Materials (IAM), National Synergetic Innovation Center for Advanced Materials (SICAM), Nanjing Tech University (NanjingTech), 30 South Puzhu Road, Nanjing 211816, China.

wei-huang@njtech.edu.cn; iamlxie@njupt.edu.cn

Table of contents

I. General.....	S2
II. Cyclic voltammograms of PySBOFO , and PySFX	S2
III. Copies of ¹ H and ¹³ C NMR spectra for compounds 3 , PySBOFO , and PySFX	S3

I. General

Substrates **1** were readily prepared according to reported procedure. See: (1) Krasovskiy, A.; Knochel, P. *Angew. Chem. Int. Ed.* **2004**, *43*, 3333–3336. (2) Jiang, Z.; Yao, H.; Zhang, Z.; Yang, C.; Liu, Z.; Tao, Y.; Qin, J.; Ma, D. *Org. Lett.* **2009**, *11*, 2607–2610.

II. Cyclic voltammetric (CV) of PySBOFO and PySFX




Figure 1

III. Copies of ^1H and ^{13}C NMR spectra for compounds 2, PySBOFO, and PySFX

