

Supporting information

Biocompatible dendrimeric fluorescent polymer prepared *via*
ring-opening PEGylation of 4-arm PEG-amine, itaconic
anhydride, and an AIE monomer

Chunping Ma^{*a}, Xiqi Zhang^{*b,c}, Ke Wang^b, Xiaoyong Zhang^b, Yahong Zhou^c, Hongliang Liu^c,

Yen Wei^{*b}

^a College of Materials & Metallurgical Engineering, Guizhou Institute of Technology, Guiyang,
550003, P. R. China.

^b Department of Chemistry and the Tsinghua Center for Frontier Polymer Research, Tsinghua
University, Beijing, 100084, P. R. China.

^c Laboratory of Bio-Inspired Smart Interface Science, Technical Institute of Physics and
Chemistry, Chinese Academy of Sciences, Beijing, 100190, P. R. China.

E-mail: machunpingaa@126.com; xqzhang@mail.ipc.ac.cn; weiyen@tsinghua.edu.cn

Results




Fig. S1 XPS spectra of PhE-ITA-PEG FPNs: (A) C 1s spectrum; (B) N 1s spectrum; (C) O 1s spectrum; (D) S 2p spectrum.




Fig. S2 PL spectra of PhE-ITA-20% (80%) FPNs before and after they were irradiated with UV lamp at 365 nm for 30 min.

