

- Supporting Information -



pH-responsive polymeric Janus container for controlled drug delivery

Ziguang Zhao^{a,b}, Feiyan Zhu^{b,c}, Xiaozhong Qu^{b,c}, Qiuhua Wu^a, Qian Wang^b, Guolin Zhang^{a*}, and Fuxin Liang^{b*}

^a Liaoning Provincial Key Laboratory for Green Synthesis and Preparative Chemistry of Advanced Materials (Liaoning University), College of Chemistry, Liaoning University, Shenyang 110036, China. Fax: 8624-62202380; Tel: 8624-62207848; E-mail: glzhang@lnu.edu.cn (G. Z.).

^b State Key Laboratory of Polymer Physics and Chemistry, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, China. Fax: 8610-62559373; Tel: 8610-82619206; E-mail: liangfuxin@iccas.ac.cn (F. L.).

^c University of Chinese Academy of Sciences, Beijing 100049, China.







Fig. S11 XPS spectra of (a) SNP-NH₂, (b) SNP-OH, (c) SNP-g-PCL and (d) SNP-g-PCL-Br.




Fig. SI2 Zeta potentials of nanocapsules measured at (a) pH= 6.5 and (b) pH= 7.4.

Table SI1 Elemental analysis of the hybrid SNPs by XPS measurement

Sample	Atomic (%)			
	Si	C	O	N
SNP-NH ₂	65.33	8.49	23.86	2.32
SNP-OH	60.31	8.52	29.08	2.09