

Supporting Information

Synthesis and Thermoresponsive Property of Four-Arm Star-Shaped Poly(*N*-isopropylacrylamide)s Bearing Covalent and Non-Covalent Cores

Yougen Chen,[§] Nao Xiao,[†] Moe Fukuoka,[‡] Kohei Yoshida,[‡] Qian Duan,[¶] Toshifumi Satoh,[‡] Toyoji Kakuchi^{§‡}*

[§] Frontier Chemistry Center, Faculty of Engineering, Hokkaido University, Sapporo, 060-8628, Japan.

[†] School of Chemical Biology and Pharmaceutical Sciences, Capital Medical University, No. 10, You'an Men, Waixi Toutiao, Beijing, 100069, China.

[‡] Division of Biotechnology and Macromolecular Chemistry, Faculty of Engineering, Hokkaido University, Sapporo, 060-8628, Japan.

[¶] School of Materials Science and Engineering, Changchun University of Science and Technology, Changchun 130022, China

Corresponding authors: kakuchi@poly-bm.eng.hokudai.ac




Figure S1. ^1H NMR spectra of (a) **1a**, (b) **4a**, and (c) **5a** in CDCl_3 .




Figure S2. FT-IR spectra of (a) **1a**, (b) **4a**, and (c) **5a**.




Figure S3. Temperature dependence of optical transmittance at 500 nm obtained for 2 mg mL⁻¹ aqueous solution of **3b** before (red) and after (black) adding RuCl₃.