Electronic Supplementary Material (ESI) for Polymer Chemistry. This journal is © The Royal Society of Chemistry 2015

Tuning Optoelectronic Properties of Dual-Acceptor Based Low-Bandgap Ambipolar Polymers by Thiophene-Bridge Length

Cunbin An,^a[‡] Tomasz Marszalek,^a[‡] Xin Guo,^{*ab} Sreenivasa Reddy Puniredd,^a Manfred Wagner,^a Wojciech Pisula^{ac} and Martin Baumgarten^{*a}

^aMax Planck Institute for Polymer Research, Ackermannweg 10, D-55128, Mainz, Germany.
^bDalian National Laboratory for Clean Energy, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, 457 Zhongshan Road, Dalian 116023, China.
^cDepartment of Molecular Physics, Faculty of Chemistry, Lodz University of Technology, Zeromskiego 116, 90-924 Lodz, Poland.
E-mail: guoxin@dicp.ac.cn; martin.baumgarten@mpip-mainz.mpg.de
[‡]These authors contributed equally.

Contents

Figure S1. TGA curves of three polymers.

Figure S2. The transfer and output curves of PDPP-T-TQ and PDPP-2T-TQ.

Figure S3. The section profile along with qxy and qz of PDPP-3T-TQ.

Figures S4 – S9. ¹H NMR and ¹³C NMR spectra for all new compounds.

Figures S10 – S12. ¹H NMR spectra for three new polymers.



Figure S1. TGA curves for **PDPP-T-TQ**, **PDPP-2T-TQ** and **PDPP-3T-TQ** measured under nitrogen atmosphere at a heating rate of 10 °C/min.



Figure S2. The transfer (a), (c) and output (b), (d) curves of PDPP-T-TQ and PDPP-2T-TQ, respectively.



Figure S3. GIWAXS integrations for **PDPP-3T-TQ** with reflections assigned by Miller's indices a) in the equatorial direction and b) in the meridional direction.



Figure S4. ¹H NMR spectrum of compound 3.



Figure S6. ¹H NMR spectrum of compound 6.









Figure S9. ¹³C NMR spectrum of compound 7.



Figure S10. ¹H NMR spectrum of polymer PDPP-T-TQ.



Figure S11. ¹H NMR spectrum of polymer PDPP-2T-TQ.



Figure S12. ¹H NMR spectrum of polymer PDPP-3T-TQ.