

Electronic Supplementary Information

Shape-switching self-assembly in water of new diblock copolymers with UCST-type and LCST-type segments

H. Yoshimitsu,^a E. Korchagina,^b A. Kanazawa,^a S. Kanaoka,^a F. M. Winnik^{*b,c} and S. Aoshima^{*a}

^a Department of Macromolecular Science, Graduate School of Science, Osaka University,

Toyonaka, Osaka 560-0043, Japan

^b Department of Chemistry, University of Montreal, CP 6128, Succursale Centre Ville, Montreal,

QC H3C 3J7, Canada

^c World Premier International (WPI) Center for Materials Nanoarchitectonics (MANA), National

Institute for Materials Science (NIMS), 1-1 Namiki, Tsukuba, Ibaraki 305-0044, Japan

Contents:

Fig. S1 Turbidity curves of an aqueous solution of 2.0 g/L MOVE₂₀₀-*b*-([EtIm][BF₄])₂₀₀ containing 60 mM NaBF₄, scan rate: 1 °C/min.




Fig. S1 Turbidity curves of an aqueous solution of 2.0 g/L $\text{MOVE}_{200}\text{-}b\text{-}([\text{EtIm}][\text{BF}_4])_{200}$ containing 60 mM NaBF_4 , scan rate: 1 °C/min.