Electronic Supporting Information

3d transition metal complexes with a julolidine–quinoline based ligand: structures, spectroscopies and optical properties

Daniel J. Fanna,^a Yingjie Zhang,^{*b} Li Li,^a Inna Karatchevtseva,^b Nicholas Shepherd,^{a,b} Abdul Azim,^a Jason R. Price,^c Janice Aldrich-Wright,^a Jason K. Reynolds^a and Feng Li *^a

^a School of Science and Health, Western Sydney University, Locked Bag 1797, Penrith, NSW 2751, Australia. Email: <u>feng.li@westernsydney.edu.au</u>
^b Australian Nuclear Science and Technology Organisation, Locked Bag 2001, Kirrawee DC, NSW 2232, Australia. Email: <u>yzx@ansto.gov.au</u>
^c Australian Synchrotron, 800 Blackburn Road, Clayton, VIC 3168, Australia

List of Figures

Figure S1: ¹H NMR 300 MHz spectrum of ligand HL in CDCl₃.

Figure S2: High resolution ESI-Mass spectrum of HL in MeOH. The inset shows the isotope pattern for $[H_2L]^+$ in both experiment (bottom) and simulation (top).

Figure S3: High resolution ESI-Mass spectrum of complex 1 in MeOH.

Figure S4: The isotope patterns (bottom) with the simulated distribution (top) for $[MnL_2]^+$.

Figure S5: The isotope patterns (bottom) with the simulated distribution (top) for [MnL]⁺.

Figure S6: High resolution ESI-Mass spectrum of complex 2 in MeOH.

Figure S7: The isotope patterns (bottom) with the simulated distribution (top) for $[CoL_2]^+$.

Figure S8: The isotope patterns (bottom) with the simulated distribution (top) for [CoL]⁺.

Figure S9: High resolution ESI-Mass spectrum of complex 3 in MeOH.

Figure S10: The isotope patterns (bottom) with the simulated distribution (top) for [NiL]⁺.

Figure S11: The isotope patterns (bottom) with the simulated distribution (top) for $[NiL_2+H]^+$.

Figure S12: High resolution ESI-Mass spectrum of complex 4 in MeOH.

Figure S13: The isotope patterns (bottom) with the simulated distribution (top) for [CuL]⁺.

Figure S14: High resolution ESI-Mass spectrum of complex 5 in MeOH.

Figure S15: The isotope patterns (bottom) with the simulated distribution (top) for [ZnL]⁺.

Figure S16: A backscattered SEM image of complex 1 (left) and an EDS spectrum (right).

Figure S17: A backscattered SEM image of complex 2 (left) and an EDS spectrum (right).

Figure S18: A backscattered SEM image of complex 3 (left) and an EDS spectrum (right).

Figure S19: A backscattered SEM image of complex 4 (left) and an EDS spectrum (right).

Figure S20: A backscattered SEM image of complex 5 (left) and an EDS spectrum (right).



Figure S1. ¹H NMR 300 MHz spectrum of ligand L in CDCl₃.



Figure S2. High resolution ESI-Mass spectrum of HL in MeOH. The inset shows the isotope pattern for $[H_2L]^+$ in both experiment (bottom) and simulation (top).



Figure S3. High resolution ESI-Mass spectrum of complex 1 in MeOH.



Figure S4. The isotope patterns (bottom) with the simulated distribution (top) for $[MnL_2]^+$.



Figure S5. The isotope patterns (bottom) with the simulated distribution (top) for [MnL]⁺.



Figure S6. High resolution ESI-Mass spectrum of complex 2 in MeOH.



Figure S7. The isotope patterns (bottom) with the simulated distribution (top) for $[CoL_2]^+$.



Figure S8. The isotope patterns (bottom) with the simulated distribution (top) for [CoL]⁺.



Figure S9. High resolution ESI-Mass spectrum of complex 3 in MeOH.



Figure S10. The isotope patterns (bottom) with the simulated distribution (top) for [NiL]⁺.



Figure S11. The isotope patterns (bottom) with the simulated distribution (top) for $[NiL_2+H]^+$.



Figure S12. High resolution ESI-Mass spectrum of complex 4 in MeOH.



Figure S13. The isotope patterns (bottom) with the simulated distribution (top) for [CuL]⁺.



Figure S14. High resolution ESI-Mass spectrum of complex 5 in MeOH.



Figure S15. The isotope patterns (bottom) with the simulated distribution (top) for [ZnL]⁺.



Figure S16. A backscattered SEM image of complex 1 (left) and an EDS spectrum (right).



Figure S17. A backscattered SEM image of complex 2 (left) and an EDS spectrum (right).



Figure S18. A backscattered SEM image of complex 3 (left) and an EDS spectrum (right).



Figure S19. A backscattered SEM image of complex 4 (left) and an EDS spectrum (right).



Figure S20. A backscattered SEM image of complex 5 (left) and an EDS spectrum (right).