

**Plant metabolomics driven chemical and biological comparison of the root bark
of *Dictamnus dasycarpus* and *Dictamnus angustifolius***

Mengying Lv, ^{a,b} Yuan Tian, ^{a,b} Zunjian Zhang, ^{a,b} Jingyu Liang, ^c Fengguo Xu, ^{*a,b} Jianbo Sun^{*c}

^a *Key Laboratory of Drug Quality Control and Pharmacovigilance (Ministry of Education), China
Pharmaceutical University, Nanjing 210009, China*

^b *State Key Laboratory of Natural Medicine, China Pharmaceutical University, Nanjing 210009,
China*

^c *Department of Natural Medicinal Chemistry, China Pharmaceutical University, Nanjing 210009,
China*

*Corresponding author: **Fengguo Xu**

Key Laboratory of Drug Quality Control and Pharmacovigilance (Ministry of Education), China
Pharmaceutical University, Nanjing 210009, China

Fax.: +86 25 8327 1021; Tel.: +86 25 8327 1021;

E-mail address: fengguoxu@gmail.com

*Corresponding author: **Jianbo Sun**

Department of Natural Medicinal Chemistry, China Pharmaceutical University, Nanjing 210009,
China

Fax.: +86 25 8327 1415; Tel.: +86 25 8327 1415;

E-mail address: sjbcpu@gmail.com




Fig. S1 The total ion chromatograms of methanolic extracts of DD (A) and DA (B)