

Supporting Information

Copper Loaded Cross-Linked Poly(Ionic Liquid): Robust Heterogeneous Catalyst in ppm Amount

Ali Pourjavadi,^{*a} Seyed Hassan Hosseini,^a Firouz Matloubi Moghaddam,^b Seyed Ebrahim

Ayati^b

^a Polymer Research Laboratory, Department of Chemistry, Sharif University of Technology, Tehran, Iran

^b Laboratory of Organic Synthesis and Natural Products, Department of Chemistry, Sharif University of
Technology, Tehran, Iran

(E-mail address: purjavad@sharif.edu; Phone/fax: (982)166165311)





Figure S1. FT-IR spectra of catalyst with various anions

Spectroscopic characterization of the products


1-Phenyl-2-(4-phenyl-1*H*-1,2,3-triazol-1-yl)ethanone¹:

Colourless solid; ¹H NMR (400 MHz, CDCl₃) δ = 5.93 (s, 2H), 7.36-7.90 (m, 6H), 8.01 (d, *J* = 7.2 Hz, 2H); 8.04 (s, 1H); 8.06 (d, *J* = 7.2 Hz, 2H); ¹³C NMR (100 MHz, CDCl₃) δ = 55.4, 121.4, 125.8, 128.2, 128.8, 129.2, 130.5, 133.9, 134.6, 148.2, 190.2




4-Phenyl-(1,2,3-triazole-1-yl)-acetic acid ethyl ester:

¹H NMR (400 MHz, CDCl₃) δ = 1.33 (3H, t, *J* = 7.6 Hz), 4.26 (2H, q, *J* = 7.6 Hz), 5.20 (2H, s), 7.34-7.46 (3H, m), 7.85-7.87 (2H, m, ortho to Ar), 7.93 (1H, s); ¹³C NMR (100 MHz, CDCl₃) δ = 14.0, 50.9, 62.4, 121.0, 125.8, 128.3, 128.8, 130.3, 148.2, 166.3;




1-(4-bromobenzyl)-4-phenyl-1*H*-1,2,3-triazole¹:

¹H NMR (400 MHz, CDCl₃) δ = 5.69 (2H, s), 7.31-7.36 (1H, m), 7.40-7.44 (4H, m), 7.76 (s, 1H), 7.81 (2H, d, *J* = 6.8 Hz), 8.22 (2H, d, *J* = 6.8 Hz); ¹³C NMR (100 MHz, CDCl₃) δ = 53.1, 119.7, 124.0, 124.2, 125.7, 128.4, 128.5, 128.8, 130.0, 141.7, 148.0, 148.6




1-allyl-4-pentyl-1*H*-1,2,3-triazole:

¹H NMR (400 MHz, CDCl₃) δ = 1.28 (3H, t), 1.32-1.37 (2H, m), 1.35-1.36 (4H, m), 1.67 (2H, t), 2.27 (2H, t), 4.92 (2H, d), 5.26-5.36 (2H, m), 5.97-6.05 (1H, m), 7.46 (1H, s); ¹³C NMR (100 MHz, CDCl₃) δ = 13.8, 22.4, 25.6, 29.6, 30.9, 31.4, 119.7, 120.4, 130.0, 148.7




2-(4-phenyl-1*H*-1,2,3-triazol-1-yl)acetamide:


White solid, mp 102-104°C; ¹H NMR (400 MHz, CDCl₃) δ = 1.62 (2H, broad), 5.93 (2H, s), 7.28 (1H, s), 7.40-7.40 (2H, m), 7.83-7.99 (3H, m, ortho to Ar); ¹³C NMR (100 MHz, CDCl₃) δ = 29.70, 109.64, 115.73, 118.78, 126.11, 128.98, 144.50, 185.11

**1-(4-bromobenzyl)-4-pentyl-1*H*-1,2,3-triazole:**


¹H NMR (400 MHz, CDCl₃) δ = 0.85 (3H, t, *J* = 6.9 Hz), 1.27-1.30 (4 H, m), 1.59-1.63 (2H, m), 2.65 (2H, t, *J* = 7.4 Hz), 5.41 (2H, s), 7.09 (2H, d, *J* = 6.3 Hz), 7.21 (1H, s), 7.46 (2H, d, *J* = 6.3 Hz); ¹³C NMR (100 MHz, CDCl₃) δ = 13.9, 22.3, 25.6, 29.0, 13.9, 22.3, 25.6, 29.0, 31.4, 53.2, 120.5, 122.6, 129.5, 132.1, 134.0

**1-Benzyl-4-pentyl-1*H*-1,2,3-triazole²:**

¹H NMR (400 MHz, CDCl₃) δ = 0.87 (3H, t, *J* = 6.9 Hz), 1.29-1.33 (4H, m), 1.61-1.65 (2H, m), 2.67 (2H, t, *J* = 7.4 Hz), 5.49 (2H, s), 7.17 (1H, s), 7.25 (2H, d, *J* = 8.0 Hz), 7.34-7.38 (3H, m); ¹³C NMR (100 MHz, CDCl₃) δ = 13.9, 22.3, 25.6, 29.0, 31.4, 53.9, 120.4, 127.9, 128.5, 129.0, 135.0, 148.9


**1-(3-methylbut-2-en-1-yl)-4-phenyl-1*H*-1,2,3-triazole:**

¹H NMR (400 MHz, CDCl₃) δ = 1.81(6H, s), 4.97 (2H, d, *J* = 7.2Hz), 5.46 (1H, t, *J* = 7.2Hz), 7.28-7.36 (3H, m), 7.73 (1H, s), 7.82-7.85 (2H,m); ¹³C NMR (100 MHz, CDCl₃) δ = 18.1, 25.7, 48.1, 117.2, 119.2, 126.7, 128.1, 128.8, 139.9, 147.7




1-propyl-4-phenyl-1*H*-1,2,3-triazole²:


White solid, mp 62-64°C, ¹H NMR (400 MHz, CDCl₃) δ: 0.99 (3H, t, *J*= 7.3), 1.97-2.02 (2H, m), 4.37 (2H, t, *J*=7.3), 7.26-7.34 (1H, m, Ar), 7.42 (2H, t, Ar), 7.74 (1H, s), 7.83 (2H, d); ¹³C NMR (100 MHz, CDCl₃) δ = 11.5, 24.1, 51.9, 119.8, 126.1, 128.5, 129.2, 130.70, 147.61

**1-(naphthalen-1-ylmethyl)-4-phenyl-1*H*-1,2,3-triazole:**


¹H NMR (400 MHz, CDCl₃) δ = 6.02 (2H, s), 7.25-7.26 (2H, m), 7.33-7.34 (2H, m), 7.47-7.53 (4H, m), 7.72-7.74 (2H, m), 7.90 (2H, d, *J*= 5.2), 8.00 (1H, d, *J*= 5.2); ¹³C NMR (100 MHz, CDCl₃) δ = 52.8, 119.8, 123.3, 125.7, 126.0, 126.8, 127.8, 128.3, 128.5, 129.1, 129.3, 130.2, 130.5, 130.9, 131.6, 134.3

**1-allyl-4-phenyl-1*H*-1,2,3-triazole²:**

White solid, mp 58-60°C; ¹H NMR (400 MHz, CDCl₃) δ= 5.01-5.04 (2H, d, *J*=6.2 Hz), 5.33-5.40 (2H, dd, *J*=8 Hz & 16.86 Hz), 6.03-6.12 (1H, m), 7.28-7.44 (3H, m), 7.78 (1H, s), 7.82-7.85 (2H, d, Ar); ¹³C NMR (100 MHz, CDCl₃) δ= 51.1, 119.9, 120.5, 126.1, 128.5, 129.2, 131.0, 131.7, 147.3


**1-benzyl-4-(4-nitrophenyl)-1*H*-1,2,3-triazole**

Yellow solid, mp: 166 °C. ¹H NMR (400 MHz, CDCl₃): δ= 5.61(2H, s), 7.33-7.43(5H, m), 7.81(1H, s), 7.96(2H, d, *J*=8.8 Hz), 8.23(2H, d, *J*=8.8 Hz); ¹³C NMR (100 MHz, CDCl₃): δ= 54.4, 120.9, 124.2, 126.1, 128.2, 129.0, 129.3, 134.2, 136.8, 145.9, 147.3.




1-benzyl-4-(4-methoxyphenyl)-1H-1,2,3-triazole

White solid; ^1H NMR (400 MHz, DMSO- d_6) δ = 3.75 (3H, s), 5.59 (2H, s), 6.95 (2H, d, J = 10 Hz), 7.29-7.35 (4H, m), 7.27 (1H, d, J = 8.5), 8.24 (1H, s), 8.45 (1H, s); ^{13}C NMR (100 MHz, DMSO- d_6) δ = 53.6, 55.6, 114.7, 121.1, 123.8, 127.1, 128.4, 128.7, 129.3, 136.5, 147.2, 159.6.



1-benzyl-4-((2-nitrophenoxy)methyl)-1H-1,2,3-triazole

White solid, ^1H NMR (400 MHz, CDCl_3) δ = 5.35 (2H, s), 5.53 (2H, s), 7.05-7.06 (1H, d, J = 7.4 Hz), 7.26-7.37 (6H, m), 7.53 (1H, d), 7.64 (1H, s), 7.82- 7.84 (1H, t); ^{13}C NMR (100 MHz, CDCl_3) δ = 54.7, 64.3, 115.9, 121.5, 123.5, 126.1, 128.5, 129.3, 129.6, 134.7, 140.6, 151.9



¹H-NMR and ¹³C-NMR spectra of the products

