

Electronic Supplementary Information

A silica nanoparticle supported fluorescence ‘turn-on’ fluoride ion sensing system with tunable structure and sensitivity

Richard Appiah-Ntiamoah¹, Jadhav H. Arvind¹, John. Marc. C. Puguan¹, Francis W.Y. Momade²,

Hern Kim^{1,*}

¹*Department of Energy and Biotechnology, Energy and Environment Fusion Technology Center, Myongji University, Yongin, Kyonggi-do 449-728, Republic of Korea*

²*Department of Materials Engineering, Kwame Nkrumah University of Science and Technology (KNUST), Kumasi, Ghana*

*Corresponding author: hernkim@mju.ac.kr, Tel: +82 31 330 6688; fax: +82 31 336 6336.

Table of contents:

Title of contents.....	1
Fig. S1 Possible mechanism (fluoride-mediated cleavage of Si-O bond) for fluoride sensing by the sensor B	2
Fig. S2 (a) Absorption and (b) emission spectra of SNP-TMSPEDA-FITC , SNP-TMSPEDA-FITC^a , and SNP-TMSPEDA-FITC + F⁻	3
Fig. S3 FT-IR spectra of FITC^a and SNP-TMSPEDA-FITC-OSMDBT	4




Fig. S1





Fig. S2




Fig. S3