

Supporting Information

New Bipolar Host Materials for High Performance of Phosphorescent Green Organic Light-Emitting Diodes

Gyeong Heon Kim[†], Raju Lampande[‡], Ji Hoon Kong[‡], Jung Mim Lee[‡], Jang Hyuk Kwon^{, †}, Jae*

Kyun Lee[‡], Jung Hwan Park^{, §}*

[†]Department of Information Display, Kyung Hee University, 26, Kyungheedaero-ro, Dongdaemun-gu, Seoul, 130-701, Republic of Korea

[‡]Center for Neuro-Medicine, Korea Institute of Science & Technology, Hwarangro 4-gil, Seongbuk-gu, Seoul 136-791, Republic of Korea

[§]Duksan Neolux Co., Ltd., 21-32, Ssukgol-gil, Ipjang-myeon, Seobuk-gu, Cheonan-si, Chungcheongnam-do, 331-821, Republic of Korea

Contents

Fig. S1. Operational lifetime curves of pDPPICz1, mDPPICz1 and CBP based OLEDs.

Fig. S2. Copy of NMR spectra.

Fig. S1. Operational lifetime curves of pDPPICz1, mDPPICz1 and CBP based OLEDs.




Fig. S2. Copy of NMR spectra.

