

Electronic Supplementary Material (ESI)

Fabrication of SERS-Active Conjugated Copolymers/Gold Nanoparticles Composite Films by Interface-Directed Assembly

Ya-Guang He, Sheng-Yu Shi, Na Liu, Yuan-Yuan Zhu, Yun-Sheng Ding, Jun Yin,* and Zong-Quan Wu*

Key Laboratory of Advanced Functional Materials and Devices, Anhui Province, Department of Polymer Material and Engineering, School of Chemistry and Chemical Engineering, Hefei University of Technology, Hefei 230009, China.

*Corresponding Author: yinjun@hfut.edu.cn, zqwu@hfut.edu.cn.




Figure S1. (a, b) TEM images, (c, d) SEM images, (e) hydrodynamic diameter distribution and (f) UV-vis spectrum recorded for Au NPs prepared by citrate reduction of HAuCl_4 in aqueous solutions.




Figure S2. (a) Absorption, (c) emission spectra and change in relative (b) UV-vis and (d) PL intensity obtained for PPI(-AA)-*b*-P3HT copolymers before and after cross-linking by DPDS in chloroform as a function of [DPDS]/[-COOH].




Figure S3. Distinct photographs recorded for PPI(-AA)-*b*-P3HT copolymers before and after cross-linking by DPDS in chloroform as a function of [DPDS]/[-COOH] under 365 nm UV light irradiation.




Figure S4. (a) FT-IR spectra obtained for (I) PPI(-AA)-*b*-P3HT copolymers, (II) PPI(-AA)-*b*-P3HT/DPDS complex, and (III) PPI(-SH)-*b*-P3HT copolymers. (b) ¹H NMR spectra obtained for (I) DPDS and (II) PPI(-SH)-*b*-P3HT copolymers.