

Design and Synthesis of 3D Hierarchical NiCo₂S₄@MnO₂ Core-Shell Nanosheet Arrays for High-Performance Pseudocapacitors

Kaibing Xu^{ab†}, Qilong Ren^{a†}, Qian Liu^a, Wenyao Li^c, Rujia Zou^{a*}, Junqing Hu^{a*}

^a State Key Laboratory for Modification of Chemical Fibers and Polymer Materials, College of Materials Science and Engineering, Donghua University, Shanghai, 201620, China.

^b Research Center for Analysis and Measurement, Donghua University, Shanghai, 201620, China.

^c School of Material Engineering, Shanghai University of Engineering Science, Shanghai 201620, China.

E-mail: rjzou@dhu.edu.cn, hu.junqing@dhu.edu.cn.

†These authors contributed equally to this work.




Figure S1. TEM image of NiCo₂O₄ nanosheet.




Figure S2. CV curve of NiCo₂S₄@MnO₂ electrode, pure and treated Ni foams electrode.




Figure S3. (a) CV curves and (b) CD curves of the NiCo₂S₄@MnO₂ electrode materials.




Figure S4. EIS spectra of the NiCo₂S₄ and NiCo₂S₄@MnO₂ electrode.




Figure S5. SEM image of the (a) $\text{NiCo}_2\text{S}_4@\text{MnO}_2$ and (b) NiCo_2S_4 electrode after cycling.