

Supplementary materials for:

Synthesis and characterization of nanofibrous hollow microspheres with tunable size and morphology via thermally induced phase separation technique

Wei Feng,^a Zhiqi Yin,^a Weizhong Wang,^a Liang Chen,^a Xiaojun Zhou,^b Kexin Qiu,^b Jianfeng Zhou,^c Yanzhong Zhang^a and Chuanglong He^{a*}

^a College of Chemistry, Chemical Engineering and Biotechnology, Donghua University, Shanghai 201620, China

^b College of Materials Science and Engineering, Donghua University, Shanghai 201620, China

^c Research Center for Analysis and Measurement, Donghua University, Shanghai 201620, China

* Corresponding author. Address correspondence to: hcl@dhu.edu.cn; Tel. /fax: +86 21 6779 2742


Microsphere size distribution.

Fig. S1 The particle size distribution of NHMs synthesized at different propanetriol volume: (A) PT-3; 20 mL, and (B) PT-4; 30 mL.




Fig. S2 The particle size distribution of NHMs synthesized at different PLLA concentration: (A) P-1; 1%, (B) P-2; 2%, and (C) P-3; 4%.




Fig. S3 The particle size distribution of NHMs synthesized at different propanetriol dropping rate: (A) DR-1; 40 mL/h, (B) DR-2; 90 mL/h, and (C) DR-3; 140 mL/h.




Fig. S4 The particle size distribution of NHMs synthesized at different stirring speed: (A) SR-1; 400 rpm, (B) SR-2; 800 rpm, and (C) SR-3; 1200 rpm.




Fig. S5 The particle size distribution of NHMs synthesized at different addition sequences: (A) S-1; PLLA-PT, and (B) S-2; PT-PLLA.