## A simpler and highly efficient protocol for the preparation of biodiesel from soap stock oil using BBSA catalyst

Mehulkumar L. Savaliya, Bharatkumar Z. Dholakiya\*

Department of Applied Chemistry, S.V. National Institute of Technology (SVNIT), Ichchhanath, Surat-395007, Gujarat, India.

\*Corresponding Author. Tel +91-9428949595, E-mail address:bharat281173@gmail.com, msmehulsavaliya@gmail.com

## -: Supporting information:-




Figure S1. Reaction assembly for production of biodiesel from soap stock oil




Figure S2. (a) Stock oil and (b) Soap stock biodiesel




Figure S3. GC-FID chromatogram of soap stock biodiesel

$$H^+$$
 $H^ H^ H^-$ 

Figure S4. Proposed mechanism for esterification of free fatty acid to biodiesel




Figure S5. FT-IR spectrum of BBSA catalyst




Figure S6. X-ray diffractrogram of BBSA




Figure S7. BET isotherm of BBSA catalyst




Figure S8. FT-IR spectrum of soap stock oil




Figure S9. FT-IR spectrum of soap stock biodiesel




Figure S10. <sup>1</sup>H NMR spectrum of soap stock oil




Figure S11. <sup>1</sup>H NMR spectrum of synthesized soap stock biodiesel




Figure S12. <sup>13</sup>C NMR spectrum of soap stock oil




Figure S13.  $^{13}$ C NMR spectrum of synthesized soap stock biodiesel